

Contents

| | | |
|----------|---|-----------|
| 1 | Similarity and Granulation | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Similarity | 2 |
| 1.2.1 | Graded Similarity | 3 |
| 1.3 | Granulation | 4 |
| 1.4 | On Selected Approaches to Granulation | 7 |
| 1.4.1 | Granules from Binary Relations | 8 |
| 1.4.2 | Granules in Information Systems from Indiscernibility | 8 |
| 1.4.3 | Granules from Generalized Descriptors | 9 |
| 1.5 | A General Approach to Similarity Based Granules | 9 |
| 1.5.1 | Operations on Granules | 10 |
| 1.5.2 | An Example of Granule Fusion: Assembling | 10 |
| | References | 12 |
| 2 | Mereology and Rough Mereology: Rough Mereological Granulation | 17 |
| 2.1 | Mereology | 17 |
| 2.1.1 | Mereology of Leśniewski | 17 |
| 2.2 | Rough Mereology | 21 |
| 2.2.1 | Rough Inclusions | 22 |
| 2.3 | Granules from Rough Inclusions | 25 |
| 2.3.1 | Rough Inclusions on Granules | 27 |
| 2.4 | General Properties of Rough Mereological Granules | 28 |
| 2.5 | Ramifications of Rough Inclusions | 29 |
| | References | 30 |
| 3 | Learning Data Classification: Classifiers in General and in Decision Systems | 33 |
| 3.1 | Learning by Machines: A Concise Introduction | 33 |
| 3.1.1 | Bayes Classifier | 34 |

| | | |
|----------|---|------------|
| 3.1.2 | Nearest Neighbor Classifier: Asymptotic Properties . . . | 35 |
| 3.1.3 | Metrics for kNN | 37 |
| 3.2 | Classifiers: Concept Learnability | 39 |
| 3.2.1 | The VC Dimension and PAC Learning | 40 |
| 3.3 | Rough Set Approach to Data: Classifiers in Decision Systems | 41 |
| 3.4 | Decision Systems | 44 |
| 3.5 | Decision Rules | 46 |
| 3.5.1 | Exhaustive Rules | 47 |
| 3.5.2 | Minimal Sets of Rules: LEM2 | 51 |
| 3.5.3 | Quality Evaluations for Decision Rules | 52 |
| 3.6 | Dependencies | 55 |
| 3.7 | Granular Processing of Data | 55 |
| 3.8 | Validation Methods: CV | 57 |
| | References | 59 |
| 4 | Methodologies for Granular Reflections | 63 |
| 4.1 | Granules: Granular Reflections | 63 |
| 4.1.1 | The Standard Rough Inclusion | 64 |
| 4.1.2 | ε -Modification of the Standard Rough Inclusion | 64 |
| 4.1.3 | Residual Rough Inclusions | 65 |
| 4.1.4 | Metrics for Rough Inclusions | 65 |
| 4.1.5 | A Ranking of Metrics | 67 |
| 4.2 | Granular Coverings | 68 |
| 4.3 | Granular Reflections | 70 |
| 4.4 | Ramifications of Granulation: Concept-Dependent and Layered | 75 |
| 4.5 | Granular Approximations to Decision Function | 77 |
| 4.6 | Validation of Proposed Algorithms on Real Data Sets | 91 |
| 4.7 | Concept-Dependent and Layered Granulation on Real Data: Granulation as a Compression Tool | 93 |
| 4.7.1 | Layered Learning | 99 |
| 4.8 | Applications of Granular Reflections to Missing Values | 100 |
| | References | 103 |
| 5 | Covering Strategies | 105 |
| 5.1 | Description of the Chosen Classifier | 105 |
| 5.2 | Parameter Estimation in kNN Classifier | 107 |
| 5.3 | Granular Covering Methods | 107 |
| 5.3.1 | Order-Preserving Coverings: Cov1 | 108 |
| 5.3.2 | Random Coverings: Cov2 | 109 |
| 5.3.3 | Coverings by Granules of a Minimal Size: Cov3 | 109 |
| 5.3.4 | Coverings by Granules of Average Size: Cov4 | 110 |
| 5.3.5 | Coverings by Granules of Maximal Size: Cov5 | 111 |

| | | |
|----------|--|------------|
| 5.3.6 | Coverings by Granules Which Transfer the Smallest Number of New Objects: Cov6. | 112 |
| 5.3.7 | Coverings by Granules Which Transfer an Average Number of New Objects: Cov7 | 112 |
| 5.3.8 | Coverings by Granules Which Transfer Maximal Number of New Objects: Cov8. | 113 |
| 5.3.9 | Order-Preserving Coverings Proportional to the Size of Decision Classes: Cov9 | 113 |
| 5.3.10 | Random Coverings Proportional to the Size of Decision Classes: Cov10 | 113 |
| 5.3.11 | Coverings Proportional to the Size of Decision Classes by Granules of a Minimal Size: Cov11 | 114 |
| 5.3.12 | Coverings Proportional to the Size of Decision Classes by Granules of the Average Size: Cov12 | 114 |
| 5.3.13 | Coverings Proportional to the Size of Decision Classes by Granules of a Maximal Size: Cov13 | 115 |
| 5.3.14 | Coverings Proportional to the Size of Decision Classes, by Granules Which Transfer the Smallest Number of New Objects: Cov14. | 116 |
| 5.3.15 | Coverings Proportional to the Size of Decision Classes, by Granules Which Transfer the Average Number of New Objects: Cov15. | 116 |
| 5.3.16 | Coverings Proportional to the Size of Decision Classes, by Granules Which Transfer a Maximal Number of New Objects: Cov16. | 117 |
| 5.4 | Experimental Session with Real World Data Sets | 117 |
| 5.5 | Summary of Results for Discrete Data Sets from UCI Repository | 118 |
| 5.6 | Validation of Results: Combined Average Accuracy with Percentage of Reduction of Object Number, and, $5 \times CV5$ Accuracy Bias. | 151 |
| 5.7 | Best Result Based on CombAGS and the Error $(acc_{r=1} - acc) \leq 0.02$ | 185 |
| 6 | Layered Granulation | 221 |
| 6.1 | Introduction | 221 |
| 6.1.1 | An Example of Multiple Granulation. | 222 |
| 6.1.2 | Experiments with Real Data. | 227 |
| 6.2 | Results of Experiments for Symbolic Data from UCI Repository | 228 |
| 6.3 | In Search for the Optimal Granulation Radius | 253 |
| 6.3.1 | Results Pointed to by the Two-layered Granulation | 255 |
| 6.3.2 | Comparison of Results Pointed by Double Granulation and Best <i>CombAGS</i> | 261 |

| | | |
|-----------|---|-----|
| 6.3.3 | A Comparison for Accuracy Error $acc_{r=1} - acc \leq 0.01$ of <i>CombAGS</i> and $GranSize_{l_{i-1}} - GranSize_{l_i}$ | 275 |
| | References. | 276 |
| 7 | Naive Bayes Classifier on Granular Reflections: | |
| | The Case of Concept-Dependent Granulation. | 277 |
| 7.1 | Naive Bayes Classifier. | 277 |
| 7.1.1 | An Example of Bayes Classification | 279 |
| 7.2 | Results of an Experimental Session with Real Data. | 282 |
| 7.2.1 | Examined Variants of Bayes Classifier | 282 |
| 7.2.2 | Evaluation of Results | 282 |
| 7.2.3 | A Discussion of Results. | 282 |
| | References. | 301 |
| 8 | Granular Computing in the Problem of Missing Values | 303 |
| 8.1 | Introduction | 303 |
| 8.1.1 | A Survey of Strategies. | 303 |
| 8.1.2 | Examples of Basic Strategies | 306 |
| 8.2 | The Experimental Session | 310 |
| 8.2.1 | The Methodology of the Experiment. | 310 |
| 8.2.2 | Evaluation of Results | 311 |
| 8.2.3 | The Results of Experiments for Data Sets Damaged in 5 and 10 % | 311 |
| | References. | 347 |
| 9 | Granular Classifiers Based on Weak Rough Inclusions. | 349 |
| 9.1 | Introduction | 349 |
| 9.2 | Results of Experiments with Classifiers 5_v1, 6_v1, 7_v1, 8_v1–8_v5 Based on the Parameter ε | 349 |
| 9.3 | Results of Experiments with Classifiers Based on Parameters ε and r_{catch} | 355 |
| 9.4 | Results of Experiments with Classifiers 5_v3, 6_v3, 7_v3 Based on the Parameter ε | 390 |
| | References. | 398 |
| 10 | Effects of Granulation on Entropy and Noise in Data | 399 |
| 10.1 | On Entropy Behavior During Granulation | 399 |
| 10.2 | On Noise in Data During Granulation | 400 |
| 10.3 | On Characteristics of Data Sets Bearing on Granulation. | 409 |
| 11 | Conclusions | 417 |
| | References. | 422 |

| | |
|---|------------|
| Appendix A: Data Characteristics Bearing on Classification | 423 |
| Author Index | 443 |
| General Index | 447 |
| Symbols | 451 |

Granular Computing in Decision Approximation

An Application of Rough Mereology

Polkowski, L.; Artiemjew, P.

2015, XV, 452 p. 230 illus., Hardcover

ISBN: 978-3-319-12879-5