

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Impact Craters in South America	2
	References	5
<b>2</b>	<b>Argentina</b>	<b>7</b>
2.1	The Campo del Cielo (27° 30' S, 61° 42' W)	7
2.2	Bajada del Diablo (42° 48' S, 67° 26' W)	10
2.3	Río Cuarto (32° 52' S, 64° 13' W)	13
2.4	Salar de Antofalla (26° 15' S, 68° W)	14
2.5	Salar del Rincón (23° 58' S, 67° 01' W)	15
2.6	Salar del Hombre Muerto (25° 12' S, 66° 55' W)	15
2.7	Salar de Arizaro (24° 55' S, 67° 27' W)	17
2.8	Sierra de Ambato (28° 03' S, 66° 03' W)	17
2.9	Cuesta de Miranda (29° 25' S, 67° 40' W)	18
2.10	Structures Which May Not Be Impact Craters	18
2.10.1	Tonono (22° 16' S, 63° 28' W)	18
2.10.2	Las Garzas (28° 43' S, 59° 29' W)	20
2.10.3	Alicurá (40° 35' S, 70° 54' W)	20
2.10.4	Los Mellizos (47° 20' S, 70° W)	20
2.10.5	Santa María (26° 44' S, 66° W)	22
2.10.6	Alpa Corral (32° 41' S, 64° 50' W)	23
2.11	South Atlantic Geophysical Anomaly: Islas Malvinas/Falkland Islands (51° S, 62° W)	23
2.12	Problematic Structures Found in the Patagonian Volcanic Landscapes	25
2.12.1	Bajo Hondo (42° 15' S, 67° 55' W)	25
2.12.2	Barda Negra (39° 10' S, 69° 53' W)	26
2.12.3	Telsen (42° 28' S, 67° 27' W)	27
2.12.4	Llama Niyeo (41° 55' S, 68° 40' W)	27

2.12.5	Cortaderas (41° 08' S, 66° 52' W) . . . . .	27
2.12.6	Pali Aike (52° 04' S, 69° 29' W) . . . . .	28
2.12.7	Laguna Sirven (46° 50' S, 68° 53' W) . . . . .	29
2.12.8	Gran Altiplanicie Central (48° 25' S, 70° 08' W) . . . .	30
2.12.9	Gregores (48° 37' S, 70° 02' W) . . . . .	30
2.12.10	Meseta del Canquel (44° 28' S, 68° 35' W) . . . . .	30
2.13	The Impact Ejecta of the Atlantic Coast, Buenos Aires, and La Pampa Provinces: The so-Called “Escorias” and “Tierras Cocidas” . . . . .	32
2.13.1	La Dulce (38° 14' S, 59° 12' W) . . . . .	33
2.13.2	General San Martín (38° 00' S, 63° 18' W) . . . . .	34
2.13.3	D’Orbigny (37° 38' S, 61° 43' W) . . . . .	35
2.13.4	Bajo del Gualicho (40° 22' S, 65° 15' W) . . . . .	35
	References. . . . .	36
<b>3</b>	<b>Bolivia</b> . . . . .	41
3.1	Iturrealde (12° 35' S, 67° 38' W) . . . . .	41
3.2	Llica (19° 49' S, 68° 19' W) . . . . .	42
	References. . . . .	44
<b>4</b>	<b>Brazil</b> . . . . .	45
4.1	Proven Impact Origin . . . . .	45
4.1.1	Araguainha (16° 46' S, 52° 59' W) . . . . .	45
4.1.2	Serra da Cangalha (8° 05' S, 46° 51' W) . . . . .	47
4.1.3	Vargeao (26° 48' S, 52° 10' W) . . . . .	48
4.1.4	Riachao (7° 43' S, 46° 38' W) . . . . .	49
4.1.5	Vista Alegre (25° 57' S, 52° 41' W) . . . . .	50
4.2	Possible Impacts . . . . .	51
4.2.1	Gilbues or Santa Marta (10° 10' S, 45° 14' W) . . . . .	51
4.2.2	São Miguel do Tapuio (5° 38' S, 41° 24' W) . . . . .	52
4.2.3	Cerro Jarau (30° 12' S, 56° 33' W) . . . . .	53
4.2.4	Inajah (8° 41' S, 50° 58' W) . . . . .	53
4.2.5	Colônia (23° 52' S, 46° 42' W) . . . . .	53
4.3	Features Suspected to Be of Impact Origin. . . . .	54
4.3.1	Rondonia (Madeirinha) (10° 13' S, 61° 23' W) . . . . .	54
4.3.2	Late Pleistocene Shallow Palaeolakes . . . . .	56
4.3.3	Lagõa Salgada (7° 04' S, 35° 58' W) . . . . .	56
4.3.4	Urucuia (16° 18' S, 45° 46' W) . . . . .	56
4.3.5	Palmeira dos Índios (9° 26' S, 36° 39' W) . . . . .	57
4.3.6	Cruz (7° 49' S, 38° 13' W) . . . . .	57
4.3.7	Sete Lagõas (19° 24' S, 44° 12' W) . . . . .	57

4.4	More Doubtful Structures. . . . .	59
4.4.1	Aimorés (19° 25' S, 41° 03' W) . . . . .	59
4.4.2	Ubatuba (23° 18' S, 44° 56' W) . . . . .	59
4.4.3	Piratininga (22° 28' S, 49° 09' W) . . . . .	59
4.4.4	Curuçá (5° 11' S, 71° 38' W) . . . . .	60
	References. . . . .	60
<b>5</b>	<b>Chile</b> . . . . .	63
5.1	Monturaqui (23° 56' S, 68° 17' W) . . . . .	63
5.2	Quillagua (21° 39' S, 69° 31' W) . . . . .	63
5.3	Vaca Muerta (25° 45' S, 70° 30' W) . . . . .	66
5.4	Imilac (24° 13' S, 68° 53' W) . . . . .	66
	References. . . . .	67
<b>6</b>	<b>Colombia</b> . . . . .	69
6.1	Río Vichada (4° 30' N, 69° 15' W) . . . . .	69
	References. . . . .	72
<b>7</b>	<b>Paraguay</b> . . . . .	73
7.1	Ypacaraí (25° 18' S, 57° 16' W) . . . . .	73
7.2	Negla (22° 29' S, 56° 44' W) . . . . .	73
7.3	San Diego (23° 2' S, 57° 34' W) . . . . .	74
<b>8</b>	<b>Perú</b> . . . . .	77
8.1	Carancas (16° 40' S, 69° 02' W) . . . . .	77
	References. . . . .	79
<b>9</b>	<b>Uruguay</b> . . . . .	81
9.1	The Atlantic Ocean Coast of Uruguay and Southern Brazil . . . . .	81
9.2	A Search for New Possible Impact Craters/Structures in Uruguay. . . . .	82
	Reference . . . . .	83
<b>10</b>	<b>Venezuela</b> . . . . .	85
10.1	Ichum (4° 17' N, 63° 21' W) . . . . .	85
10.2	Guaniamo (6° 36' N, 65° 45' W) . . . . .	85
10.3	Black-Mat Site MUM7B (8° 46' N, 70° 49' W) . . . . .	87
	References. . . . .	87
<b>11</b>	<b>The Guianas</b> . . . . .	89
11.1	Guyana . . . . .	89
11.1.1	Rupununi (2° 10' N, 59° 10' W) . . . . .	89
11.1.2	Pubu (5° 7' N, 58° 41' W) . . . . .	90

11.2	Suriname . . . . .	91
11.2.1	Wayombo (5° 24' N, 56° 4' W) . . . . .	91
11.2.2	Benzdorp (3° 38' N, 54° 12' W) . . . . .	92
	Reference . . . . .	92
<b>12</b>	<b>South Pacific Ocean Eltanin (57° 52' S, 90° 57' W) . . . . .</b>	<b>93</b>
	References. . . . .	94
<b>13</b>	<b>Astroblemes-Wrong (Structures that Resemble Astroblemes but They Are Not) . . . . .</b>	<b>95</b>
13.1	Argentina. . . . .	95
13.1.1	Isla de los Estados (54° 48' S, 64° 25' W) . . . . .	95
13.1.2	Morro de Cuero (34° 15' S, 69° 34' W) . . . . .	95
13.1.3	Golfo de San Jorge (46° S, 67° W) . . . . .	95
13.2	Bolivia . . . . .	97
13.2.1	Jayu Kota (19° 28' S, 67° 26' W) . . . . .	97
13.3	Chile. . . . .	97
13.3.1	Rano Kau (27° 11' S, 109° 26' W) . . . . .	97
13.4	Colombia. . . . .	99
13.4.1	Guatavita (4° 58' N, 73° 46' W) . . . . .	99
	References. . . . .	99
<b>14</b>	<b>Final Remarks . . . . .</b>	<b>101</b>
	<b>Index . . . . .</b>	<b>103</b>

<http://www.springer.com/978-3-319-13092-7>

Impact Craters in South America

Acevedo, R.D.; Rocca, M.C.L.; Ponce, J.F.; Stinco, S.G.

2015, X, 104 p. 84 illus., 47 illus. in color., Softcover

ISBN: 978-3-319-13092-7