

Contents

| | | |
|----------|--|----|
| 1 | Introduction | 1 |
| 1.1 | Scope of the Thesis | 3 |
| 1.2 | Challenges in Tablet Interaction Design for Grasping Hands | 4 |
| 1.2.1 | Form Factor | 4 |
| 1.2.2 | Grasp-Based Front- and Back-of-Device Interaction | 5 |
| 1.2.3 | Resulting Research Topics | 5 |
| 1.3 | Research Contributions | 6 |
| 1.4 | Dissertation Structure | 7 |
| 2 | Related Work | 9 |
| 2.1 | Ergonomics in Gesture Interaction with Grasping Hand | 9 |
| 2.1.1 | Gesture Design | 9 |
| 2.1.2 | Ergonomics in Gesture Execution | 10 |
| 2.1.3 | Summary | 12 |
| 2.2 | Interaction Areas | 12 |
| 2.3 | Pointing Techniques | 13 |
| 2.3.1 | Direct Touch Pointing | 13 |
| 2.3.2 | Inverse Direct Pointing | 14 |
| 2.3.3 | Miniature Interaction Area | 14 |
| 2.3.4 | Relative Pointing | 15 |
| 2.3.5 | Summary | 15 |
| 2.4 | Summary and Resulting Research Questions | 16 |
| 3 | An Ergonomic Gesture Repertoire for Grasp-Based Interaction | 17 |
| 3.1 | Biomechanical and Grasp-Based Constraints | 18 |
| 3.1.1 | Biomechanical Constraints | 18 |
| 3.1.2 | Grasp-Based Constraints | 19 |
| 3.2 | Method | 20 |
| 3.2.1 | Design | 22 |
| 3.2.2 | Task | 23 |

| | | |
|----------|---|-----------|
| 3.2.3 | Procedure | 23 |
| 3.2.4 | Measurements | 24 |
| 3.3 | Results | 25 |
| 3.3.1 | Q1: Gesture Repertoire | 25 |
| 3.3.2 | Q2: Movability | 25 |
| 3.3.3 | Q2: Limitations | 31 |
| 3.3.4 | Q3: Midas Touch Problem | 32 |
| 3.3.5 | Q3: Context. | 33 |
| 3.4 | Discussion and Design Guidelines | 33 |
| 3.4.1 | Context. | 33 |
| 3.4.2 | Gesture Interaction | 34 |
| 3.5 | Conclusion and Contribution | 36 |
| 3.5.1 | Conclusion | 36 |
| 3.5.2 | Contribution | 36 |
| 4 | Ergonomic Characteristics of Grasp-Based Touch Gestures Executed on Two Tablet Sides | 37 |
| 4.1 | Device-Side Dependent Gesture Execution | 37 |
| 4.2 | Method | 38 |
| 4.2.1 | Design | 38 |
| 4.2.2 | Task | 38 |
| 4.2.3 | Apparatus | 39 |
| 4.2.4 | Measurements | 39 |
| 4.2.5 | Procedure | 39 |
| 4.3 | Results | 39 |
| 4.3.1 | Gesture Position. | 40 |
| 4.3.2 | Gesture Shape | 40 |
| 4.3.3 | Gesture Orientation. | 42 |
| 4.3.4 | Hand Symmetry. | 42 |
| 4.3.5 | Front-Versus Back-of-Device. | 43 |
| 4.4 | Discussion. | 44 |
| 4.4.1 | Common Gesture Parameters | 44 |
| 4.4.2 | Android Versus the Observed Parameters | 45 |
| 4.4.3 | Design Guidelines | 46 |
| 4.5 | Conclusion and Contribution | 48 |
| 4.5.1 | Conclusion | 48 |
| 4.5.2 | Contribution | 48 |
| 5 | Interaction Areas on the Front and on the Back of Tablets | 49 |
| 5.1 | Interaction Areas on Hand-Held Tablets | 49 |
| 5.2 | Ergonomic Measurements | 50 |
| 5.2.1 | Device | 50 |
| 5.2.2 | Hand | 50 |

| | | |
|----------|---|-----------|
| 5.3 | Midas Touch Events on the Hand-Held Device | 51 |
| 5.3.1 | Method | 51 |
| 5.3.2 | Results | 53 |
| 5.3.3 | Discussion | 54 |
| 5.3.4 | Design Guidelines | 56 |
| 5.4 | Accessibility of Interaction Areas | 56 |
| 5.4.1 | Method | 56 |
| 5.4.2 | Results | 58 |
| 5.4.3 | Discussion | 63 |
| 5.4.4 | Design Guidelines | 65 |
| 5.5 | Conclusion and Contribution | 66 |
| 5.5.1 | Conclusion | 66 |
| 5.5.2 | Contribution | 66 |
| 6 | Front- and Back-of-Device Pointing with Direct Touch | 67 |
| 6.1 | Ergonomics in Touch Interaction | 67 |
| 6.2 | Method | 68 |
| 6.2.1 | Design | 68 |
| 6.2.2 | Task | 69 |
| 6.2.3 | Apparatus | 70 |
| 6.2.4 | Measurements | 72 |
| 6.2.5 | Procedure | 73 |
| 6.3 | Results from 2D Data | 73 |
| 6.3.1 | Q1: Handedness | 73 |
| 6.3.2 | Q1: Hand | 74 |
| 6.3.3 | Q1: Device Side | 74 |
| 6.3.4 | Q2: Augmentation | 75 |
| 6.3.5 | Q3: Error Rate | 75 |
| 6.3.6 | Q4: Target Size | 75 |
| 6.3.7 | Q5: Target Position | 76 |
| 6.4 | Discussion of 2D Results | 80 |
| 6.5 | Results from 3D Kinetic Hand Model | 82 |
| 6.5.1 | Touchscreen Pointing | 83 |
| 6.5.2 | Back-of-Device Pointing | 84 |
| 6.6 | Discussion of 3D Results | 85 |
| 6.7 | Design Guidelines | 87 |
| 6.8 | Conclusion and Contribution | 88 |
| 6.8.1 | Conclusion | 88 |
| 6.8.2 | Contribution | 89 |
| 7 | Pointing on Tablets with Grasping Hands | 91 |
| 7.1 | Pointing Techniques | 91 |
| 7.1.1 | Direct Touch | 92 |
| 7.1.2 | Inverse Cursor | 93 |

| | | |
|----------|---|------------|
| 7.1.3 | TouchPad | 93 |
| 7.1.4 | Miniature Area. | 94 |
| 7.2 | Method | 94 |
| 7.2.1 | Design | 94 |
| 7.2.2 | Task | 95 |
| 7.2.3 | Apparatus | 95 |
| 7.2.4 | Measurements | 95 |
| 7.2.5 | Procedure | 95 |
| 7.3 | Results | 96 |
| 7.3.1 | Effectiveness | 96 |
| 7.3.2 | Efficiency | 97 |
| 7.3.3 | Selection Time Per Target Position. | 100 |
| 7.3.4 | Number of Attempts Per Target Selection | 101 |
| 7.3.5 | Perceived Effort | 102 |
| 7.3.6 | Usability | 103 |
| 7.3.7 | Comments | 105 |
| 7.4 | Discussion. | 105 |
| 7.5 | Conclusion and Contribution | 107 |
| 7.5.1 | Conclusion | 107 |
| 7.5.2 | Contribution | 107 |
| 8 | Design Guidelines. | 109 |
| 8.1 | Ergonomic Gesture Design | 109 |
| 8.1.1 | Gesture Types | 109 |
| 8.1.2 | Digits | 110 |
| 8.1.3 | Gesture Definition | 111 |
| 8.2 | Accessible Areas for Direct Touch | 111 |
| 8.2.1 | Midas Touch | 112 |
| 8.2.2 | Accessible Areas | 112 |
| 8.3 | Pointing Techniques Within and Beyond the Accessible Areas | 112 |
| 8.3.1 | Direct Touch | 113 |
| 8.3.2 | Indirect Touch | 114 |
| 9 | Conclusion and Future Work | 115 |
| 9.1 | Recapitulation and Contextualization of Contributions. | 115 |
| 9.1.1 | Ergonomic Gestures | 115 |
| 9.1.2 | Interaction Areas for Direct Touch | 116 |
| 9.1.3 | Pointing Techniques Beyond Direct Touch | 116 |
| 9.2 | Future Work | 118 |
| 9.2.1 | Evaluating Different Grasp Types. | 118 |
| 9.2.2 | Evaluating Interacting with Form Factors Beyond Tablets | 118 |

| | | |
|--------------------|---|------------|
| Contents | | xi |
| 9.2.3 | Considering Different Gestures. | 119 |
| 9.2.4 | Modeling Pointing Performance for Grasping Hands. . . | 120 |
| 9.3 | Closing Remarks | 120 |
| References. | | 123 |

Grasp Interaction with Tablets

Wolf, K.

2015, XIV, 128 p. 77 illus., 53 illus. in color. With online files/update., Hardcover

ISBN: 978-3-319-13980-7