

Contents

1	Frictional Force—Introduction	1
1.1	Introduction	1
1.2	BFMC—Brake Friction Material Composite—Definition	2
1.2.1	Characteristics Defining the System	2
1.2.2	Nature of Brake Friction Material Composite (BFMC).	4
1.2.3	Mechanisms Manifesting the Dynamics	10
1.2.4	BFMC System—Process	10
1.2.5	Definition of BFMC System.	10
1.2.6	Properties of the System	11
1.2.7	Dynamical and Complex Systems	11
1.2.8	BFMC Systemic Attributes	12
1.2.9	Complex Systems—Definition	12
1.2.10	Complex Systems	13
1.2.11	Definition of Composite Materials.	19
1.2.12	Friction Material Composites (FMC)	21
1.2.13	Brake Friction Material Composites (BFMC)	21
1.2.14	Brake Friction Material Composites (BFMC) with Metal Matrix.	21
1.2.15	Brake Friction Material Composite (BFMC) with Polymer Matrix	21
1.2.16	Brake Friction Material Composite Multimatrix	22
1.3	Basic Issues of Friction Material Particle Interphases.	22
1.4	Disk Pad Rotor and Caliper Assembly.	23
1.5	An Account of Frictional Force	23
1.6	Characteristics of Molecular Forces.	26
1.7	What Is a Frictional Force?	27
1.8	What Happens in a Frictional Contact Surface?	27
1.9	Transfer Film Layer in a Frictional Contact Area	29

1.10	Nanostructure Metallic Materials for Enhanced Wear and Control on Friction: Ban on Copper Under the Legislation Bills SB6557 and S 346 Passed in USA and California	30
1.11	Composite Coatings for Friction and Wear Properties	31
1.12	Geometrical Surfaces and the Forces of Friction	31
1.13	New Class of Quasicrystalline Materials	32
1.14	Essential Virtues of Brake Friction Material Composite	38
1.14.1	Different Types of Coefficients of Friction	38
1.15	Test Conditions of μ -V Testing—BMI (Bismaleimide) Polymeric Matrix-Based Composite System in a Non-asbestos to Asbestos Formulations Compared	42
1.15.1	Coefficient of Friction—Brake Liner Fitted with “S” Cam Brake	43
1.15.2	Wear Rate	44
1.15.3	Thermal Damage	45
1.16	Virtues of a Good Friction Material	45
1.17	Key Characteristics of Friction Material Composite in Meeting the Above Said Virtues	46
1.18	Fading Friction	49
1.19	Noise Elimination Sequence	50
1.19.1	Sequence to Control Good Braking, Low Wear with Minimal or No Noise	51
1.19.2	The Vibration Components from the Radial Direction of the Rotor Has the Following Components	54
1.19.3	Noise Search Graph	56
1.19.4	Noise Occurrence with Pressure and Temperature	56
1.19.5	Frequency Versus Peak Level Decibels in Relation to Temperature Scale	56
1.19.6	Typical Noise Search for Varying Amplitude	59
1.20	Compressibility and Judder Vibration-Related Issues in a Disk Pad: Compressibility of the Pad—And Cold Hot	61
1.20.1	High and Low Speed Judder	61
1.21	Kinetic Coefficient of Friction: Theoretical Considerations	65
2	Design Essentials—Friction Material Composite System	75
2.1	Brake and Vehicle Data	76
2.1.1	Data Collection Before Attempting Any Design	77
2.1.2	Basic Engineering Calculations to Design the Torque for Any Vehicle Model—Data Assumed	78
2.1.3	Limiting Brake Torque	79

2.2	Design Drawing as an Input from the Original Equipment Manufacturer	79
2.2.1	Brake and Vehicle Data.	80
2.3	Braking Ratio.	81
2.4	Inertia	81
2.5	Constants.	83
2.6	Terrain/Landform Topography as a Design Input	83
2.7	Contacting Surface—Rotor Disk and Drum Details as a Design Input	84
2.7.1	Friction-Induced Changes at the Rotor Surface	84
2.8	Brake Roughness	85
2.8.1	Roughness—Vibrational Noise	85
2.8.2	Rotor Wear	87
2.8.3	Rotor Thickness Variation Due to Excessive Heat.	87
2.8.4	Disk Brake Roughness (DBR) Measurement	87
2.8.5	AFM—Brake Pad Roughness.	88
2.8.6	Roughness Measurements in a Dynamometer	91
2.8.7	Brake Design Factors—Sliding Calipers	92
2.8.8	Thickness Variation Due to Manufacturing Reasons.	93
2.8.9	Abrasive Brake Pads	95
2.8.10	Metallographic Studies on Gray Cast Iron Samples of the Drum.	97
3	Rolling Motion	99
3.1	Pure Rolling Motion	99
3.2	Sliding Wear	101
3.2.1	Wear in a Rail Braking Wheel	101
3.2.2	Deformation and Static Friction	104
3.2.3	Torque Versus Angular Velocity.	105
3.2.4	Translational Kinetic Energy Versus Rotational Kinetic Energy of the Gyrating Mass	105
3.3	Circular Motion—Theoretical Considerations	107
3.3.1	Angular Displacement and Angular Velocity	107
3.3.2	Relation Between Linear and Angular Velocity	109
3.3.3	Angular Acceleration.	110
3.3.4	Centripetal Acceleration (Uniform Circular Motion).	111
3.3.5	Tangential Acceleration and Centripetal Acceleration.	113
3.3.6	Dynamics of Uniform Circular Motion	119
3.3.7	Dynamics of Nonuniform Circular Motion.	126

4	Formulation Design	131
4.1	Role of Fibers and Fillers to Be Cited	131
4.1.1	Materials Bear Effect on Formulation and Process	131
4.1.2	Zero-, One-, Two-, and Three-Dimensional Fillers and Fibers	132
4.1.3	Axial Planar Reinforcement	133
4.1.4	Dispersion Strengthened (Particulate) Composites, Structure, and Properties	134
4.2	Formulation Design	136
4.2.1	What Does a Friction Material Composite Constitute?	136
4.2.2	Selection of Design of Experiment DOE as an Option	136
4.2.3	Fractional Factorial Design—BFMC	137
4.3	Specific Functional Role of Materials in BFMC—System Dependent	139
4.4	Factors That Can Affect Friction	140
4.5	Design Control for—Design of “Friction Materials Composite”	141
4.5.1	Design Control for Undertaking Design of Process Control	141
4.6	Documents to Be Generated All Have to Be Numbered and Indexed for Cross Referencing—BFMC	141
4.7	Activity Chart for Design Control of “Friction Materials”	142
4.8	Technical Documents Required for Manufacture of Friction Material Design Product	142
4.9	Design Route Selection for the Brake System in Operation	142
4.10	BFMC Manufacturer, Sequence of Design Approval Process	148
4.11	Critical Raw Materials Used in BFMC Design and Their Characteristics	150
4.12	Typical Specification and Level of Dosage Used in a Friction Material Formulation	152
4.13	General Specification Used in Friction Material Composite MOS ₂	155
4.14	Simple Material Selection Sequence	179
4.15	Interrelationship Between Material, Design and Process	180
4.16	Design Process for BFMC Selection	180
4.17	Disk Pad Material	180
4.17.1	Organic	182
4.17.2	Semimetallic	182
4.17.3	Metallic	182
4.17.4	Ceramic Brake Pads and Linings	183

4.17.5	Sintered Friction Material	184
4.17.6	Ceramic Potassium Titanate Fiber-Filled System in Non-asbestos Design—Functional Material Characteristics	185
4.18	Design of Formulation, Process for the Above Said Groups of Brake Pads and Liners.	185
4.19	Brake System as an Essential Integration for a Good Performing Pad, Liner	186
4.20	Materials Point of View of the Formulation Design.	187
4.21	Criteria for Selection of Materials for Designing a Friction Material Formulation.	188
4.22	Material Specifications as Control in a Formulation.	188
4.23	Materials Used in a Friction Material Composite Formulations for Automotive and Rail Braking Applications Include	189
4.24	Basic Physical, Thermal, and Mechanical Tests Done on a Friction Material Formulation—Prototype Samples	190
5	Design of Experiments	193
5.1	Fractional Factorial Design.	193
5.1.1	General Guiding Principles for a Fractional Factorial Experiment Is Given Below	194
5.1.2	Experimental Objective	194
5.1.3	Important Characteristics	195
5.1.4	Design of Experiments: Factorial Experiment Design Tables	195
5.1.5	Determine the Acceptance Criteria	196
5.1.6	Picking Up the Acceptance Criteria.	200
5.1.7	Calculating Samples Per Run	200
5.2	Brake Shoe Bonding Factors and Levels	201
6	BFMC—Processing.	205
6.1	Process Design Control—Parameter	205
6.1.1	Mixing, Blending, Tumbling	205
6.1.2	Mixer Designs/Configuration	209
6.1.3	Mixing Sequence with Time of Addition	210
6.1.4	Effective Homogenization—Measure.	210
6.1.5	Selection of the Press	211
6.1.6	Press Parameters—Sample Specification (Data Provided Purely as an Indication of Specification)	213
6.1.7	To Give a Basic Account of the Sequence of Operation of a Press in One Cycle—Disk Pad	216

6.1.8	Possible Hydraulic Press Issues Related to Maintenance Which Can Normally Hamper the Efficiency of the Press	217
6.1.9	Design Control Plan: Disk Pad Manufacturing. PFMEA—Product Failure Mode Effect Analysis.	218
6.1.10	Predesign Plan	218
6.1.11	Significant Characteristics	219
6.2	Design Control Plan	219
6.2.1	Disk Brake Pad Control Plan	219
6.2.2	Disk Brake Pad (Press Line) In-process Inspection Multilayers Hot Press.	257
6.2.3	Disk Brake Pad (Press Line) In-process Inspection Single Layer Hot Press	258
6.2.4	Number: Disk Brake Pad Final Inspection	259
6.2.5	DBP Attachments Incoming Inspection	260
6.2.6	Store Shipment Pack	261
6.2.7	Quality Objectives Zero Defects	262
6.2.8	Production Reject Modes (pcs).	263
6.2.9	Process Travel Control Card Disk Brake Pad	264
6.2.10	Incoming Raw Material Inspection	265
6.2.11	DBP Attachments Incoming Inspection	266
6.2.12	Raw Material—Mixing, Coating, and Sieving.	267
6.2.13	DBP (Finishing Line) In-process Inspection	268
6.2.14	Glue Spray and Oven Drying In-process Inspection.	269
6.2.15	Rivet Incoming Inspection	270
6.3	A Good Manufacturing Layout.	270
6.4	Typical Tests Done in a Brake Lining, Brake Pad (Exclude Some of the Tests for Brake Pads) Non-asbestos Brake Lining	272
7	BFMC—Formulations and Processes	273
7.1	Backup Layer.	273
7.1.1	Hot Shear Test on a Backup Layer—Sample Data	274
7.1.2	Formulations	275
7.2	Molding Process—Brake Linings and Brake Pads.	275
7.2.1	Dry Mix Process.	276
7.3	History of Evolution of Semimetallic Disk Brake Pads	278
7.4	Evolution of NAO Nomenclature After Semimetallic and Metallic Disk Pads	279
7.5	Mixing Cycles—Time and Sequence of Addition as an Important Factor.	280
7.6	Controlling the Mixing Action	280
7.7	Controlling Mixing Efficiency	281
7.8	Ceramic and Nonasbestos Organic Formulas	281

7.9	Horse Power Requirements	282
7.10	Wet Mix	282
7.11	Mixing Action	285
8	Laws and Rules Governing Friction Materials	287
9	Total Quality Management	291
10	An Account of Copper-Free, Non-Metallic Friction Material Designs—Current Issues and Solution	311
10.1	Ceramic Route as a Solution to Copper-Free, Nonmetallic Brake Pad Design	320
10.1.1	Technical Aspects of an Effective Ceramic Material.	320
10.2	Basic Understanding of Ceramics Through Electron Mechanism	322
10.3	Thermal Conductivity	324
11	Test Requirements in an Automotive BFMC Design.	327
11.1	World Class Test Specifications for Disk Brake Pads: Methods of Testing, Procedures with Standards	327
11.2	Electrical Resistivity Measurements in Brake Friction Material Composite (BFMC)	328
11.2.1	Volume Resistance and Surface Resistance Measurements for Copper Free, Non-metallic Systems and Others for Bench Marking and Comparison	328
11.3	Essential Physical Properties Enumerated: Not All Tests Are Covered	330
11.3.1	Density	330
11.3.2	Solvent Extraction Test for Uncured Resin in the Material: A Value <2 % Is Healthy >2 % Swell Is Possible	331
11.3.3	Particle Size for 50 g Sample	332
11.3.4	Porosity Measurement	333
11.3.5	Gorden Kline—Determination of Hexamethylene Tetramine—Cure Content in the Resin	334
11.3.6	pH Index—Hydrogen Ion Concentration	335
11.3.7	Pad Shear Test with Shear Force	335
11.3.8	Test for Cold Compressibility of the Pad	338
11.3.9	Test for Pad Swell	342
11.3.10	Test for Swell and Growth.	343
11.4	Backing Plate Surface Treatment—Corrosion Resistance	344
11.5	System Overview of the Passenger Car Dynamometer.	344

11.6 Worst Case Criteria (WCC) 352

11.7 Technical Specifications of Passenger Car
Dynamometer—One Type 357

11.8 Scaled Down Test for Rail Brake Friction Composite 358

References. 359

Index 369

Friction Material Composites

Copper-/Metal-Free Material Design Perspective

Sundarkrishnaa, K.

2015, XXXIV, 372 p. 169 illus., 67 illus. in color.,

Hardcover

ISBN: 978-3-319-14068-1