

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	A General Background	1
1.2	Text Preview	5
	References.	7
<b>2</b>	<b>Dynamics of a Moving and Oscillating Moving Load</b>	
	<b>Acting on a Pre-strained Bi-material Layered Systems</b>	<b>11</b>
2.1	Background of Related Investigations	11
2.2	Critical Velocity of a Moving Load Acting on the Pre-stressed Layer Resting on a Pre-stressed Half-Plane	15
2.2.1	Formulation of the Problem	15
2.2.2	Solution Method of the Corresponding Boundary-Contact-Value Problem	19
2.2.3	The Algorithm for Determination of the Critical Velocity	23
2.2.4	Numerical Results and Discussions	24
2.2.5	Conclusions	28
2.3	Dynamical Response of a Pre-stressed System Comprising a Substrate, Bond and Covering Layer to the Moving Load	28
2.3.1	Formulation of the Problem	29
2.3.2	Method of Solution	30
2.3.3	Numerical Results and Discussions	32
2.3.4	Conclusions	36
2.4	Dynamics of a Finite Pre-strained Bi-layered Slab Resting on a Rigid Foundation Under the Action of an Oscillating Moving Load	37
2.4.1	Formulation of the Problem and Some Remarks on the Equations and Relations of the TDLTEWISB	38

2.4.2	Method of Solution . . . . .	48
2.4.3	General Remarks on the Doppler Effect. . . . .	51
2.4.4	On the Algorithm Used for Obtaining Numerical Results. . . . .	53
2.4.5	Numerical Results and Discussions . . . . .	55
2.4.6	Conclusions . . . . .	63
2.5	Dynamics of a System Comprising a Pre-stressed Orthotropic Layer and Pre-stressed Orthotropic Half-Plane Under the Action of a Moving Load . . . . .	65
2.5.1	Formulation of the Problem . . . . .	65
2.5.2	Method of Solution . . . . .	67
2.5.3	Numerical Results and Discussions . . . . .	69
2.5.4	Conclusions . . . . .	77
2.6	Dynamics of a System Comprising on Orthotropic Layer and Orthotropic Half-Plane Under the Action of an Oscillating Moving Load. . . . .	78
2.6.1	On the Formulation of the Problem and Solution Method. . . . .	79
2.6.2	Numerical Results and Discussions . . . . .	82
2.6.3	Conclusions . . . . .	96
2.7	Three-Dimensional Problems on the Dynamics of a System Comprising a Pre-stressed Covering Layer and Pre-stressed Half-Space Under the Action of an Oscillating Moving Load. . . . .	99
2.7.1	Formulation of the Problem . . . . .	99
2.7.2	Method of Solution . . . . .	102
2.7.3	Some Notes on the Doppler Effect and the Algorithm for Obtaining the Numerical Results . . . . .	107
2.7.4	Numerical Results and Discussions . . . . .	114
2.7.5	Conclusions . . . . .	125
2.8	Oscillating Moving Load Problems Related to Systems Consisting of Viscoelastic Constituents . . . . .	126
2.8.1	Formulation of the Problem . . . . .	126
2.8.2	Method of Solution . . . . .	128
2.8.3	Numerical Results and Discussions . . . . .	132
2.9	On One Analogy Between the Moving Load, Near Surface Wave Propagation and Near Surface Stability Loss Problems Related to the Layered Half-Space. . . . .	135
2.9.1	The Analogy Between the Near-Surface Wave Propagation Problem and the Corresponding Moving Load Problem. . . . .	136

2.9.2	The Analogy Between the Near-Surface Stability Loss Problem and the Corresponding Moving Load Problem. . . . .	138
	References. . . . .	140
<b>3</b>	<b>Forced Vibration of Pre-stressed Layered Bodies . . . . .</b>	<b>143</b>
3.1	Forced Vibration of a System Consisting of a Pre-stressed Covering Layer and a Pre-stressed Half-Plane Under the Action of Arbitrary Linearly-Located Time-Harmonic Forces . . . . .	143
3.1.1	Formulation of the Problem . . . . .	143
3.1.2	Method of Solution . . . . .	145
3.1.3	Some Remarks on the Calculation of the Integrals (3.21) . . . . .	149
3.1.4	Numerical Results and Discussions . . . . .	155
3.1.5	Conclusions . . . . .	161
3.2	The Influence of the Third Order Elastic Constants on the Dynamical Interface Stress Field in a Half-Space Covered with a Pre-stretched Layer. . . . .	163
3.2.1	Formulation of the Problem . . . . .	164
3.2.2	Method of Solution . . . . .	172
3.2.3	Numerical Results and Discussions . . . . .	175
3.2.4	Conclusions . . . . .	183
3.3	Axisymmetric Stress Field in a Finite Pre-strained System Comprising a Half-Space and a Covering Layer, and in a Bi-layered Slab Resting on a Rigid Foundation . . . . .	184
3.3.1	Formulation of the Problem . . . . .	185
3.3.2	Solution Method . . . . .	193
3.3.3	Some Remarks on the Calculation of the Integrals in (3.127) and (3.128) . . . . .	198
3.3.4	Numerical Results and Discussions . . . . .	200
3.4	Frequency Response of the Axisymmetrically Finite Pre-stretched Slab from Incompressible Functionally Graded Material on a Rigid Foundation . . . . .	227
3.4.1	Formulation of the Problem . . . . .	228
3.4.2	General Remarks on the Solution Procedure . . . . .	230
3.4.3	Numerical Results and Discussions . . . . .	232
3.4.4	Conclusions . . . . .	236
3.5	Time-Harmonic Stress Field in a System Comprising a Pre-stressed Orthotropic Layer and Pre-stressed Orthotropic Half-Plane. . . . .	237
3.5.1	Formulation of the Problem . . . . .	237
3.5.2	Method of Solution . . . . .	241

3.5.3	Numerical Results and Discussions . . . . .	245
3.5.4	Conclusions . . . . .	252
3.6	Time-Harmonic Lamb's Problem for a System Comprising a Pre-stressed Piezoelectric Layer and Pre-stressed Piezoelectric Half-Plane . . . . .	253
3.6.1	Formulation of the Problem . . . . .	253
3.6.2	Method of Solution . . . . .	256
3.6.3	Some Remarks on the Calculation of Integrals (3.213) . . . . .	263
3.6.4	Numerical Results and Discussions . . . . .	266
3.7	Axisymmetric Time-Harmonic Lamb's Problem for a System Comprising a Viscoelastic Covering Layer and Viscoelastic Half-Plane . . . . .	286
3.7.1	Formulation of the Problem . . . . .	287
3.7.2	Method of Solution . . . . .	290
3.7.3	Numerical Results and Discussion . . . . .	296
3.7.4	Conclusions . . . . .	313
3.8	Dynamical Response of Two Axially Pre-strained System Comprising a Covering Layer and a Half-Space to Rectangular Time-Harmonic Forces . . . . .	315
3.8.1	Formulation of the Problem . . . . .	315
3.8.2	Method of Solution . . . . .	317
3.8.3	Numerical Results and Discussions . . . . .	321
	References . . . . .	332
<b>4</b>	<b>Wave Propagation in Pre-strained Layered Systems . . . . .</b>	<b>335</b>
4.1	Generalized Rayleigh Wave Propagation in a System Consisting of a Pre-stressed Covering Layer and a Pre-stressed Half Plane . . . . .	335
4.1.1	Formulation of the Problem . . . . .	336
4.1.2	Solution Procedure . . . . .	343
4.1.3	Numerical Results and Discussions . . . . .	345
4.1.4	Conclusions . . . . .	353
4.2	The Influence of the Imperfect Bonding Between the Pre-stressed Covering Layer and Pre-stressed Half-plane on the Dispersion of the Generalized Rayleigh Wave . . . . .	354
4.2.1	Formulation of the Shear-Spring Type Imperfect Contact Conditions . . . . .	354
4.2.2	Dispersion Equation . . . . .	356

4.2.3	Numerical Results Related to the Influence of the Shear-Spring Type Parameter on the Dispersion Curves and Their Application Fields. . . . .	358
4.2.4	Conclusions . . . . .	374
4.3	The Influence of the Normal-Spring + Shear-Spring Type Debonding Between the Covering Layer and Half-Plane with Two-Axial Initial Stresses on the Near-Surface Wave Dispersion . . . . .	377
4.3.1	Formulation of the Problem . . . . .	377
4.3.2	On the Solution Method and Dispersion Equation. . . . .	380
4.3.3	Numerical Results Related to the Influence of the Normal-Spring Type Parameter and Two-Axial Initial Stresses on the Near Surface Wave Propagation Velocity . . . . .	381
4.3.4	Conclusions . . . . .	389
4.4	Near-Surface Waves in the System Consisting of a Pre-stressed Piezoelectric Layer and Pre-stressed Metal Elastic Half-Plane . . . . .	389
4.4.1	Formulation of the Problem . . . . .	390
4.4.2	Method of Solution. . . . .	393
4.4.3	Numerical Results and Discussions . . . . .	400
4.4.4	Conclusions . . . . .	410
4.5	Lamb Waves in a Pre-strained Sandwich Plate Made of Highly Elastic Compressible Material . . . . .	413
4.5.1	A Brief Background . . . . .	414
4.5.2	Formulation of the Problems . . . . .	416
4.5.3	Method of Solution and Dispersion Equations . . . . .	430
4.5.4	Numerical Results and Discussions . . . . .	437
4.5.5	Conclusions . . . . .	457
	References. . . . .	458
<b>5</b>	<b>Torsional Wave Dispersion in Pre-stressed Compound Cylinders . . . . .</b>	<b>461</b>
5.1	Torsional Wave Dispersion in Pre-stressed Compound Solid and Hollow Cylinders . . . . .	461
5.1.1	Formulation of the Problem, the Basic Linearized Field Equations and Relations. . . . .	461
5.1.2	The Obtaining of the Linearized Field Equations and Relations, from the Non-linear Field Equations Under Small Initial Deformation . . . . .	464
5.1.3	Solution Procedure and Obtaining the Dispersion Relation. . . . .	470
5.1.4	Numerical Results and Discussions . . . . .	474

5.2	The Influence of the Imperfect Bonding Between the Layers on the Torsional Wave Dispersion in Pre-stressed Bi-material Compound Solid and Hollow Cylinders . . . . .	488
5.2.1	On the Problem Formulation and Solution Method . . . . .	488
5.2.2	Numerical Results and Discussions . . . . .	491
5.3	Torsional Wave Dispersion in a Pre-stressed Circular Cylinder Embedded in a Pre-stressed Elastic Medium . . . . .	498
5.3.1	Formulation of the Problem, on the Solution Method and Dispersion Equations . . . . .	499
5.3.2	Numerical Results and Discussions . . . . .	505
5.4	Torsional Wave Dispersion in a Finitely Pre-strained Hollow Sandwich Circular Cylinder . . . . .	513
5.4.1	Formulation of the Problem . . . . .	513
5.4.2	Solution Procedure and Obtaining the Dispersion Equation . . . . .	522
5.4.3	Numerical Results and Discussions . . . . .	527
5.4.4	Conclusions . . . . .	542
5.5	Torsional Wave Dispersion in a Hollow Sandwich Circular Cylinder Made from Viscoelastic Materials . . . . .	543
5.5.1	A Brief Background . . . . .	544
5.5.2	Formulation of the Problem . . . . .	546
5.5.3	Method of Solution and Obtaining the Dispersion Equation . . . . .	547
5.5.4	Numerical Results and Discussions . . . . .	555
5.5.5	Conclusions . . . . .	576
	References . . . . .	578
<b>6</b>	<b>Axisymmetric Longitudinal and Flexural Wave Propagation in Pre-strained Bi-material Compound Circular Cylinders . . . . .</b>	<b>581</b>
6.1	Axisymmetric Longitudinal Wave Propagation in a Finite Pre-stretched Compound Cylinder Made of Highly Elastic Incompressible Materials . . . . .	582
6.1.1	Formulation of the Problem . . . . .	582
6.1.2	Solution Procedure and Obtaining the Dispersion Equation . . . . .	590
6.1.3	Numerical Results and Discussions . . . . .	596
6.1.4	Conclusions . . . . .	606
6.2	Axisymmetric Longitudinal Wave Propagation in a Finite Pre-strained Cylinder Made from Highly Elastic Compressible Materials . . . . .	608

6.2.1	Formulation of the Problem and Obtaining Some Basic Linearized Equations and Relations . . . . .	608
6.2.2	Solution Procedure and Obtaining the Dispersion Equations. . . . .	615
6.2.3	Numerical Results and Discussions . . . . .	621
6.2.4	Conclusions . . . . .	635
6.3	The Influence of the Imperfect Bonding Between the Cylinders on the Dispersion Curves Related to the Axisymmetric Waves in the Solid Compound Cylinder . . . . .	636
6.3.1	On the Problem Formulation and the Solution Method . . . . .	636
6.3.2	Numerical Results and Discussions . . . . .	637
6.3.3	Conclusions . . . . .	652
6.4	Dispersion of Axisymmetric Longitudinal Waves in a Pre-strained Perfectly and Imperfectly Bonded Bi-layered Hollow Cylinder . . . . .	653
6.4.1	On Problem Formulation and Solution Method. . . . .	653
6.4.2	Numerical Results and Discussions . . . . .	662
6.5	The Influence of the Third Order Elastic Constants on Axisymmetric Wave Propagation in the Pre-stressed Bi-material Compound Solid and Hollow Cylinders . . . . .	680
6.5.1	Formulation of the Problems . . . . .	681
6.5.2	Solution Procedure and Obtaining the Dispersion Equations. . . . .	690
6.5.3	Numerical Results and Discussions . . . . .	705
6.6	Dispersion Relations of Axisymmetric Wave Propagation in an Initially Twisted Bi-material Solid Compound Cylinder . . . . .	716
6.6.1	Formulation of the Problem . . . . .	717
6.6.2	Method of Solution . . . . .	721
6.6.3	Numerical Results and Discussions . . . . .	730
6.6.4	Conclusions . . . . .	746
6.7	Flexural Wave Dispersion in Finitely Pre-strained Solid and Hollow Circular Cylinders Made of Compressible Materials . . . . .	748
6.7.1	A Brief Background . . . . .	748
6.7.2	Formulation of the Problem and Governing Field Equations . . . . .	750
6.7.3	Solution Procedure and Obtaining the Dispersion Equation . . . . .	756
6.7.4	Numerical Results and Discussions . . . . .	761
6.7.5	Conclusions . . . . .	774

6.8	Flexural Wave Dispersion in Bi-material Solid and Hollow Compound Cylinders Under Perfect and ImPerfect Contact Conditions . . . . .	775
6.8.1	Formulation of the Problem . . . . .	775
6.8.2	Solution Method . . . . .	777
6.8.3	Numerical Results and Discussions . . . . .	780
6.8.4	Conclusions . . . . .	800
	References. . . . .	801
<b>7</b>	<b>Some Stability Loss and Wave Propagation Problems Regarding the Double-Walled Carbon Nanotube (DWCNT) . . . . .</b>	<b>805</b>
7.1	Microbuckling of a DWCNT Embedded in an Elastic Matrix. . . . .	805
7.1.1	A Brief Background . . . . .	806
7.1.2	Formulation of the Problem . . . . .	808
7.1.3	Method of Solution . . . . .	811
7.1.4	Numerical Results and Discussions . . . . .	822
7.1.5	Conclusions . . . . .	830
7.2	Axisymmetric Longitudinal Wave Propagation in Double-Walled Carbon Nanotube . . . . .	832
7.2.1	A Brief Background . . . . .	833
7.2.2	Formulation of the Problem . . . . .	836
7.2.3	Method of Solution . . . . .	838
7.2.4	Numerical Results and Discussions . . . . .	845
7.2.5	Conclusions . . . . .	852
	References. . . . .	853
<b>8</b>	<b>On One Application of the Approach Developed in Chapter 3 on the Dynamics of Pre-strained Hydro-elastic Systems . . . . .</b>	<b>855</b>
8.1	Forced Vibrations of a System Consisting of a Pre-strained Highly Elastic Plate Under Compressible Viscous Fluid . . . . .	855
8.1.1	A Brief Background . . . . .	856
8.1.2	Formulation of the Problem and Governing Field Equations . . . . .	857
8.1.3	Method of Solution . . . . .	863
8.1.4	Numerical Results and Discussions . . . . .	869
8.1.5	Conclusions . . . . .	879
8.2	Frequency Response of a Viscoelastic Plate Under Compressible Viscous Fluid Loading. . . . .	881
8.2.1	The Problem Formulation and Governing Field Equations . . . . .	881



8.2.2	Solution Method . . . . .	882
8.2.3	Numerical Results and Discussions . . . . .	887
	References . . . . .	899
<b>9</b>	<b>Some Problems on the Sandwich Plate-Strip with Piezoelectric Face and Elastic Core Layers Containing Interface Cracks. . . . .</b>	<b>901</b>
9.1	Buckling Delamination of a Sandwich Plate-Strip with Piezoelectric Face and Elastic Core Layers . . . . .	901
9.1.1	A Brief Background . . . . .	902
9.1.2	Formulation of the Problem . . . . .	902
9.1.3	Method of Solution . . . . .	906
9.1.4	Numerical Results and Discussions . . . . .	910
9.1.5	Conclusions . . . . .	916
9.2	The Total Electro-mechanical Potential Energy and Energy Release Rate at the Interface Crack Tips in an Initially Stressed Sandwich Plate-Strip with Piezoelectric Face and Elastic Core Layers . . . . .	916
9.2.1	A Brief Background . . . . .	917
9.2.2	Formulation of the Problem . . . . .	919
9.2.3	Method of Solution . . . . .	923
9.2.4	Numerical Results and Discussions . . . . .	925
9.2.5	Conclusions . . . . .	935
	References . . . . .	936
<b>10</b>	<b>Forced Vibration of the Initially Stressed Rectangular Plates with Holes and Inclusions . . . . .</b>	<b>939</b>
10.1	Forced Vibration of an Initially Stressed Rectangular Thick Plate Made from Orthotropic Material with Cylindrical Hole . . . . .	939
10.1.1	A Brief Background . . . . .	940
10.1.2	Formulation of the Problem and on the Solution Method . . . . .	940
10.1.3	FEM Modeling . . . . .	944
10.1.4	Numerical Results and Discussions . . . . .	946
10.1.5	Conclusions . . . . .	950
10.2	3D Analysis of the Forced Vibration of a Pre-stressed Rectangular Composite Plate with Two Neighboring Cylindrical Cavities . . . . .	951
10.2.1	Formulation of the Problem and on the Solution Method . . . . .	951
10.2.2	FEM Modeling . . . . .	955
10.2.3	Numerical Results and Discussions . . . . .	957
10.2.4	Conclusions . . . . .	965

10.3	Forced Vibration Analysis of Pre-stretched Plate-Strip with Twin Circular Inclusions . . . . .	965
10.3.1	A Brief Background . . . . .	966
10.3.2	Formulation of the Problem and Computational Procedure . . . . .	968
10.3.3	Finite Element Model . . . . .	972
10.3.4	Numerical Results and Discussions . . . . .	976
10.3.5	Conclusions . . . . .	995
	References. . . . .	996
<b>Index</b>	. . . . .	<b>999</b>

Dynamics of Pre-Strained Bi-Material Elastic Systems

Linearized Three-Dimensional Approach

Akbarov, S.

2015, XXI, 1004 p. 477 illus., Hardcover

ISBN: 978-3-319-14459-7