

Contents

1	Introduction	1
1.1	Squeezed States for Gravitational-Wave Detection	2
1.1.1	Squeezing Magnitude	3
1.1.2	Audio-Detection Band Fourier Frequencies	3
1.1.3	Proof-of-Principle Experiments and Application in Gravitational-Wave-Detection Interferometers	3
1.2	Thesis Overview	4
1.3	Statement of Contribution	5
1.4	Publications	6
	References	7

Part I Background

2	Gravitational Waves and the Quest for Their Direct Detection	13
2.1	The Nature of Gravitational Waves	13
2.2	Ground-Based Gravitational-Wave Interferometric Detectors	15
2.2.1	Interferometers for Direct Detection	16
2.2.2	The “Generation 1.5” Detectors	17
2.2.3	Second Generation Detectors	17
2.2.4	Third Generation Detectors	19
2.2.5	Strain Sensitivities and Development Timelines	19
2.3	Noise Sources Affecting Ground-Based Interferometers	19
2.3.1	Quantum Noise	20
2.3.2	Thermal Noise	20
2.3.3	Seismic Noise	21

2.3.4	Gravity Gradient Noise	21
2.3.5	Other Noise Sources	21
2.4	Summary	21
	References.	22
3	Quantum Optics and Light	27
3.1	Light Quantisation	27
3.1.1	The Quantised Electromagnetic Field.	27
3.1.2	Quadrature Operators	28
3.1.3	The Heisenberg Uncertainty Principle and Quantum Noise	28
3.1.4	The Number Operator	29
3.2	Important States of Light	30
3.2.1	The Coherent State	30
3.2.2	The Vacuum State	31
3.2.3	The Squeezed State.	31
3.2.4	Non-minimum Uncertainty States	32
3.3	Pictorial Representations of the States of Light.	33
3.3.1	Classical Phasor and Classical Sideband Diagrams	33
3.3.2	Quantum Phasor Diagram	35
3.3.3	Quantum Sideband Diagram.	35
3.4	A Quantum Treatment of Optical Components	38
3.4.1	Linearisation of Operators	38
3.4.2	A Partially Transmissive Mirror	38
3.4.3	Photodetection	39
3.5	Optical Cavities	41
3.5.1	Quantum Langevin Equations of an Optical Cavity	41
3.5.2	Reflected and Transmitted Fields	43
3.5.3	Noise Variances of the Reflected and Transmitted Fields	44
3.6	Summary.	45
	References.	45
4	Quantum Noise in Gravitational-Wave Detectors and Applied Squeezed States	47
4.1	Quantum Noise in Measurement.	47
4.1.1	Amplitude Quadrature Uncertainty—Radiation Pressure Noise	48
4.1.2	Phase Quadrature Uncertainty—Photon Shot Noise (Shot Noise)	48
4.1.3	The Standard Quantum Limit (SQL)	48

4.2	Main Source of Quantum Noise in Gravitational-Wave Measurement	49
4.3	Simple Michelson Interferometers	50
4.3.1	Input-Output Relations for Quantum Noise	50
4.3.2	Squeezing in Simple Michelson Interferometers	52
4.4	Power-Recycled Fabry-Perot Michelson Gravitational-Wave Detectors	53
4.4.1	Additions to the Simple Michelson Configuration	53
4.4.2	Quantum Noise in a Lossless Power-Recycled Michelson	54
4.4.3	Arm Cavities and Power-Recycling Effect on Quantum Noise	56
4.4.4	Squeezing Enhancement of a Lossless Power-Recycled Michelson	56
4.4.5	Power-Recycled Michelson with Optical Losses	56
4.4.6	Squeezing in a Power-Recycled Michelson with Optical Losses.	57
4.5	Dual-Recycled Fabry-Perot Michelson Gravitational-Wave Detectors	58
4.6	Implications and Assumptions	58
4.6.1	Signal-to-Noise Ratio	59
4.6.2	Contributing Noise Sources Other Than Quantum Noise	60
4.6.3	Squeezing Injection Optical Losses	61
4.6.4	Frequency Dependent Squeezing and the Heisenberg Uncertainty Principle.	61
4.6.5	Squeezing and Optical Filter Cavities	61
4.7	Summary	62
	References.	62
5	Squeezed State Generation for Gravitational-Wave Detection	65
5.1	Squeezed Light Source Overview	65
5.2	Laser Input Stages	67
5.3	Nonlinear Optical Stages	67
5.3.1	Nonlinear Optical Interactions	67
5.3.2	χ_2 Nonlinear Cavity Quantum Langevin Equations	70
5.3.3	Second Harmonic Generator (SHG).	71
5.3.4	Optical Parametric Oscillator (OPO)	71
5.3.5	Classical Behaviour of the OPO	72
5.3.6	Semiclassical Behaviour of the OPO	74
5.3.7	The OPO and the Auxiliary Field	76

5.4	Detection Stage (Purple Section)	76
5.4.1	Balanced Detection Schemes	76
5.4.2	Balanced Homodyne Detection (HD).	77
5.5	Filtering and Stabilisation Stages	78
5.5.1	Mode Cleaner (MC)	78
5.5.2	Mach-Zehnder Interferometer (MZ).	79
5.6	Control Stages	79
5.6.1	DC Voltage Subtraction Locking	80
5.6.2	Offset Frequency Locking	80
5.6.3	Pound-Drever-Hall Locking	81
5.7	Summary	82
	References.	82

Part II The Doubly Resonant, Travelling-Wave Squeezed Light Source

6	The Doubly Resonant, Travelling-Wave Squeezed Light Source.	87
6.1	Design Properties of the Optical Parametric Oscillator.	88
6.1.1	Bow-Tie Travelling-Wave Cavity	88
6.1.2	Doubly Resonant Cavity	89
6.1.3	Wedge Nonlinear Media	89
6.2	The Doubly Resonant, Travelling-Wave OPO Cavity	90
6.3	Modified Coherent Sideband Locking	92
6.3.1	Coherent Sideband Locking	93
6.3.2	Modified Coherent Sideband Locking	94
6.4	Properties Affecting Squeezing Magnitude Measurement	96
6.4.1	Optical Losses	97
6.4.2	Spatial Mode Mismatch.	98
6.4.3	Squeezing Measurement Efficiency	100
6.4.4	Squeezing Ellipse Phase Noise	100
6.4.5	Squeezing/Antisqueezing as a Function of OPO Nonlinear Parametric Gain	101
6.5	Properties Affecting Squeezed State Detection at Low Frequencies.	102
6.5.1	Detection Electronics.	102
6.5.2	Homodyne Detection Balancing	103
6.5.3	Backscattered Light Interferences	104
6.6	Upgrades to the Squeezed Light Source.	105
6.7	The DB-OPO Squeezed Light Source	107

6.8	Results from the DB-OPO Squeezed Light Source	109
6.8.1	Summary of Measurement Parameters	109
6.8.2	Squeezing Phase Noise Measurement	110
6.8.3	Time Series Measurement	111
6.8.4	First Measurement of Greater than 10 dB Squeezing Across the Audio Gravitational-Wave Detection Band.	113
6.8.5	Inferred Squeezing Magnitude	114
6.9	Summary	114
	References.	115
7	Backscatter Tolerance of a Travelling-Wave Optical Parametric Oscillator	117
7.1	Backscattered Light.	117
7.2	Theoretical Analysis of an OPO Cavity Backscattered-Light Reflectivity	118
7.3	Determining the Intrinsic Isolation R_r	120
7.3.1	Balanced Homodyne Measurement to Determine R_{Coup}	120
7.3.2	Experimental Layout and Result	121
7.4	Bi-directional Scatter Distribution Function (BSDF) of the OPO	123
7.5	Verification of the Intrinsic Isolation with Squeezing Measurement	124
7.5.1	Noise Coupling to Squeezing Measurement	124
7.5.2	Squeezing with Injected Reverse-Beam Field	125
7.6	Discussion	127
7.6.1	Uncertainty in R_{Coup} and Improving Measurements	127
7.6.2	Improving the Intrinsic Isolation	128
7.7	Summary	129
	References.	129

Part III The LIGO H1 Squeezed Light Injection Experiment

8	Overview of the LIGO Squeezed Light Injection Experiment	133
8.1	Project Background.	133
8.2	The Enhanced LIGO Gravitational-Wave Detector, and Modifications for Squeezing Injection	135
8.2.1	The Enhanced LIGO H1 Detector.	135
8.2.2	Hardware Installed for Squeezing Injection	137
8.2.3	Squeezed-Light Injection Path	137
8.2.4	Sensitivity of the Enhanced LIGO H1 Interferometer.	138

8.3	The LIGO H1 Squeezed Light Source	139
8.4	The LIGO H1 Optical Parametric Oscillator	142
8.5	Squeezing Measurement with the Diagnostic Homodyne Detector	142
8.6	Summary	144
	References.	144
9	Squeezing-Enhancement of a 4 km LIGO	
	Gravitational-Wave Detector	147
9.1	Squeezing Ellipse Phase Noise	148
9.1.1	Phase Noise from the LIGO Squeezed Light Source	148
9.1.2	Phase Noise Due to the Interferometer Control Sidebands.	148
9.1.3	Phase Noise of the Squeezed Interferometer	155
9.1.4	Beam Pointing and Phase Noise	156
9.1.5	Summary of Phase Noise Results	158
9.2	Interferometer Squeezing Detection Efficiency	158
9.2.1	Squeezing/Antisqueezing as a Function of OPO Nonlinear Gain Using Interferometer Readout.	158
9.2.2	Verification of the Interferometer Squeezing Detection Efficiency	159
9.2.3	Injection Hardware Optical Losses in HAM4	160
9.2.4	Optical Losses in HAM6—Output Mode Cleaner Mode-Matching Losses and Transmission Throughput.	161
9.2.5	Results of Squeezing Detection Efficiency Verification Tests	162
9.2.6	Comparison to the OPO Nonlinear Gain Result	162
9.3	Squeezing-Enhanced Interferometer Sensitivity	163
9.4	Surpassing the Joint-Scientific Data Run Sensitivity Above 250 Hz	163
9.5	Squeezing and Interferometer Input Power	165
9.6	Inferred Squeezing Improvement.	168
9.6.1	Inferred Squeezing from the LIGO Squeezed Light Source	168
9.6.2	Inferred Level of Squeezing-Sensitivity Enhancement	168

9.7	Improvements for applying Squeezing in Future Gravitational-Wave Detectors	168
9.7.1	Reducing Sources of Squeezing Ellipse Phase Noise	169
9.7.2	Improving Squeezing Detection Efficiency.	169
9.8	Summary	170
	References.	170
10	Backscattered-Light Impact in a Squeezing-Enhanced Gravitational-Wave Detector	173
10.1	Backscattered Light from the Interferometer as Port	173
10.2	Theoretical Derivations and Experiments Overview.	174
10.2.1	Backscattered-Light Theory	174
10.2.2	Scattered Light and OPO Nonlinear Gain.	176
10.3	Experiment Conditions	176
10.3.1	Installed Hardware for Backscatter Noise Mitigation.	176
10.3.2	Seismic and Acoustic Environment of the Squeezer Table	177
10.4	Evidence of the Backscattered Light Mechanism.	178
10.5	Large Displacement Measurement.	179
10.6	BSDF of the H1 Optical Parametric Oscillator	180
10.7	Small Displacement Measurement.	182
10.8	Consistency Between Large Displacement and Small Displacement Measurements	183
10.9	Backscatter Improvements for Future Gravitational-Wave Detectors with Squeezing.	184
10.10	Summary.	185
	References.	185
11	Results Summary, Recommendations and Future Work	187
11.1	Summary of Squeezed-Light Source Apparatus Development Results.	187
11.2	Summary of LIGO Squeezed Light Injection Experiment Results	188
11.3	Summary of Recommended Development Work Towards Squeezed-Future Gravitational-Wave Detectors	188
11.3.1	Improving Squeezing Detection Efficiency.	188
11.3.2	Reducing Sources of Squeezing Ellipse Phase Noise	189
11.3.3	Reducing Backscattered Light	189
11.4	Future Work	190
	References.	190

Appendix A: Quantum Noise and Squeezing in Dual-Recycled Michelson Interferometers	193
Appendix B: Initial Analysis and Repair of the Enhanced LIGO H1 Output Mode Cleaner	201
Appendix C: Supplementary Information for the Backscatter-Light Experiments at LIGO.	209
Index	219

Quantum Enhancement of a 4 km Laser Interferometer
Gravitational-Wave Detector

Chua, S.S.Y.

2015, XX, 220 p. 100 illus., 59 illus. in color., Hardcover

ISBN: 978-3-319-17685-7