

Contents

1	Introduction	1
1.1	Dendrimers	1
1.1.1	Dendrimer Synthesis	1
1.1.2	Dendrimers Towards Biomedical Applications	6
1.1.3	Limitations in the Use of Dendrimers	10
1.2	Branched Polymers to Produce Dendrimer-Like Structures	10
1.2.1	Branched Polymers via Controlled Radical Polymerisation Techniques	12
1.2.2	Dendritic Hybrid Architectures	17
1.3	Atom Transfer Radical Polymerisation (ATRP)	19
1.3.1	Kinetics for ATRP	20
1.4	Drug Delivery by Encapsulation Using Polymeric Nanomaterials	21
1.4.1	Polymeric Micelles	24
1.4.2	Vesicles	24
1.4.3	Nanoparticles	24
1.4.4	Nanoparticles by Nanoprecipitation	25
1.5	Aims of the Project	25
1.5.1	Synthetic Aims	25
1.5.2	Materials Aims	27
1.5.3	Overview of Subsequent Experimental Chapters	28
	References	31
2	Synthesis and Characterisation of <i>Hyp</i>-polydendron Materials and Subsequent Nanoparticle Formation	35
2.1	Introduction	35
2.2	Hydrophobic Dendron Initiator Synthesis	36
2.2.1	Generation 1 DBOP Dendron (G1)	36
2.2.2	Generation 2 DBOP Dendron (G2)	39

2.3	Polymer Synthesis.	41
2.3.1	Linear Polymers	43
2.3.2	<i>Hyp</i> -polymer and <i>Hyp</i> -polydendron Synthesis.	44
2.4	Kinetic Experiments	47
2.4.1	Linear Polymerisation Kinetics	48
2.4.2	Branched Polymerisation Kinetics	49
2.5	Solvent Driven Self-assembly of Hydrophobic Polymers	50
2.5.1	Nanoparticle Formation Utilising <i>Hyp</i> -polymers and <i>Hyp</i> -polydendrons.	51
2.5.2	Nanoparticle Formation Utilising Linear Polymers and Linear-Dendritic Polymers	61
2.5.3	Comparison of Nanoparticle Formation of Linear Versus Branched.	64
2.5.4	Controlling Nanoparticle Size.	65
2.5.5	Dilution Experiments.	66
2.6	Aqueous Nanoprecipitation of Hydrophobic Polymers	67
2.6.1	Aqueous Nanoprecipitations with <i>Hyp</i> -polymers and <i>Hyp</i> -polydendrons.	68
2.6.2	Aqueous Nanoprecipitations with Linear and Linear-Dendritic Polymers	73
2.6.3	Colloidal Stability of Aqueous Nanoparticles	74
2.7	Conclusion.	76
	References.	76
3	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Aqueous Nanoparticle Formation.	79
3.1	Introduction	79
3.2	Initiator Synthesis	80
3.2.1	G2 Dendron Initiator.	80
3.2.2	750PEG Macroinitiator	81
3.3	Polymer Synthesis.	82
3.3.1	Linear Polymers	83
3.3.2	750PEG Initiator Kinetic Experiments	84
3.3.3	Mixed Initiator <i>Hyp</i> -block Copolymers and <i>Hyp</i> -polydendrons.	85
3.4	Nanoprecipitation of <i>Hyp</i> -polydendrons	89
3.4.1	Factors Affecting Nanoprecipitation	93
3.4.2	Mechanism of Nanoparticle Formation	95
3.4.3	Stability of Nanoparticles.	96
3.4.4	Linear Polymers for Nanoprecipitation.	98
3.4.5	Encapsulation of Fluorescent Molecules.	99
3.5	Pharmacological Evaluation of Materials	105
3.5.1	Cytotoxicity Assays	106
3.5.2	Caco-2 Cell Transwell Plate Assay	106

3.5.3	<i>Hyp</i> -polydendron Nanoparticles for Pharmacological Assays.	108
3.5.4	Cytotoxicity Assay Results.	108
3.5.5	Caco-2 Cell Transwell Plate Assay Results	110
3.5.6	Nanoparticle Stability in Salt and Transport Buffer	114
3.6	Conclusion.	115
	References.	115
4	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Formation of Sterically Stabilised Nanoparticles	117
4.1	Introduction	117
4.2	Initiator Synthesis	117
4.2.1	G2' DBOP Dendron Initiator—Alternative Synthesis	118
4.2.2	2000PEG Macroinitiator Synthesis	119
4.3	Polymer Synthesis.	121
4.3.1	Linear Polymer Synthesis.	122
4.3.2	Branched Polymer Synthesis	123
4.3.3	Kinetic Experiments	124
4.3.4	Mixed Initiator Polymerisations	129
4.4	Nanoprecipitation of G2' and 2000PEG Initiated Polymers.	133
4.4.1	Linear Polymers for Nanoprecipitation.	133
4.4.2	Study of G2':2000PEG-pHPMA ₅₀ -EGDMA _x Materials	136
4.4.3	Pharmacological Studies of G2':2000PEG-pHPMA ₅₀ -EGDMA _x Materials.	143
4.4.4	Study of G2':2000PEG-pHPMA ₁₀₀ -EGDMA _{0.8} Materials	148
4.4.5	Pharmacological Studies of G2':2000PEG-pHPMA ₁₀₀ -EGDMA _{0.8} Materials	154
4.4.6	Dialysis of FA Loaded Nanoparticles	168
4.5	Conclusion.	169
	References.	170
5	<i>Hyp</i>-polydendrons; Studies of Nanoprecipitation Behaviour	171
5.1	Introduction	171
5.2	Nanoprecipitation Behaviour of G2':2000PEG Materials	171
5.2.1	Nanoprecipitation Study of G2':2000PEG DP ₂₀ Materials	172
5.2.2	Hydrophilic Versus Hydrophobic Content of G2':2000PEG Polymers.	173

5.3	Dialysis of <i>Hyp</i> -polydendrons.	178
5.3.1	Nanoprecipitations Using Various Molecular Weight Fractions	182
5.3.2	Co-nanoprecipitation of Linear and High Molecular Weight Polymer Fractions.	185
5.4	Nanoprecipitation of Linear Versus Branched <i>Hyp</i> -block Copolymers	187
5.5	FRET Experiments	190
5.5.1	Study of FRET Over Time in Mixed DiO and DiI Samples	193
5.6	Conclusions	197
	References.	198
6	Conclusions and Future Work.	199
6.1	Synthesis and Characterisation of <i>Hyp</i> -polydendron Materials and Subsequent Nanoparticle Formation.	199
6.2	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Aqueous Nanoparticle Formation . . .	200
6.3	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Formation of Sterically Stabilised Nanoparticles.	201
6.4	<i>Hyp</i> -polydendrons; Studies of Nanoprecipitation Behaviour . . .	203
6.5	Future Work	205
7	Experimental	207
7.1	Experimental Techniques	207
7.1.1	Gel Permeation Chromatography (GPC)	207
7.1.2	Dynamic Light Scattering (DLS).	208
7.2	Experimental Techniques Used Throughout This Thesis.	209
7.2.1	Materials	209
7.2.2	Characterisation	209
7.2.3	Linear Polymerisations via ATRP	210
7.2.4	Branched Polymerisations via ATRP	211
7.2.5	Kinetic Experiments	211
7.2.6	Mixed Initiator Branched Polymerisations via ATRP	211
7.2.7	Aqueous Nanoparticle Formation	212
7.2.8	Encapsulation of Guest Molecules in Nanoparticles.	212
7.3	Synthesis and Characterisation of <i>Hyp</i> -polydendron Materials and Subsequent Nanoparticle Formation.	213
7.3.1	Initiator Synthesis	213
7.3.2	Nanoparticle Formation Using Organic Solvents	215
7.3.3	SEM Preparation	216

7.4	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Aqueous Nanoparticle Formation . . .	216
7.4.1	750PEG Macroinitiator Synthesis (See Sect. 3.2.2) . . .	216
7.4.2	SEM Preparation	217
7.5	Mixing Dendron and PEG Initiators for the Polymerisation of Branched pHPMA and Formation of Sterically Stabilised Nanoparticles	217
7.5.1	G2' Dendron Synthesis (See Sect. 4.2.1)	217
7.5.2	2000PEG Macroinitiator Synthesis (See Sect. 4.2.2)	220
7.5.3	SEM Preparation	220
7.6	Pharmacology Studies	220
7.6.1	Materials	220
7.6.2	Characterisation	222
7.6.3	Routine Cell Culture/Cell Maintenance	222
7.6.4	Cytotoxicity Studies (Nile Red)	222
7.6.5	Caco-2 Permeation Studies (Nile Red).	223
7.6.6	Aqueous Nile Red Solution for Cellular Studies	223
7.6.7	Extraction and Quantification of Nile Red	224
7.6.8	Cytotoxicity Studies (Fluoresceinamine).	224
7.6.9	Caco-2 Permeation Studies (Fluoresceinamine).	224
7.6.10	Aqueous Fluoresceinamine Solution for Cellular Studies	225
7.6.11	Extraction and Quantification of Fluoresceinamine . . .	225
7.6.12	Cellular Accumulation of Fluoresceinamine in Caco-2 and ATHP-1 Cells	225
	Appendix	227

Hyperbranched Polydendrons

A New Macromolecular Architecture

Hatton, F.

2015, XXII, 260 p. 218 illus., 9 illus. in color., Hardcover

ISBN: 978-3-319-18752-5