

Contents

1 Vitaceae Systematics (Origin, Characteristics and Relationships)	1
Introduction	1
Non-Winemaking Uses of Vitaceae	2
Morphological Characteristics of the Vitaceae	3
Relationships Within the Vitaceae—Systematics and Phylogeny	5
Order Vitales	8
Leeaceae	10
Vitaceae	11
References	19
2 Vegetative Features of the Vitaceae	23
Shoot Patterns and Their Initiation	23
Leaves—Types, Initiation and Development	27
Variability in Leaf Form	27
Leaf Development	27
Lateral Buds: Pattern and Position	30
Typical Bud Pattern	30
Supernumerary Buds	33
Tendrils and Inflorescences	35
Tendrils	37
Trichomes (Hairs)	38
Plant–Animal Interactions: Pearl Bodies and Domatia	40
Pearl Bodies and Ants	40
Domatia and Mites	40
References	42
3 Reproductive Features of the Vitaceae	45
Inflorescences	45
Initiation and Early Development	45
Mature Inflorescence Pattern	49
Flowers	49
Mature Floral Characteristics	50
Floral Development	53

Dioecy in the Vitaceae	57
Anthesis: The Mature Flower Opens	57
Pollination and Fertilization	58
Fruits and Seeds	59
Seed Development and Internal Features	60
Seeds—External Features	61
References	63
4 Identification of Vitaceae in North America	65
1. <i>Vitis</i> L.	66
2. <i>Cissus</i> L.	68
3. <i>Causonis</i> Rafinesque (Formerly part of <i>Cayratia</i> Juss.)	68
4. <i>Parthenocissus</i> Planchon	69
5. <i>Ampelopsis</i> Michaux (Formerly <i>Ampelopsis</i> sect. <i>Ampelopsis</i>)	69
6. <i>Nekemias</i> Rafinesque (Formerly <i>Ampelopsis</i> sect. <i>Leeacifoliae</i>)	70
<i>Ampelopsis aconitifolia</i> Bunge (Monkshood Vine)	71
<i>Ampelopsis brevipedunculata</i> (Maxim.) Trautv. (Correct name is	
<i>A. glandulosa</i> (Wall.) Momiy. var. <i>brevipedunculata</i>	
(Maxim) Momiy.)	72
<i>Ampelopsis cordata</i> Michx. (Raccoon Grape)	74
<i>Causonis japonica</i> (Thunb.) Raf. (formerly <i>Cayratia japonica</i>	
(Thunb.) Gagnepain	74
<i>Cissus trifoliata</i> (L.) (also <i>C. incisa</i> Des Moulins)	77
<i>Nekemias arborea</i> (L.) J. Wen and Boggan. (Formerly <i>Ampelop-</i>	
<i>sis arborea</i> (L.) Koehne)	77
<i>Parthenocissus quinquefolia</i> (L.) Planchon	80
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch	80
<i>Parthenocissus vitacea</i> (Knerr) Hitchc. (syn. <i>P. inserta</i>	
(Kerner) Fritsch).....	83
<i>Vitis acerifolia</i> Raf. (syn. <i>V. longii</i> Prince)	84
<i>Vitis aestivalis</i> Michx	86
<i>Vitis arizonica</i> Englmann	87
<i>Vitis cinerea</i> (Englm. in Gray) Englm. ex Millardet (Grayback	
or Pigeon Grape)	89
<i>Vitis labrusca</i> L.	90
<i>Vitis palmata</i> Vahl	92
<i>Vitis riparia</i> Michx	93
<i>Vitis rotundifolia</i> Michx	95
<i>Vitis rupestris</i> Scheele	97
<i>Vitis vulpina</i> L.	98
References	99
5 Humans and Grapes	103
Human Cultivation of Grapes—Beginnings	103
Cultural Importance and History of Grapes and Wine in Europe	104

Grapevine Cultivation in North America	107
Eastern North America	107
California	110
Southern USA	111
Pacific Northwest	112
References	113
 6 Identification of Common Cold-Climate Grapes in	
North America	115
Introduction	115
History of Grapevine Identification	116
Beginnings	116
Grapevine Identification in North America	117
Ampelography Around the Turn of the Twentieth Century	117
The Twentieth Century	118
Molecular Identification of Grapes—The Modern Age	119
Identification of Some of the Important Cultivars Grown in North	
America	120
‘Baco Noir’	121
‘Catawba’	122
‘Cayuga White’	124
‘Chambourcin’	126
‘Chancellor’	128
‘Chardonnay’	129
‘Concord’	131
‘Cynthiana’/‘Norton’	133
‘De Chaunac’	135
‘Frontenac’/‘Frontenac Gris’/‘Frontenac Blanc’	136
‘L’Acadie’	139
‘La Crescent’	140
‘La Crosse’	142
‘Léon Millot’	144
‘Maréchal Foch’	146
‘Marquette’	147
‘Riesling’	149
‘Seyval Blanc’	151
‘St. Croix’/‘Sabrevois’	153
‘St. Pepin’	155
‘Swenson Red’	157
‘Traminette’	158
‘Veeblanc’	160
‘Ventura’	162
‘Vidal Blanc’	164
‘Vignoles’	165
References	167

Appendix	171
Glossary	189
Index	193

Taming the Wild Grape

Botany and Horticulture in the Vitaceae

Gerrath, J.; Posluszny, U.; Melville, L.

2015, XII, 194 p. 80 illus., 73 illus. in color., Hardcover

ISBN: 978-3-319-24350-4