

# Contents

## Part I Force Feedback via Cutaneous Cues Only

<b>1 Sensory Subtraction in Teleoperation: Substituting Haptic Force with Cutaneous Stimuli</b>	3
1.1 Introduction	3
1.2 From Grounded Haptic Interfaces to Ungrounded Cutaneous Devices	6
1.2.1 Ungrounded Cutaneous Devices	7
1.3 Cutaneous Feedback in Robotic Teleoperation	10
1.3.1 Normal Indentation	11
1.3.2 Lateral Skin Stretch and Relative Tangential Motion	14
1.3.3 Vibration	15
References	16
<b>2 Needle Insertion in Simulated Soft Tissue</b>	21
2.1 Introduction	21
2.2 An Ungrounded Fingertip Cutaneous Device	22
2.3 Experimental Evaluation	23
2.3.1 Experimental Setup	23
2.3.2 Design of the Experiments	25
2.3.3 Experiment #1: Comparison of the Feedback Conditions	26
2.3.4 Experiment #2: Sudden Change of the Stiff Constraint	29
2.3.5 Experiment #3: Stability with Time Delay	30
2.4 Discussion	33
2.5 Conclusions	35
References	36

<b>3</b>	<b>Peg-in-Hole in Simulated and Real Scenarios . . . . .</b>	<b>37</b>
3.1	Introduction . . . . .	37
3.2	A Fingertip Cutaneous Device for the Omega Interface . . . . .	38
3.2.1	Related Works on Fingertip Compliance Models . . . . .	39
3.2.2	Device Model and Control . . . . .	40
3.3	Experimental Evaluation . . . . .	44
3.3.1	Experiment #1: Teleoperation in a Virtual Environment . . . . .	44
3.3.2	Methods . . . . .	45
3.3.3	Experiment #2: Teleoperation in a Real Environment . . . . .	49
3.4	Discussion . . . . .	55
3.5	Conclusions . . . . .	56
	References . . . . .	57
<b>4</b>	<b>Remote Palpation Using the da Vinci Surgical System . . . . .</b>	<b>59</b>
4.1	Introduction . . . . .	59
4.2	Cutaneous Feedback System for Remote Interaction: Contact Deformations . . . . .	60
4.2.1	Sensing and Actuation Systems . . . . .	60
4.2.2	Mapping Between Remote Sensed Data and Motor Commands . . . . .	61
4.2.3	Experimental Evaluation . . . . .	66
4.2.4	Discussion . . . . .	74
4.3	Cutaneous Feedback System for Remote Interaction: Contact Deformations and Vibrotactile Cues . . . . .	76
4.3.1	Sensing and Actuation Systems . . . . .	76
4.3.2	Mapping Between Remote Sensed Data and Motor Commands . . . . .	78
4.3.3	Experimental Evaluation . . . . .	83
4.3.4	Discussion . . . . .	86
4.4	Conclusions . . . . .	88
	References . . . . .	88
 <b>Part II Force Feedback via Mixed Cutaneous and Kinesthetic Cues</b>		
<b>5</b>	<b>Cutaneous and Kinesthetic Cues to Improve Transparency in Teleoperation . . . . .</b>	<b>93</b>
5.1	Introduction . . . . .	93
5.2	An Ungrounded Fingertip Cutaneous Device . . . . .	95
5.3	Compensating for a Reduction of Kinesthetic Feedback with Cutaneous Stimuli . . . . .	97
5.3.1	Simple Compensation with Cutaneous Stimuli . . . . .	99
5.3.2	Over-Compensation with Cutaneous Stimuli . . . . .	101

5.4	Enhancing the Performance of Passive Teleoperation Systems with Cutaneous Stimuli . . . . .	104
5.4.1	Time-Domain Passivity Control for Haptic Force Feedback . . . . .	104
5.4.2	Force Compensation with Cutaneous Stimuli . . . . .	106
5.4.3	Enhanced Cutaneous-Kinesthetic Control Algorithm . . . . .	107
5.5	Experimental Evaluation . . . . .	107
5.5.1	Experiment #1: Perceived Stiffness . . . . .	107
5.5.2	Experiment #2: Teleoperated Needle Insertion in Soft Tissue . . . . .	112
5.6	Discussion . . . . .	118
5.7	Conclusions . . . . .	119
	References . . . . .	119
<b>6</b>	<b>Cutaneous and Kinesthetic Cues for Enhanced Navigation Feedback in Teleoperation . . . . .</b>	<b>121</b>
6.1	Introduction . . . . .	121
6.2	A Robotic Teleoperation System for Needle Insertion . . . . .	125
6.3	Mixing Sensory Cues for Enhanced Navigation . . . . .	126
6.3.1	Slave System . . . . .	126
6.3.2	Master System . . . . .	129
6.4	Experimental Evaluation . . . . .	132
6.4.1	Experiment #1: Teleoperation of Flexible Needles . . . . .	132
6.4.2	Experiment #2: Teleoperation in a Remote Scenario . . . . .	136
6.5	Discussion . . . . .	136
6.6	Conclusions . . . . .	137
	References . . . . .	138
	<b>Conclusions and Future Work . . . . .</b>	<b>141</b>

Cutaneous Haptic Feedback in Robotic Teleoperation

Pacchierotti, C.

2015, XXII, 142 p., Hardcover

ISBN: 978-3-319-25455-5