

Contents

Invited Talk

Programming with “Big Code”	3
<i>Eran Yahav</i>	

Compilers

Memory-Efficient Tail Calls in the JVM with Imperative Functional Objects	11
<i>Tomáš Tauber, Xuan Bi, Zhiyuan Shi, Weixin Zhang, Huang Li, Zhenrui Zhang, and Bruno C.d.S. Oliveira</i>	
A Secure Compiler for ML Modules	29
<i>Adriaan Larmuseau, Marco Patrignani, and Dave Clarke</i>	
Detection of Redundant Expressions: A Complete and Polynomial-Time Algorithm in SSA	49
<i>Rekha R. Pai</i>	

Separation Logic

Separation Logic with Monadic Inductive Definitions and Implicit Existentials.	69
<i>Makoto Tatsuta and Daisuke Kimura</i>	
Tree-Like Grammars and Separation Logic.	90
<i>Christoph Matheja, Christina Jansen, and Thomas Noll</i>	

Static Analysis and Abstract Interpretation

Randomized Resource-Aware Path-Sensitive Static Analysis.	111
<i>Tomasz Dudziak</i>	
Quadratic Zonotopes: An Extension of Zonotopes to Quadratic Arithmetics. . . .	127
<i>Assalé Adjé, Pierre-Loïc Garoche, and Alexis Werey</i>	
Abstraction of Optional Numerical Values	146
<i>Jiangchao Liu and Xavier Rival</i>	

Hoare Logic and Types

Fault-Tolerant Resource Reasoning	169
<i>Gian Ntzik, Pedro da Rocha Pinto, and Philippa Gardner</i>	
Shifting the Blame: A Blame Calculus with Delimited Control	189
<i>Taro Sekiyama, Soichiro Ueda, and Atsushi Igarashi</i>	
Aliasing Control in an Imperative Pure Calculus	208
<i>Marco Servetto and Elena Zucca</i>	

Functional Programming and Semantics

A Strong Distillery	231
<i>Beniamino Accattoli, Pablo Barenbaum, and Damiano Mazza</i>	
From Call-by-Value to Interaction by Typed Closure Conversion	251
<i>Ulrich Schöpp</i>	
Kripke Open Bisimulation: A Marriage of Game Semantics and Operational Techniques	271
<i>Guilhem Jaber and Nicolas Tabareau</i>	

Model Checking

Automata-Based Abstraction for Automated Verification of Higher-Order Tree-Processing Programs	295
<i>Yuma Matsumoto, Naoki Kobayashi, and Hiroshi Unno</i>	
Decision Algorithms for Checking Definability of Order-2 Finitary PCF	313
<i>Sadaaki Kawata, Kazuyuki Asada, and Naoki Kobayashi</i>	

Program Analysis - I

Uncovering JavaScript Performance Code Smells Relevant to Type Mutations.	335
<i>Xiao Xiao, Shi Han, Charles Zhang, and Dongmei Zhang</i>	
Analyzing Distributed Multi-platform Java and Android Applications with ShadowVM.	356
<i>Haiyang Sun, Yudi Zheng, Lubomír Bulej, Stephen Kell, and Walter Binder</i>	

Medley

Quasi-Linearizability is Undecidable	369
<i>Chao Wang, Yi Lv, Gaoang Liu, and Peng Wu</i>	

Objects in Polynomial Time	387
<i>Emmanuel Hainry and Romain Péchoux</i>	

Programming Models

Programming Techniques for Reversible Comparison Sorts	407
<i>Holger Bock Axelsen and Tetsuo Yokoyama</i>	
Transactions on Mergeable Objects	427
<i>Deepthi Devaki Akkoorath and Annette Bieniusa</i>	
A Sound Type System for Layer Subtyping and Dynamically Activated First-Class Layers	445
<i>Hiroaki Inoue and Atsushi Igarashi</i>	

Program Analysis - II

Bottom-Up Context-Sensitive Pointer Analysis for Java	465
<i>Yu Feng, Xinyu Wang, Isil Dillig, and Thomas Dillig</i>	
More Sound Static Handling of Java Reflection	485
<i>Yannis Smaragdakis, George Balatsouras, George Kastrinis, and Martin Bravenboer</i>	

Author Index	505
-------------------------------	-----

Programming Languages and Systems

13th Asian Symposium, APLAS 2015, Pohang, South
Korea, November 30 - December 2, 2015, Proceedings

Feng, X.; Park, S. (Eds.)

2015, XIX, 506 p. 133 illus. in color., Softcover

ISBN: 978-3-319-26528-5