

Table of Contents

Foreword.....	V
Institute Profile.....	VII
Author Preamble	IX
Table of Contents	XI
List of Abbreviations	XV
Notation.....	XVII
Table of Compounds.....	XIX
Publications.....	XXI
1. Introduction.....	1
1.1 Ionic liquids - past, present and the way to go	1
1.2 Applying clusters in ionic liquids - the creation of composite materials	5
1.3 Properties and formation of polyoxometalates (POMs)	6
1.3.1 General aspects and history of POMs	6
1.3.2 Formation of clusters - the self-assembly process	8
1.3.3 Template assisted cluster formation	10
1.4 Merging ILs with POMs - the creation of POM-ILs	11
1.4.1 General aspects and background of POM-ILs	12
1.4.2 The merits of POM-ILs exemplified by state-of-the-art research.....	14
1.4.2.1 POM-ILs as self separating catalysts.....	14
1.4.2.2 POM-ILs applied for industrial processes	16
1.4.2.3 Inorganic chemistry beyond the aqueous phase.....	16
2. Objective	18
3. Results and Discussion	21
3.1. Ionic liquids based on Keggin clusters	21
3.1.1 Structure and synthesis of the Si-templated Keggin clusters.....	21

3.1.2 Phase transfer of the Si-templated Keggin clusters	26
3.1.3 Analysis of the synthesized Keggin clusters.....	27
3.1.3.1 Vibrational spectroscopy	27
3.1.3.2 UV-Vis spectroscopy	29
3.1.3.3 Thermogravimetric analysis.....	33
3.1.4 Physiochemical properties of the Si-templated Keggin clusters	44
3.1.4.1 Miscibility properties.....	44
3.1.4.2 Conductivity	44
3.1.4.3 Melting ranges	45
3.1.4.4 Rheological analysis	47
3.1.4.5 Electromagnetic properties	56
3.1.5 Reactivity of the Si-templated Keggin clusters	63
3.1.5.1 Catalytic activity.....	63
3.1.5.2 Reaction with CO.....	64
3.1.5.3 Reaction with azide	73
3.2. Variation of the templating heteroelement - the B and P containing Keggin clusters.....	78
3.3. Variation of the cation - phosphonium and imidazolium POM-ILs	82
3.4. Other clusters beside monolacunary Keggin-ions.....	86
3.4.1. Ionic liquids based on Dawson Clusters.....	87
3.4.2. Ionic liquids based on the dilacunary {SiW ₁₀ }	90
4. Summary and Perspective	93
5.Experimental Section	97
5.1 Materials	97
5.2 Instrumentation.....	97
5.3 Synthesis and Characterization.....	99
5.3.1 Monolacunary Keggin-type Clusters	99

5.3.1.1 $K_8[\alpha\text{-SiW}_{11}\text{O}_{39}] \cdot 13(\text{H}_2\text{O})$	99
5.3.1.2 $K_8[\beta_2\text{-SiW}_{11}\text{O}_{39}] \cdot 14\text{H}_2\text{O}$	100
5.3.1.3 $K_7[\alpha\text{-PW}_{11}\text{O}_{39}] \cdot 9(\text{H}_2\text{O})$	100
5.3.1.4 $(Q^7)_8[\alpha\text{-SiW}_{11}\text{O}_{39}]$	101
5.3.1.5 $(Q^5\text{-}Q^8)_n[\alpha\text{-SiW}_{11}\text{O}_{39}M(\text{H}_2\text{O})]$	101
5.3.1.6 $(Q^7)_{4/5}[\alpha\text{-PW}_{11}\text{O}_{39}M(\text{H}_2\text{O})]$ $M = \text{Cu}^{\text{II}}/\text{Fe}^{\text{III}}$	109
5.3.1.7 $(Q^7)_{6/7}[\alpha\text{-BW}_{11}\text{O}_{39}M(\text{H}_2\text{O})]$ $M = \text{Cu}^{\text{II}}/\text{Fe}^{\text{III}}$	110
5.3.1.8 $(^{6,6,6,14}\text{P})_{5/6}[\alpha\text{-SiW}_{11}\text{O}_{39}M(\text{H}_2\text{O})]$; $M = \text{Fe}/\text{Cu}$	112
5.3.1.9 $(\text{OMIM})_n[\alpha\text{-SiW}_{11}\text{O}_{39}M(\text{H}_2\text{O})]$; $M = \text{Cr}$	113
5.3.2 Dilacunary Keggin-type Clusters	114
5.3.2.1 $K_8[\gamma\text{-SiW}_{10}\text{O}_{36}] \cdot 12\text{H}_2\text{O}$	114
5.3.2.2 $(Q^7)_4[\alpha\text{-SiW}_{10}\text{O}_{36}\text{Cu}_2(\text{H}_2\text{O})_2]$	114
5.3.3 The Dawson-type Clusters	115
5.3.3.1 $\alpha/\beta\text{-}K_6[P_2W_{18}O_{62}] \cdot 19\text{H}_2\text{O} (+ K_{14}NaP_5W_{30}O_{110})$	115
5.3.3.2 $(Q^7)_6[\alpha_2\text{-P}_2W_{18}O_{62}]$	116
5.3.3.3 $K_{10}[\alpha_2\text{-P}_2W_{17}O_{61}] \cdot 20\text{H}_2\text{O}$	117
5.3.3.4 $(Q^7)_8[\alpha_2\text{-P}_2W_{17}O_{61}\text{Co}(\text{H}_2\text{O})]$	117
5.3.4 Azide-experiment $(Q^7)_5[\alpha\text{-SiW}_{11}\text{O}_{39}\text{Fe}(\text{H}_2\text{O})] + \text{NaN}_3$	118
5.3.5 CO-experiments	118
6. References:	119

<http://www.springer.com/978-3-658-08795-1>

New Synthetic Routes to Polyoxometalate Containing
Ionic Liquids

An Investigation of their Properties

Herrmann, S.

2015, XXI, 122 p. 61 illus., Softcover

ISBN: 978-3-658-08795-1