Contents

1 Chemical Synthesis of Proposed RM2 and Derivatives 1
1.1 Introduction 1
1.1.1 Glycosphingolipids 1
1.1.2 Tumor-Associated Carbohydrate Antigens 4
1.1.3 RM2 Antigen (β1,4-GalNAc-Disialyl-Lc4) as a New Marker for Prostate Cancer 4
1.2 Chemical Synthesis of Hexasaccharide RM2 and Its Derivatives 5
1.2.1 Design of Sugar Building Blocks 5
1.2.2 Syntheses of Sialyated Trisaccharide Building Block 1-D 8
1.2.3 Synthesis of Galactose Building Block 1-5. 9
1.2.4 Synthesis of Sialylated Trisaccharide Building Block 1-2 10
1.2.5 Synthesis of GlcNAc Building Block 1-12. 12
1.2.6 Synthesis of Trisaccharide 1-2 12
1.2.7 Synthesis of Disaccharide 1-17. 15
1.2.8 Examine Synthesis of Hexasaccharide 16
1.2.9 Hexasaccharide RM2 Antigen: Investigate Sialα2 → 3Gal Disaccharide with High α-Stereoselectivity and Yield 17
1.2.10 Syntheses of Truncated RM2 Derivatives 1-44, 1-46, 1-48, and 1-50 23
1.3 Summary 24
1.3.1 Experimental Section. 24
References. 53

2 RM2 Antigen: Structural Characterization and Determination of $K_{D,Surf}$ for Multivalent Carbohydrate–Protein Interaction 57
2.1 Introduction 57
2.1.1 A Novel Ganglioside (RM2) Isolated from Renal Cell Carcinoma. 57
2.2 Characterize the Structure of RM2 Antigen by Monoclonal RM2 Antibody and Further Determine the $K_{D,Surf}$ by Carbohydrate–Protein Interaction 58
2.2.1 Structural Characterization of RM2 Antigen 58
2.2.2 Determination of $K_{D,Surf}$ for Multivalent Carbohydrate–Protein Interaction on the Surface 59
2.3 Summary 63
2.4 Experimental Section. 63
References. 65

3 RM2 Antigen: Synthesis of Glycoconjugates. 67
3.1 Introduction 67
3.1.1 Carbohydrate-Based Vaccines. 67
3.1.2 Applications of Glycolipids as Immunological Adjuvants 71
3.2 Generation and Characterization of RM2 Glycoconjugate. 73
3.2.1 Synthesis of DT-$RM_{4.7}$ as a Vaccine Candidate with Glycolipid C34 as a Potent Adjuvant 73
3.2.2 Search for the Best Epitope Ratio of DT-RM Vaccine Adjuvanted with C34 76
3.2.3 Synthesis of RM2 Conjugated with Different Carrier Proteins 81
3.3 Summary 85
3.4 Experimental Section. 86
References. 93

4 Synthesis of Heptasaccharide RM2 Prostate Tumor Antigen: Chemical Synthesis of Heptasaccharide and Tetrasaccharide (Inner Core of the RM2 Antigen) 97
4.1 Introduction 97
4.1.1 Heptasaccharide Form and Hexasaccharide Form of RM2 Antigen 97
4.2 Chemical Synthesis of Proposed Heptasaccharide 97
4.2.1 Chemical Synthesis of Heptasaccharide 3-5 and Tetrasaccharide 3-6 97
4.2.2 Synthesis of Galactose Building Block 4-4. 99
4.2.3 Synthesis of Disaccharide Building Block 4-9 99

4.2.4 Synthesis of Sialylated Tetrasaccharide Building Block 4-2 99
4.2.5 Synthesis of Compound 4-2 101
4.3 Summary 102
4.4 Experimental Section 102
References 108

http://www.springer.com/978-3-662-46847-0

Synthesis and Vaccine Evaluation of the Tumor Associated Carbohydrate Antigen RM2 from Prostate Cancer

Chuang, H.-Y.

2015, XIII, 108 p. 67 illus., 26 illus. in color., Hardcover
ISBN: 978-3-662-46847-0