

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Experimental Studies for Rock-Like Materials	1
1.2	Experimental Studies for Real Rock Materials	4
1.3	Numerical Studies for Crack Evolution Behavior	6
1.4	Study of Fracture Coalescence Behavior by AE Technique	7
1.5	Main Contents in This Book	8
	References	11
<b>2</b>	<b>Experimental Investigation on Strength Failure and Crack Evolution Behavior of Brittle Sandstone Containing a Single Fissure</b>	<b>15</b>
2.1	Experimental Studies	15
2.1.1	Sandstone Material	15
2.1.2	Preparation for Specimen with Single Fissure	16
2.1.3	Experimental Equipment and Procedure	17
2.2	Strength and Deformation Behavior	19
2.2.1	Uniaxial Stress–Strain Curves of Sandstone	20
2.2.2	Effect of Single Fissure Geometry on Mechanical Parameters of Sandstone	21
2.3	Crack Evolution Behavior	25
2.3.1	Crack Coalescence Type of Sandstone Specimens Containing a Single Fissure	25
2.3.2	AE Behaviors of Intact and Flawed Sandstone Specimens with Single Fissure Geometries	30
2.3.3	Real-Time Crack Evolution Process of Sandstone Containing a Single Fissure	34
2.4	Conclusions	41
	References	43

<b>3</b>	<b>Experimental Investigation on Crack Evolution Behavior of Brittle Sandstone Containing Two Coplanar Fissures in the Process of Deformation Failure . . . . .</b>	<b>45</b>
3.1	Experimental Material and Procedure . . . . .	46
3.1.1	Physical Behavior of Tested Specimens. . . . .	46
3.1.2	Specimens Containing Two Coplanar Fissures . . . . .	46
3.1.3	Testing Equipment and Procedure . . . . .	48
3.2	Influence of Coplanar Fissure Angle on Strength and Deformation Behavior . . . . .	48
3.2.1	Deformation Failure Behavior of Intact Sandstone Specimen . . . . .	48
3.2.2	Deformation Failure Behavior of Flawed Sandstone with Two Coplanar Fissures . . . . .	50
3.2.3	Relationship Between Coplanar Fissure Angle and Mechanical Parameters . . . . .	52
3.3	Crack Initiation and Coalescence Behavior Analysis. . . . .	54
3.3.1	Crack Coalescence Type of Sandstone Containing Two Coplanar Fissures . . . . .	55
3.3.2	Crack Initiation and Coalescence Behavior of Pre-fissured Sandstone . . . . .	65
3.4	Conclusions . . . . .	74
	References . . . . .	74
<b>4</b>	<b>Experimental Investigation on Fracture Evolution Behavior of Brittle Sandstone Containing Three Fissures . . . . .</b>	<b>77</b>
4.1	Specimen Preparation and Testing Procedure . . . . .	77
4.1.1	Sandstone Material and Specimen Preparation . . . . .	77
4.1.2	Testing Procedure . . . . .	79
4.2	Analysis of Experimental Results . . . . .	79
4.2.1	Axial Stress–Strain Curve of Intact Specimen. . . . .	79
4.2.2	Axial Stress–Strain Curve of Flawed Specimens Containing Three Fissures . . . . .	81
4.3	Crack Initiation Mode and Analysis of the Coalescence Process . . . . .	84
4.3.1	Crack Initiation Mode and Stress Analysis . . . . .	84
4.3.2	Real-Time Crack Coalescence Process of Specimens for $\beta_2 = 75^\circ$ and $90^\circ$ . . . . .	86
4.3.3	Real-Time Crack Coalescence Process of Sandstone Specimens Containing Three Fissures ( $\beta_2 = 105^\circ$ and $120^\circ$ ) . . . . .	91
4.4	Crack Coalescence Type and Strain Evolution Analysis . . . . .	96
4.4.1	Crack Coalescence Type Analysis . . . . .	96
4.4.2	Strain Evolution Analysis . . . . .	98
4.5	Conclusions . . . . .	100
	References . . . . .	102

<b>5</b>	<b>Experimental Investigation on Fracture Coalescence Behavior of Red Sandstone Containing Two Unparallel Fissures. . . . .</b>	<b>103</b>
5.1	Experimental Material and Loading Procedure . . . . .	104
5.1.1	Experimental Material and Specimen Preparation. . . . .	104
5.1.2	Loading Procedure and AE Monitoring . . . . .	106
5.2	Strength and Deformation Behavior. . . . .	106
5.2.1	Axial Stress–Axial Strain Behavior . . . . .	106
5.2.2	Strength and Deformation Parameters . . . . .	110
5.3	Cracking Mode and Characteristics . . . . .	112
5.4	Crack Coalescence Process and AE Behavior . . . . .	116
5.5	Conclusions . . . . .	122
	References . . . . .	124
<b>6</b>	<b>Discrete Element Modeling on Fracture Coalescence Behavior of Red Sandstone Containing Two Unparallel Fissures. . . . .</b>	<b>125</b>
6.1	Discrete Element Modeling Method . . . . .	125
6.1.1	Micro-Bond Model. . . . .	125
6.1.2	Numerical Specimen . . . . .	126
6.1.3	Simulation Procedure. . . . .	128
6.2	Confirmation for Micro-Parameters of Red Sandstone . . . . .	128
6.2.1	Confirming Method for Micro-Parameters of Red Sandstone . . . . .	128
6.2.2	Calibrating Micro-parameters by Experimental Results of Intact Specimen. . . . .	130
6.3	Numerical Results of Red Sandstone Containing Two Unparallel Fissures. . . . .	131
6.3.1	Strength and Deformation Behavior. . . . .	131
6.3.2	Cracking Characteristics. . . . .	135
6.4	Stress Field in Red Sandstone Containing Two Unparallel Fissures. . . . .	146
6.5	Conclusions . . . . .	154
	References . . . . .	156
<b>7</b>	<b>Fracture Mechanical Behavior of Red Sandstone Containing a Single Fissure and Two Parallel Fissures After Exposure to Different High-Temperature Treatments . . . . .</b>	<b>157</b>
7.1	Rock Material and Testing Procedure . . . . .	158
7.1.1	The Experimental Material and Heating Procedure. . . . .	158
7.1.2	Specimen Preparation and Fissure Geometry . . . . .	158
7.1.3	Testing Procedure and AE Monitoring. . . . .	160
7.2	Strength and Deformation Behavior. . . . .	161
7.3	Fracture Evolution Behavior . . . . .	167
7.4	Interpretation and Discussion. . . . .	179
7.5	Conclusions . . . . .	181
	References . . . . .	182

<b>8</b>	<b>Experimental Investigation on Strength and Failure Behavior of Pre-cracked Marble Under Conventional Triaxial Compression. . .</b>	<b>185</b>
8.1	Experimental Methodology . . . . .	185
8.1.1	Marble Material . . . . .	185
8.1.2	Pre-cracked Sample Preparation . . . . .	186
8.1.3	Experimental Procedure . . . . .	188
8.2	Triaxial Experimental Results of Pre-cracked Marble . . . . .	189
8.2.1	Brittle-Ductile Transition Mechanism of Intact Marble. . . . .	189
8.2.2	Triaxial Stress–Strain Curves of Pre-cracked Marble . . . . .	191
8.3	Strength Behavior of Pre-cracked Marble . . . . .	195
8.3.1	Strength Behavior in Accordance with Mohr-Coulomb Criterion . . . . .	195
8.3.2	Strength Behavior in Accordance with Hoek-Brown Criterion . . . . .	199
8.3.3	A New Evaluation Criterion Based on Optimal Approximation Polynomial Theory . . . . .	204
8.4	Failure Mode of Pre-cracked Marble . . . . .	207
8.5	Conclusions . . . . .	214
	References . . . . .	215
<b>9</b>	<b>Numerical Investigation on the Failure Mechanical Behavior of Red Sandstone Containing Two Coplanar Fissures Under Conventional Triaxial Compression . . . . .</b>	<b>217</b>
9.1	Discrete Element Model and Micro-Parameters . . . . .	217
9.1.1	Intact Red Sandstone Material and Micro-Parameters. . . . .	218
9.1.2	Comparison of Triaxial Experimental and Numerical Results of Intact Specimen. . . . .	219
9.2	Macroscopic Strength and Deformation Behavior. . . . .	223
9.2.1	Triaxial Deformation Behavior of Red Sandstone Containing Two Coplanar Fissures . . . . .	224
9.2.2	Triaxial Strength Behavior of Red Sandstone Containing Two Coplanar Fissures . . . . .	228
9.3	Fracture Evolution Behavior . . . . .	231
9.3.1	Fracture Evolution Process of Intact Specimen . . . . .	232
9.3.2	Fracture Evolution Process of Flawed Specimen. . . . .	234
9.3.3	Effect of Confining Pressure and Coplanar Fissure Angle. . . . .	238
9.3.4	Stress and Displacement Field . . . . .	240
9.4	Conclusions . . . . .	244
	References . . . . .	246

Strength Failure and Crack Evolution Behavior of Rock  
Materials Containing Pre-existing Fissures

Yang, S.-Q.

2015, XIV, 246 p. 182 illus., 168 illus. in color.,

Hardcover

ISBN: 978-3-662-47302-3