

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	One-Way Quantum Computation	1
1.1.1	Quantum Computation	1
1.1.2	Quantum Teleportation	2
1.1.3	Application of Quantum Teleportation to Quantum Computation (Gate Teleportation, Offline Scheme)	3
1.1.4	Application of Quantum Teleportation to Quantum Computation (One-Way Quantum Computation)	4
1.1.5	Circuit Model and Cluster Model	5
1.1.6	Continuous-Variables and Universality	6
1.2	History of One-Way Quantum Computation and This Thesis	8
1.2.1	History of One-Way Quantum Computation	8
1.2.2	This Thesis	10
1.3	Structure of This Thesis	12
	References	12
<b>2</b>	<b>Quantum Optics</b>	15
2.1	Quantum Mechanics and Quantum Optics	15
2.1.1	Uncertainty Principle	15
2.1.2	Quantized Electromagnetic Field	16
2.2	Several Quantum States	18
2.2.1	Coherent State	18
2.2.2	Vacuum State	20
2.2.3	Squeezed Vacuum State	21
2.3	Optical Parametric Oscillator	24
2.3.1	Quantum Langevin Equation	24
2.3.2	Relationship to Experimental Setups	26
2.4	Homodyne Measurement	27
	References	29

<b>3</b>	<b>Quantum States and Quantum State Manipulations . . . . .</b>	<b>31</b>
3.1	Computational Basis . . . . .	31
3.2	Representations of Quantum States . . . . .	32
3.2.1	State Vector . . . . .	32
3.2.2	Density Operator . . . . .	33
3.2.3	Stabilizer . . . . .	34
3.2.4	Nullifier . . . . .	35
3.2.5	Moment . . . . .	36
3.2.6	Expectation Value and Covariance Matrix of Quadrature Operators . . . . .	37
3.2.7	Wigner Function and Gaussian State . . . . .	39
3.2.8	Quadrature Operator Which Specifies a Particular Quantum State . . . . .	40
3.3	Representations of Quantum State Manipulations . . . . .	41
3.3.1	Unitary Operator, Transformation of State Vector, Schrödinger Picture . . . . .	41
3.3.2	Transformation of Density Operator . . . . .	41
3.3.3	Transformation of Stabilizer . . . . .	41
3.3.4	Transformation of Nullifier . . . . .	41
3.3.5	Transformation of Annihilation Operator, Heisenberg Picture . . . . .	42
3.3.6	Transformation of Expectation Values and Covariance Matrix for Gaussian Operations . . .	43
3.3.7	Comparison Between Transformation of Nullifier and Transformation of Annihilation Operator . . . .	44
3.3.8	Transformation of Quadrature Operator Which Specifies a Particular Quantum State . . . . .	44
3.4	Group of Operator . . . . .	45
3.4.1	Pauli Group (Heisenberg-Weyl Group) . . . . .	45
3.4.2	Symplectic Group . . . . .	46
3.4.3	Clifford Group (Gaussian Operation) . . . . .	48
3.4.4	Gaussian Operation as Clifford Group . . . . .	49
3.4.5	Summary of Names . . . . .	50
3.5	Operators . . . . .	51
3.5.1	Position Displacement Operator . . . . .	51
3.5.2	Momentum Displacement Operator . . . . .	52
3.5.3	Rotation Operator . . . . .	53
3.5.4	Fourier Operator . . . . .	54
3.5.5	Quadratic Phase Operator . . . . .	55
3.5.6	Two-Mode Interaction Operator . . . . .	56
3.5.7	Controlled-Z Operator . . . . .	56
3.5.8	Beam Splitter Operator . . . . .	57

3.6	Universality and Classical Simulation . . . . .	62
3.6.1	Universality . . . . .	62
3.6.2	Efficient Classical Simulation . . . . .	63
3.7	Entangled States and Entanglement Criteria . . . . .	64
3.7.1	Entangled States . . . . .	64
3.7.2	Entanglement Criteria. . . . .	64
3.7.3	Duan Criterion . . . . .	65
3.7.4	Extension of van Loock-Furusawa Criterion . . . . .	65
3.7.5	Entanglement Criteria via Partial Transpose of Density Operators . . . . .	69
3.7.6	Logarithmic Negativity. . . . .	72
3.7.7	Comparison of Entanglement Criteria. . . . .	73
	References. . . . .	75
<b>4</b>	<b>Offline Scheme and One-Way Quantum Computation . . . . .</b>	<b>77</b>
4.1	Quantum Teleportation and Gate Teleportation . . . . .	77
4.1.1	Quantum Teleportation. . . . .	77
4.1.2	Gate Teleportation. . . . .	80
4.2	One-Mode Teleportation Circuit and Elementary Circuit for One-Way Quantum Computation . . . . .	83
4.2.1	One-Mode Teleportation Circuit (Half-Teleportation Circuit, Elementary One-Mode One-Way Quantum Computation Circuit) . . . . .	83
4.2.2	Offline Scheme . . . . .	88
4.2.3	Elementary Circuit for One-Way Quantum Computation . . . . .	89
4.2.4	Multi-Step One-Mode Teleportation Circuit and Cluster States . . . . .	92
	References. . . . .	96
<b>5</b>	<b>Cluster States and One-Way Quantum Computation . . . . .</b>	<b>97</b>
5.1	Cluster States . . . . .	97
5.1.1	Definition by State Vector . . . . .	97
5.1.2	Stabilizers and Nullifiers . . . . .	97
5.1.3	Examples of Cluster States . . . . .	99
5.1.4	Entanglement Criteria for Cluster States . . . . .	101
5.2	Generation of Cluster States . . . . .	104
5.2.1	Canonical Cluster States. . . . .	104
5.2.2	Gaussian Cluster States . . . . .	104
5.2.3	Examples of Gaussian Cluster States . . . . .	108
5.3	Input Coupling . . . . .	111
5.3.1	$\kappa$ Representation, $\eta$ Representation, and $\theta$ Representation . . . . .	111
5.3.2	Controlled-Z-Based Input-Coupling Scheme . . . . .	113

5.3.3	Teleportation-Based Input-Coupling Scheme . . . . .	115
5.3.4	Squeezer-Based Input-Coupling Scheme . . . . .	121
5.3.5	Relation Between Squeezer-Based Input-Coupling Scheme and Teleportation-Based Input-Coupling Scheme . . . . .	127
5.4	Reshaping of Cluster States . . . . .	128
5.4.1	Reshaping of Cluster States with Controlled-Z Gates . . . . .	129
5.4.2	Erasing (Removal of Unwanted Modes) . . . . .	129
5.4.3	Wire Shortening (Shortening of Connections) . . . . .	130
5.4.4	Connection Without Measurement . . . . .	131
5.4.5	Connection with a Measurement . . . . .	133
5.4.6	Connection with Two Measurements . . . . .	134
5.5	Universality of One-Way Quantum Computation. . . . .	135
5.5.1	Universality . . . . .	135
5.5.2	Arbitrary One-Mode Gaussian Operations. . . . .	136
5.5.3	Arbitrary Multi-Mode Gaussian Operations. . . . .	143
5.5.4	One-Mode Non-Gaussian Operations . . . . .	144
5.6	One-Way Quantum Computation with $\delta$ Representation . . . . .	145
	References. . . . .	149

## 6 Experimental Generation of Optical Continuous-Variable

<b>Cluster States</b> . . . . .	151
6.1 Theory on Cluster State Generation . . . . .	151
6.1.1 Two-Mode Cluster State. . . . .	151
6.1.2 Three-Mode Linear Cluster State . . . . .	158
6.1.3 Four-Mode Linear Cluster State . . . . .	160
6.2 Theory on Measurement of Covariance Matrix . . . . .	163
6.2.1 Measurement of $\langle x_i^2 \rangle, \langle p_i^2 \rangle$ . . . . .	164
6.2.2 Measurement of $\langle x_i p_i + p_i x_i \rangle / 2$ . . . . .	164
6.2.3 Measurement of $\langle x_i x_j \rangle, \langle x_i p_j \rangle, \langle p_i x_j \rangle, \langle p_i p_j \rangle$ . . . . .	164
6.3 Experiment Components . . . . .	165
6.3.1 From Laser to Oscillators . . . . .	165
6.3.2 Doubler . . . . .	166
6.3.3 Mode Cleaning Cavity . . . . .	166
6.3.4 Optical Parametric Oscillator. . . . .	167
6.3.5 Mode of Quantum State . . . . .	169
6.3.6 Homodyne Measurement . . . . .	170
6.4 Locking the Cavities and Phases . . . . .	170
6.4.1 Phase Modulation . . . . .	171
6.4.2 FM Sideband Locking . . . . .	172
6.4.3 DC Locking . . . . .	172

6.4.4	AC Locking . . . . .	173
6.4.5	Locking the Relative Phases for Generation of Two-Mode Cluster State. . . . .	173
6.4.6	Locking the Relative Phases for Generation of Three-Mode Linear Cluster State. . . . .	176
6.4.7	Locking the Relative Phases for Generation of Four-Mode Linear Cluster State. . . . .	178
6.5	Measurement Results of Two-Mode Cluster State . . . . .	178
6.5.1	Preparation . . . . .	178
6.5.2	Measurement Results and Their Analysis ( $PG1 = 7, PG2 = 7$ ) . . . . .	182
6.5.3	Measurement Results and Their Analysis with Other Parametric Gains. . . . .	188
6.6	Measurement Results of Three-Mode Linear Cluster State . . . . .	191
6.6.1	Preparation . . . . .	191
6.6.2	Measurement Results . . . . .	191
6.6.3	Entanglement Detection Via van Loock-Furusawa Criterion. . . . .	192
6.7	Measurement Results of Four-Mode Linear Cluster State . . . . .	193
6.7.1	Preparation . . . . .	193
6.7.2	Measurement Results . . . . .	193
6.7.3	Entanglement Detection Via van Loock-Furusawa Criterion. . . . .	194
	References. . . . .	196
<b>7</b>	<b>Experimental Demonstration of Controlled-ZGate for Continuous Variables . . . . .</b>	<b>197</b>
7.1	Controlled-Z Gate Experiment . . . . .	197
7.1.1	Operation . . . . .	197
7.1.2	Importance of This Experiment . . . . .	198
7.1.3	Comparison of Three Experiments. . . . .	199
7.2	Theory. . . . .	199
7.2.1	Abstract Illustration and Abstract Experimental Setup. . . . .	199
7.2.2	Four-Mode Linear Cluster State . . . . .	202
7.2.3	Input Coupling . . . . .	202
7.2.4	Measurement . . . . .	203
7.2.5	Feed-Forward and Operation. . . . .	203
7.2.6	Covariance Matrix. . . . .	205
7.2.7	Decomposition of Operation . . . . .	205
7.2.8	Interpretation as Gate Teleportation . . . . .	206
7.2.9	Operation We Implement . . . . .	208
7.2.10	Variances of Quadrature Operators . . . . .	209
7.2.11	Inseparability Criteria. . . . .	210

7.3	Experimental Setup . . . . .	212
7.3.1	From Laser to Cluster State Generation . . . . .	212
7.3.2	Input States . . . . .	212
7.3.3	Classical Channels and Displacement Operations. . .	213
7.3.4	Locking the Relative Phases . . . . .	215
7.3.5	Cancellation . . . . .	217
7.4	Preparation for Measurement . . . . .	219
7.4.1	Visibilities and Parametric Gains . . . . .	219
7.4.2	Adjustment of EOM (Purity). . . . .	219
7.4.3	Cancellation . . . . .	221
7.4.4	Balance Between Homodyne Detectors . . . . .	221
7.5	Measurement Results and Their Analysis . . . . .	221
7.5.1	Power of Output with Vacuum Inputs . . . . .	221
7.5.2	Power of Output with Coherent Inputs . . . . .	225
7.5.3	Entanglement at Output (via van Loock–Furusawa Criterion) . . . . .	228
	References. . . . .	231
<b>8</b>	<b>Experimental Demonstration of Optimum Nonlocal Gate for Continuous Variables . . . . .</b>	<b>233</b>
8.1	Optimum Nonlocal Gate Experiment . . . . .	233
8.1.1	Operation . . . . .	233
8.1.2	Importance of This Experiment . . . . .	234
8.1.3	Comparison of Three Experiments . . . . .	234
8.2	Theory. . . . .	235
8.2.1	Abstract Illustration and Abstract Experimental Setup . . . . .	235
8.2.2	Two-Mode Cluster State. . . . .	235
8.2.3	Input Coupling . . . . .	235
8.2.4	Measurement . . . . .	237
8.2.5	Feed-Forward and Operation. . . . .	237
8.2.6	Decomposition of Operation . . . . .	239
8.2.7	Covariance Matrix . . . . .	239
8.2.8	Inseparability Criteria. . . . .	240
8.3	Interpretation as Optimum Nonlocal Gate. . . . .	241
8.3.1	Nonlocal Gate. . . . .	241
8.3.2	Optimum Nonlocal Gate. . . . .	242
8.4	Experimental Setup . . . . .	244
8.4.1	From Laser to Cluster State Generation . . . . .	244
8.4.2	Input States . . . . .	244
8.4.3	Classical Channels and Displacement Operations. . .	245
8.4.4	Locking the Relative Phases . . . . .	245
8.4.5	Cancellation . . . . .	246

8.5	Preparation for Measurement . . . . .	246
8.5.1	Visibilities and Parametric Gains . . . . .	246
8.5.2	Adjustment of EOM (Purity). . . . .	247
8.5.3	Cancellation . . . . .	248
8.5.4	Balance Between Homodyne Detections. . . . .	248
8.6	Measurement Results and Their Analysis . . . . .	248
8.6.1	Power of Output with Vacuum Inputs . . . . .	248
8.6.2	Power of Output with Coherent Inputs . . . . .	250
8.6.3	Entanglement at Output (via van Loock-Furusawa Criterion). . . . .	252
8.6.4	Covariance Matrix and Entanglement at Output (via PT Symplectic Eigenvalue) . . . . .	253
	References. . . . .	255
<b>9</b>	<b>Experimental Demonstration of Gain-Tunable Entangling Gate for Continuous Variables . . . . .</b>	<b>257</b>
9.1	Gain-Tunable Entangling Gate Experiment. . . . .	257
9.1.1	Operation . . . . .	257
9.1.2	Importance of This Experiment . . . . .	258
9.1.3	Comparison of Three Experiments. . . . .	259
9.2	Theory. . . . .	259
9.2.1	Abstract Illustration and Abstract Experimental Setup . . . . .	259
9.2.2	Three-Mode Linear Cluster State . . . . .	259
9.2.3	Input Coupling . . . . .	260
9.2.4	Measurement . . . . .	262
9.2.5	Feed-Forward and Operation. . . . .	262
9.2.6	Decomposition of Operation . . . . .	263
9.2.7	Squeezer-Based Input Coupling and Gaussian Parallelism . . . . .	264
9.2.8	Covariance Matrix . . . . .	268
9.2.9	Inseparability Criteria. . . . .	269
9.3	Experimental Setup . . . . .	271
9.3.1	From Laser to Cluster State Generation . . . . .	271
9.3.2	Input States . . . . .	271
9.3.3	Classical Channels and Displacement Operations. . . . .	271
9.3.4	Locking the Relative Phases . . . . .	271
9.3.5	Cancellation . . . . .	272
9.4	Digital Locking System . . . . .	276
9.4.1	Background . . . . .	276
9.5	Digital Locking System in This Experiment . . . . .	277
9.6	Preparation for Measurement . . . . .	277
9.6.1	Visibilities and Parametric Gains . . . . .	277
9.6.2	Adjustment of EOM (Purity). . . . .	278

9.6.3	Cancellation . . . . .	278
9.6.4	Balance Between Homodyne Detections. . . . .	278
9.7	Measurement Results and Their Analysis . . . . .	279
9.7.1	Measurement Results with Vacuum and Coherent Inputs . . . . .	279
9.7.2	Covariance Matrices and Entanglement at Output (via PT Symplectic Eigenvalues). . . . .	284
	References. . . . .	293
<b>10</b>	<b>Temporal-Mode Cluster States . . . . .</b>	<b>295</b>
10.1	Background . . . . .	295
10.1.1	Temporal-Mode Cluster States . . . . .	295
10.1.2	Temporal-Mode Canonical Cluster State. . . . .	296
10.1.3	Temporal-Mode Gaussian Cluster State . . . . .	297
10.1.4	Unsolved Problems and Contents of this Chapter. . . . .	297
10.2	Nullifiers . . . . .	299
10.2.1	EPR State and Two-Mode Cluster State . . . . .	299
10.3	One-Mode Gaussian Operations Using Temporal-Mode Gaussian Cluster States . . . . .	300
10.3.1	Teleportation-Based Input-Coupling Scheme. . . . .	300
10.3.2	Concatenation of Teleportation-Based Input-Coupling Circuits and Its Operation. . . . .	301
10.3.3	Transformation of Circuit. . . . .	303
10.3.4	Temporal-Mode Gaussian Cluster State Generation . . . . .	305
10.3.5	Nullifiers of the Cluster State . . . . .	308
10.3.6	Implementation of Quantum Computation with One-by-One Feed-Forward . . . . .	310
10.3.7	Implementation of Quantum Computation with Gathered Feed-Forward. . . . .	312
10.4	One-Mode Gaussian Operations Using Temporal-Mode Extended EPR States. . . . .	315
10.4.1	Elementary Circuit. . . . .	316
10.4.2	Transformation of Concatenated Circuit . . . . .	317
10.4.3	Nullifiers of the Extended EPR State . . . . .	319
10.5	One-Mode Non-Gaussian Operation Using Temporal-Mode Gaussian Cluster State . . . . .	319
10.5.1	Elementary Circuit. . . . .	320
10.5.2	Concatenation of Revised Elementary Circuits . . . . .	322
10.5.3	Generation of Temporal-Mode Gaussian Cluster State . . . . .	324
10.5.4	Nullifiers of the Cluster State . . . . .	325
10.5.5	Using Multi-Mode Linear Cluster State . . . . .	327



10.6	Multi-Mode Gaussian Operation Using Temporal-Mode	
	Gaussian Cluster State . . . . .	330
10.6.1	Elementary Circuit. . . . .	330
10.6.2	Concatenation of Elementary Circuits. . . . .	331
10.6.3	Transformation of the Concatenated Circuit . . . . .	333
10.6.4	Generation of Temporal-Mode Gaussian	
	Cluster State . . . . .	334
10.6.5	Nullifiers and Graph of the Cluster State . . . . .	334
10.7	Multi-Mode Non-Gaussian Operation . . . . .	338
	References. . . . .	338
<b>11</b>	<b>Summary . . . . .</b>	<b>341</b>
11.1	Conclusions . . . . .	341
11.2	Future Prospects . . . . .	342
	References. . . . .	342
	<b>Appendix A: Photos and Schematic . . . . .</b>	<b>345</b>
	<b>Appendix B: Programs . . . . .</b>	<b>347</b>
	<b>Curriculum Vitae . . . . .</b>	<b>351</b>

Multi-Step Multi-Input One-Way Quantum Information  
Processing with Spatial and Temporal Modes of Light

Ukai, R.

2015, XIX, 351 p. 215 illus., 100 illus. in color.,

Hardcover

ISBN: 978-4-431-55018-1