

Contents

1	Introduction	1
1.1	Sub-Millimetre Astronomy	2
1.2	Sub-Millimetre Telescopes	4
1.2.1	ALMA	5
1.3	Sub-Millimetre Wave Detection	6
1.3.1	SIS Junctions as Heterodyne Mixers	7
1.3.2	SIS Heterodyne Receivers	7
1.3.3	Mixer Feeds	9
1.4	Current State of SIS Mixers	12
	References	13
2	Multiple Flare-Angle Smooth-Walled Horn	15
2.1	Introduction	15
2.2	Feed Horn Design	17
2.2.1	Genetic Algorithm	20
2.2.2	700 GHz Multiple Flare-Angle Horn	21
2.3	Horn Fabrication	23
2.4	Experimental Setup	24
2.5	Measurement Results and Analyses	25
2.6	Study of Multiple Flare-Angle Horn Using Ansys HFSS	29
2.6.1	Comparing Simulation Results with Modal Matching	29
2.6.2	Tolerance Analysis	32
2.6.3	Cross-Coupling Between Two Adjacent Horns	33
2.7	Summary	35
	References	35
3	SIS Mixer Theory	37
3.1	Introduction	37
3.2	Quasiparticle Tunnelling	38
3.2.1	Photon-Assisted Quasiparticle Tunnelling	40

3.3	Cooper Pair Tunnelling	41
3.3.1	Fiske Steps and Shapiro Steps	42
3.4	General Mixer Theory	43
3.4.1	Large Signal Analysis	44
3.4.2	Small Signal Analysis	45
3.4.3	Impedance Recovery	47
3.5	Measurement of the SIS Mixer Performance.	49
3.5.1	Y-Factor Noise Temperature Measurement.	49
3.5.2	Noise Temperature and Gain Correction for Optical Losses.	53
3.6	Summary	54
	References.	54
4	Design of Unilateral Finline SIS Mixer	57
4.1	Introduction	57
4.1.1	Silicon-On-Insulator (SOI) Technology	58
4.2	Mixer Design	59
4.2.1	Waveguide-to-Slotline Transition	61
4.2.2	Slotline-to-Microstrip Transition	62
4.2.3	Tuning Circuit	65
4.3	Full RF Mixer Chip Simulations.	67
4.4	IF Matching	68
4.5	Full Mixer Chip SuperMix Simulations	72
4.6	Summary	73
4.7	Postscript.	73
	References.	75
5	Single-Ended Mixer Tests	77
5.1	Introduction	77
5.2	Device Fabrication	77
5.3	Mixer Assembly	80
5.3.1	Device Handling.	83
5.4	Mixer Test Setup	83
5.5	Results and Analysis	85
5.5.1	Quartz Devices.	86
5.5.2	SOI Devices.	89
5.6	Summary	93
5.7	Postscript.	94
	References.	96
6	Single-Chip Integrated Balanced SIS Mixer	97
6.1	Introduction	97
6.2	Design of the RF Passive Circuit Components	98
6.2.1	RF Quadrature Hybrid.	100

6.2.2	DC/IF Block	101
6.2.3	IF Hybrid	102
6.3	Balanced Mixer Simulations.	103
6.4	Device Fabrication	105
6.5	Experimental Setup	107
6.5.1	Mixer Assembly and Device Mounting	109
6.6	Results and Analysis	111
6.6.1	Measured Performance of the RF Hybrid and the DC/IF Block	112
6.6.2	Balanced Mixer Performance	113
6.6.3	Single Junction Noise Temperature	119
6.7	Summary	121
	References.	122
7	Design of 700 GHz Single Sideband SIS Mixers	125
7.1	Introduction	125
7.1.1	Sideband Separating Mixer	125
7.1.2	Balanced with Sideband Separating Mixer	127
7.2	Design of the RF Passive Circuit Components	128
7.2.1	In-Phase Power Divider.	129
7.2.2	−15 dB LO Directional Coupler	130
7.2.3	4 K Termination Cold Load.	131
7.3	Mixer Simulations.	132
7.3.1	Sideband Separating Mixer	132
7.3.2	Balanced-2SB Mixer Design	134
7.4	Summary	135
	References.	136
8	The Characteristics of an SIS Junction Near Its Superconducting Gap.	137
8.1	Local Tunnelling Heating Effect in SIS Junction.	137
8.1.1	Method of Analysis.	138
8.1.2	Results and Discussion	141
8.2	Josephson Effects on the Sensitivity of an SIS Mixer	142
8.2.1	Josephson Current Enhancing SIS Mixer Performance.	143
8.3	Summary	145
	References.	145
9	Generation of Local Oscillator Signal via Photomixing	147
9.1	Introduction	147
9.1.1	Optical Heterodyning	148
9.2	Generation of Local Oscillator Signal	149
9.2.1	Photomixer and System Setup	149

9.2.2	Infrared Lasers	151
9.2.3	Pumping an SIS Mixer with a Photonic LO Source	152
9.3	Frequency Stabilisation Schemes.	153
9.4	Summary	155
	References.	155
10	CO_(3→2) Observations of NGC 2976 and NGC 3351	157
10.1	Introduction	157
10.2	Target Galaxies	160
10.2.1	Archival Data.	160
10.3	Observations and Data Reduction	161
10.3.1	Data Reduction.	162
10.4	Results and Discussion	164
10.4.1	R_{31} Line Ratio	168
10.4.2	Molecular Gas Mass Estimation	172
10.4.3	Correlation with PAH Emission	176
10.5	Summary	180
	References.	181
11	Concluding Remarks	185
11.1	Toward Multi-pixel Focal Plane Array Receivers	187
	References.	188
	Appendix A: Ancillary Data of Individual Tested Device.	189
	Appendix B: Ancillary Data of Individual Tested Balanced Device.	197
	Appendix C: List of All Beam Patterns Measured Up to Date	201
	Appendix D: 230 GHz Scalable Design	205
	Index	211

Development of Coherent Detector Technologies for
Sub-Millimetre Wave Astronomy Observations

Tan, B.-K.

2016, XXIV, 219 p., Hardcover

ISBN: 978-3-319-19362-5