

Contents

1	Introduction	1
1.1	Topology in Condensed Matter Physics	1
1.2	Ultracold Atoms in Optical Lattices	3
1.3	Contents of This Thesis	4
	References	5
2	Square Lattice with Magnetic Field	9
2.1	Peierls Phase-Factors	10
2.2	Magnetic Translation Operators	11
2.2.1	Homogeneous Magnetic Fields	13
2.2.2	Magnetic Translation Operators for $\alpha = 1/4$	15
2.3	Harper-Hofstadter Hamiltonian	17
2.3.1	Single-Particle Energy Spectrum	18
2.3.2	Particle-Hole Symmetry	20
2.4	Chern Number	21
2.4.1	Distribution in the Hofstadter Model	22
2.4.2	Diophantine Equation	23
2.4.3	Numerical Calculation of the Chern Number	24
	References	25
3	Artificial Gauge Fields with Laser-Assisted Tunneling	27
3.1	Periodically Driven Quantum Systems	28
3.1.1	Floquet Formalism	28
3.1.2	Mapping to Time-Independent Hamiltonian	31
3.1.3	Magnus-Expansion Approach	34
3.1.4	Comparison of the Two Methods: Two-Level System	36
3.2	Peierls Phases and Multi-photon Processes	39
3.3	Periodically Driven One-Dimensional Lattices	40
3.3.1	Micro-motion Staggered Superlattice Potential	41
3.3.2	Micro-motion Wannier-Stark Ladder	44
3.4	Extension to Two Dimensions: Artificial Gauge Fields	44
	References	47

4 Overview of the Experimental Setup and Measurement	
Techniques	51
4.1 Towards Quantum Degeneracy	52
4.2 Optical Lattice Potentials	54
4.3 Superlattice Potential	56
4.3.1 Phase Calibration	57
4.3.2 Calibration of the Staggered Superlattice Potential	58
4.4 Calibration of the Tunnel Coupling	60
4.5 Filtering Sequence	61
4.6 Site-Resolved Detection	62
References	64
5 Staggered Magnetic Flux	67
5.1 Single-Particle Hamiltonian	68
5.2 Gauge-Dependence of Expansion Images	71
5.3 Experimental Setup	73
5.4 Effective Floquet Hamiltonian and Micro-motion	75
5.5 Ground State of the Staggered Flux Lattice	79
5.5.1 Isotropic Coupling $J = K$	79
5.5.2 Dependence on the Coupling Ratio J/K	82
5.5.3 Micro-motion in the Staggered Flux Lattice	86
5.6 Local Probe of the Artificial Gauge Field	87
5.6.1 Phase Evolution	89
5.6.2 Quantum Cyclotron Orbit	90
5.7 Full-Time Dynamics of the Cyclotron Orbits	92
5.7.1 Off-Resonant Driving	93
5.7.2 Initial Kick-Operator and Micro-motion	95
References	99
6 Harper-Hofstadter Model and Spin Hall Effect	101
6.1 Experimental Setup	102
6.1.1 Harper-Hofstadter Model	103
6.1.2 Spin-Dependent Harper-Hofstadter Model	104
6.2 Laser-Assisted Tunneling in a Tilted Lattice Potential	105
6.3 Probing the Magnetic Flux Distribution	107
6.3.1 Experimental Sequence	110
6.3.2 Numerical Simulations	111
6.4 Spin Hall Effect in an Optical Lattice	113
6.4.1 Experimental Sequence	114
6.4.2 Spin-state Preparation	115
References	116
7 All-Optical Setup for Flux Rectification	119
7.1 Laser-Assisted Tunneling on Every Other Bond	120
7.2 Uniform Flux in a Staggered Potential	122

7.3	Experimental Setup	126
7.3.1	Intensity Modulation	128
7.3.2	Controlling the Relative Phase of the Modulation	131
7.4	Staggered Flux Distribution.	133
	References	134
8	Chern-Number Measurement of Hofstadter Bands	137
8.1	Hofstadter Model for a Flux $\Phi = \pi/2$	138
8.2	Anomalous Hall Velocity and Chern-Number Measurement	140
8.3	Adiabatic Loading into the Hofstadter Bands.	143
8.3.1	Loading Sequence: General Idea	143
8.3.2	Experimental Sequence	145
8.3.3	Momentum Distribution and Initial Band Population	146
8.4	Transport Measurements.	147
8.4.1	Short-Time Dynamics	148
8.4.2	Long-Time Dynamics and Band Populations.	150
8.4.3	Characterization of the Topological Phase Transition	155
	References	158
9	Conclusions and Outlook	161
	References	164
	Appendix A: Magnetic Translation Operators	167
	Appendix B: Propagation Operator	169
	Appendix C: Staggered Flux Distribution.	171

Artificial Gauge Fields with Ultracold Atoms in Optical
Lattices

Aidelsburger, M.

2016, XIII, 172 p. 76 illus., 2 illus. in color., Hardcover

ISBN: 978-3-319-25827-0