

Contents

1	Quinoxaline—As a Parent Heterocycle	1
	References	3
2	Synthesis of Quinoxalines	5
2.1	Introduction.	5
2.2	Condensation of 1,2-Diaminobenzenes (1,2-DABs; <i>Ortho</i> -Phenylenediamines) and Derivatives with Various Two-Carbon Unit Suppliers.	14
2.2.1	With Pyruvates (2-Oxopropanoates)	14
2.2.2	With α -Diketones (1,2-Diketones)	22
2.2.3	With Ketones	29
2.2.4	With Hexane-1,3,4,6-tetraones	32
2.2.5	With Haloketones.	32
2.2.6	With α -Hydroxy Ketones	37
2.2.7	With Vicinal Diols	37
2.2.8	With Dimethyl (DMAD) and Diethyl (DEAD) Acetylenedicarboxylates	37
2.2.9	With Nitroolefins	40
2.2.10	With 1,2-Diaza-1,3-butadienes	42
2.2.11	With Ketones(Aldehydes) and Isocyanide	43
2.2.12	With Aldehydes and NaCN.	46
2.3	Condensation of <i>o</i> -Benzoquinone Diimines and Diimides with Various Two-Carbon Unit Suppliers	48
2.3.1	With Allylstannane.	48
2.3.2	With Aldehydes.	50
2.3.3	With 1,2-DAB.	51
2.4	Condensation of <i>N,N</i> -Dimethyl(dibenzyl)ethylenediamine with 1,2- and 1,4-Dihydroxy Benzenes	52

2.5	Synthesis of Quinoxalines from Aniline and Its Derivatives. . . .	57
2.5.1	From Anilines	57
2.5.2	From Benzil- α -arylimino Oximes and α -Nitroketene <i>N,S</i> -Anilinoacetals	58
2.5.3	From 2-Haloanilines	60
2.5.4	From Nitroanilines	66
2.5.5	From 2-Fluoro-1-nitrobenzenes	68
2.5.6	From 4-Bromo-5-nitrophthalonitrile	71
2.5.7	From <i>N</i> -Aryl-2-nitrosoanilines and Alkylated Cyanoacetic Esters	71
2.6	Synthesis of Quinoxalines from Heterocyclic Systems	73
2.6.1	Synthesis of Quinoxalines from Various Fused Nitrogen-Containing Heterocycles Without a Pyrazine Fragment.	74
2.6.2	Synthesis of Quinoxalines from Various Heterocyclic Systems, Containing Neither a Pyrazine ring nor a Benzofragment	84
2.6.3	Synthesis of Quinoxalines from Heterocyclic Systems with a Pyrazine Ring	102
2.7	Synthesis of Quinoxalines Based on the Carbocyclic System. . .	102
2.7.1	From 3,3,6,6-Tetrachloro-1,2-cyclohexanedione	102
2.7.2	From Ninhydrin.	103
2.7.3	From 1,2-Difluorobenzene.	104
2.8	Conclusion	104
	References	105
3	Synthesis of Pyrrolo[1,2-<i>a</i>]quinoxalines	135
3.1	Pyrrolo[1,2- <i>a</i>]quinoxalines Based on Quinoxalines	135
3.1.1	Introduction.	135
3.1.2	Possible Variants of the Construction of the Pyrrolo [1,2- <i>a</i>]quinoxaline System on the Basis of Quinoxalines	135
3.1.3	Production Methods of Type QA (Version QA1)	137
3.1.4	Production Methods of Type QB (Version QB1)	141
3.1.5	Production Methods of Type QB (Version QB3)	142
3.1.6	Production Methods of Type QC (Version QC1) Cycloaddition Reactions	142
3.1.7	Production Methods of Type QC (Version QC2)	146
3.1.8	Production Methods of Type QD	150
3.1.9	Production Methods of Type QE1	151
3.1.10	Production Methods of Type QE2	151
3.1.11	Other Methods of Synthesis.	152
3.1.12	Conclusion	158

3.2	Pyrrolo[1,2- <i>a</i>]quinoxalines Based on Pyrroles.	159
3.2.1	Introduction.	159
3.2.2	Type PA1 Production Methods	159
3.2.3	Type PA2 Production Methods	163
3.2.4	Type PA3 Production Methods	165
3.2.5	Type PA4 Production Methods	166
3.2.6	Type PB1 Production Methods	166
3.2.7	Type PB2 Production Methods	187
3.2.8	Type PD Production Methods	188
3.2.9	Other Methods of Synthesis.	190
3.2.10	Conclusion	200
	References	200
4	Synthesis of Imidazo[1,5-<i>a</i>]- and Imidazo[1,2-<i>a</i>]quinoxalines	211
4.1	Introduction.	211
4.2	Synthesis of Imidazo[1,5- <i>a</i>]quinoxalines on the Basis of Quinoxaline Derivatives	212
4.2.1	Methods of Formation of the N(10)–C(1) Bond (Variant A1 _Q)	213
4.2.2	Method of Formation of the C(1)–N(2) Bond (Variant A2 _Q)	217
4.2.3	Method of Formation of the N(2)–C(3) Bond (Variant A3 _Q)	218
4.2.4	Methods of Formation of the N(10)–C(1) and C(1)–N(2) Bonds (Variant B1 _Q).	218
4.2.5	Methods of Formation of the N(10)–C(1) and N(2)–C(3) Bonds (Variant C1 _Q).	220
4.2.6	Methods of Formation of the N(10)–C(1) and C(3)–C(3a) Bonds (Variant D _Q).	223
4.2.7	Method of Formation of the N(10)–C(1), C(1)–N(2), and N(2)–C(3) Bonds (Variant E1 _Q).	228
4.3	Synthesis of Imidazo[1,5- <i>a</i>]quinoxalines Based on Imidazole Derivatives.	229
4.3.1	Method of Formation of the C(3a)–C(4) Bond (Variant A1 _I).	229
4.3.2	Methods of Formation of the C(4)–N(5) Bond (Variant A2 _I).	230
4.3.3	Methods of Formation of the C(9a)–N(10) Bond (Variant A4 _I).	232
4.3.4	Methods of Formation of the C(3a)–C(4) and C(4)–N(5) Bonds (Variant B1 _I)	233
4.4	Other Methods of Synthesis of Imidazo[1,5- <i>a</i>]Quinoxalines.	237
4.5	Synthesis of Imidazo[1,2- <i>a</i>]quinoxalines Based on Quinoxaline Derivatives	239

4.5.1	Methods of Formation of the N(10)–C(1) Bond (Variant A1 _Q)	239
4.5.2	Method of Formation of the C(2)–N(3) Bond (Variant A3 _Q)	244
4.5.3	Method of Formation of the C(2)–N(3) and N(3)–C(3a) Bonds (Variant B3 _Q)	244
4.5.4	Methods of Formation the N(10)–C(1) and C(2)–N(3) Bonds (Variant C1 _Q)	244
4.5.5	Method of Formation of the N(10)–C(1) and N(3)–C(3a) Bond (Variant D _Q)	245
4.5.6	Method of Formation of the N(10)–C(1), C(1)–C(2) and C(2)–N(3) Bonds (Variant E1 _Q)	246
4.6	Synthesis of Imidazo[1,2- <i>a</i>]quinoxalines on the Basis of Imidazole Derivatives	247
4.6.1	Method of Formation of the C(3a)–C(4) Bond (Variant A1 _I)	248
4.6.2	Methods of Formation of the C(4)–N(5) Bond (Variant A2 _I)	248
4.6.3	Methods of Formation of the C(9a)–N(10) Bond (Variant A4 _I)	250
4.6.4	Methods of Formation of the C(3a)–C(4) and C(4)–N(5) Bonds (Variant B1 _I)	251
4.6.5	Methods of Formation of the C(4)–N(5) and C(9a)–N(10) Bonds (Variant D1 _I)	252
4.7	Other Methods of Synthesis of Imidazo[1,2- <i>a</i>]quinoxalines	254
4.8	Biological Activity of Imidazo[1,5- <i>a</i>]- and Imidazo[1,2- <i>a</i>] quinoxalines	255
4.8.1	Kinase Inhibition	255
4.8.2	Phosphodiesterase Inhibition	257
4.8.3	Antimicrobial and Antifungal Activity	258
4.9	Conclusions	258
	References	261
5	Synthesis of Quinoxaline Macrocycles	271
5.1	Introduction.	271
5.2	The Introduction of the Quinoxaline System into Macrocycles	272
5.2.1	<i>N,N'</i> -Polymethylene-1,2-Diaminobenzenes.	273
5.2.2	Crown Ethers with Diaminobenzene and Benzofuroxane Moieties	273
5.2.3	Macrocyclic Diketones	275
5.2.4	Porphyrins.	276
5.2.5	Resorcin[4]arene Cavitands	285

5.3	Quinoxaline Derivatives in the Synthesis of Macrocycles	287
5.3.1	Quinoxalin-2,3(1 <i>H</i> ,4 <i>H</i>)-dione, 2,3-Dichloroquinoxaline and Quinoxalin-2,3 (1 <i>H</i> ,4 <i>H</i>)-dithione	288
5.3.2	2,3-Dibromomethylquinoxaline	291
5.3.3	Diphenylquinoxalines	295
5.3.4	2,3-Di(pyrrol-2-yl)quinoxalines	297
5.3.5	2,3- and 6,7-Dicyanoquinoxalines.	302
5.4	1, <i>n</i> -Bis(quinoxalin-1-yl)alkanes in the Synthesis of Macrocycles	308
5.4.1	1, <i>n</i> -Bis(3-acetylquinoxalin-2-on-1-yl)alkanes	308
5.4.2	1, <i>n</i> -Bis(3-benzoylquinoxalin-2-on-1-yl)alkanes	310
5.4.3	Bis(3-indolizinyiquinoxalin-2-on-1-yl)alkanes	314
5.5	Both Resorcin[4]arenes and Quinoxalines in the Synthesis of Macrocycles	317
5.6	Other Methods of Synthesis	323
5.6.1	Pyran 1,4-Diazaphenanthrenes	323
5.6.2	Quinoxaline-2,3-dicarboximide.	324
5.6.3	Macrocyclic Quinoxaline Compounds as Anticancer Drugs and Inhibitors of Hepatitis C Virus.	325
5.7	Conclusion	330
	References	331
6	Rearrangements of Quinoxalin(on)es for the Synthesis of Benzimidazol(on)es.	343
6.1	Introduction.	343
6.2	Synthesis of Benzimidazoles	346
6.2.1	Rearrangement of Quinoxalines (Historical Background)	346
6.2.2	Principles of the Method.	351
6.2.3	Advantages of the Method	352
6.3	Synthesis of 2-(Benzimidazol-2-yl)quinoxalines with no Use Rearrangements	356
6.3.1	Gold Catalysis for Synthesizing 2-(Benzimidazol-2-yl) quinoxaline Derivatives from Glycerol and 1,2-Diaminobenzenes	356
6.3.2	Synthesis of Quinoxalines and 2-(Benzimidazol-2-yl)quinoxalines via the Isocyanide Based Multicomponent Reactions (IMCRs)	360
6.4	Synthesis of 2-Hetarylquinoxalines via Rearrangements (Use of 3-Aroyl-, 3-Alkanoyl- and 3-Hetaroylquinoxalin- 2(1 <i>H</i>)-ones as Analogues of α -Diketones)	363

6.4.1	Synthesis of 2-(Benzimidazol-2-yl)quinoxalines and Their Aza-Analogues	363
6.4.2	Synthesis of 2,3- <i>Bis</i> (benzimidazol-2-yl)quinoxalines	367
6.4.3	Synthesis of 2-(Pyrazin-2-yl)benzimidazoles	374
6.4.4	Synthesis of 2-(Imidazol-4-yl)benzimidazoles.	378
6.5	Synthesis of 2-(3-Arylindolizin-2-yl)benzimidazole via the Rearrangement (Use of 3- α -Chlorobenzyl- and α -Chloroalkylquinoxalin-2(1 <i>H</i>)-ones as Analogues of α -Haloketones)	382
6.6	Synthesis of 2-(Pyrazol-3-yl)benzimidazoles via the Rearrangement (Use of 3-Arylacylidene-3,4-Dihydroquinoxalin-2(1 <i>H</i>)-ones as Analogues of β -Diketones)	384
6.7	Synthesis of 2-(Pyrrol-3-yl)benzimidazole via the Rearrangement (Use of 3- α -Aminobenzylquinoxalin-2(1 <i>H</i>)-ones as Analogues of α -Aminoketones).	387
6.8	Synthesis of 2-(Benzimidazol-2-yl)quinolines via the Rearrangement (Use of 3-Methylquinoxalin-2(1 <i>H</i>)-ones as Analogues of Usual Ketones)	389
6.9	Synthesis of 4-(Benzimidazol-2-yl)quinolines via the Rearrangement (Use of 3-(2-Aminophenyl)quinoxalin-2(1 <i>H</i>)-ones as Aromatic <i>o</i> -Aminoaldehydes (or Ketones)	391
6.9.1	Synthesis of Structurally Diverse Quinoline Derivatives with Benzimidazole Moieties	391
6.9.2	Synthesis of Benzimidazolo[2,1- <i>a</i>]pyrrolo[3,4- <i>c</i>]quinolines	395
6.9.3	Synthesis of 1-(1 <i>H</i> -Indazol-3-yl)-1 <i>H</i> -benzimidazol-2(3 <i>H</i>)-one	396
6.10	Synthesis of 1-Pyrrolylbenzimidazolones via the New Rearrangements (Use of 3-Aroyl-, 3-Alkanoyl- and 3-Hetaroylquinoxalin-2(1 <i>H</i>)-ones as Analogues of α -Diketones)	397
6.10.1	Synthesis of 2,3-Di(1 <i>H</i> -benzimidazol-2-yl)-1-(1 <i>H</i> -benzoimidazol-2-on-1-yl)pyrrolo[1,2- <i>a</i>]quinoxalin-4(5 <i>H</i>)-one	397
6.10.2	Synthesis of 3-[(3,5-Disubstituted-4-(1 <i>H</i> -benzimidazol-2-on-1-yl)-1 <i>H</i> -pyrrol-2-yl]quinoxalin-2(1 <i>H</i>)-ones	399
6.10.3	Synthesis of 1-Pyrrolylbenzimidazolones from Quinoxalinones and Enamines Generated In Situ from Ketones and Ammonium Acetate.	400

6.10.4	A Reaction for the Synthesis of Benzimidazol-2-ones, Imidazo[5,4- <i>b</i>]- and Imidazo[4,5- <i>c</i>]pyridin-2-ones from Quinoxalinones and Their Aza-Analogues When Exposed to Enamines	405
6.11	Conclusion	409
	References	410
Appendix		423

Quinoxalines

Synthesis, Reactions, Mechanisms and Structure

Mamedov, V.A.

2016, XV, 437 p. 591 illus., 546 illus. in color.,

Hardcover

ISBN: 978-3-319-29771-2