

Contents

Part I Open-Cast Mining: Some Problems and Solutions

Post-mining Nutrient Depletion of Bauxite Overburdens in Jamaica: Storage Methods or Subsoil Dilution?	3
Mark Anglin Harris and Samson N. Omoregie	
1 Introduction.	4
1.1 Nutrient Status and History	5
1.2 Physical Effects	5
1.3 Traditional Method in Jamaica Bauxite Mines	8
2 Materials and Methods	8
2.1 Study Site	8
2.2 Top-Soils: Description and Analysis	10
3 Results.	11
4 Conclusions.	14
5 Geobiotechnological Applications	15
References.	18
Dust Reduction in Bauxite Red Mud Waste using Carbonation, Gypsum & Flocculation	21
Mark Anglin Harris	
1 Introduction.	22
1.1 Red Dust: Origin and Damages	22
1.2 Drawbacks of Gypsum Treatment	23
1.3 Dust Definitions	23
1.4 Chemistry of Red Mud Dust	24
1.5 Red Mud Dust Impacts.	24
1.6 Effects on Health	26
1.7 St. Croix—Virgin Islands Red Mud Dust Hazards	27
1.8 Particle Cementation	28
1.9 Aim.	30

2	Materials and Methods	30
2.1	Measuring Potential Wind-Blown Dust	30
2.2	Flocculation Measurements by Wet-Sieving	32
3	Results.	33
3.1	Clay Dislocation: 1st Submergence	33
4	Discussion.	39
4.1	Fine-Particle Dislocation	39
4.2	Natural Flushing.	41
5	Conclusions.	44
6	Geotechnical Applications	44
	References.	47

Fragility and Bearing Capacity of Gray Shales in North-Eastern Jamaica After Landslips: Origins, and Implications for Open-Cut Mines

49

Mark Anglin Harris

1	Introduction.	50
1.1	Antecedent Rainfall	51
1.2	Weathering and Mass Movements in Humid Tropics	53
1.3	Weathering of Shale (Review)	53
1.4	Shallow Landslips, Trade Winds and Pore Pressure	55
1.5	Implications of Slope Cuts.	56
1.6	Slip Surfaces.	56
1.7	Study Area: North-Eastern Jamaica.	57
1.8	Mobility and Morphology of the Landslip.	58
1.9	Aim.	60
2	Method	60
2.1	Rock Tests	60
2.2	Drop Impact Test	60
2.3	Unit Weight Determination	61
2.4	Rate of Slaking.	61
2.5	Expansion and Contraction	62
2.6	Particle Settling Velocity	62
3	Results and Discussion	62
3.1	Drop Impact Test (Counted Number of Impacts: CNI)	64
3.2	Rate of Slaking.	67
3.3	Unit Weight Determination (UWD).	70
3.4	Particle Settling Velocity	71
4	Conclusions.	72
5	Geotechnical Applications	73
5.1	Tegucigalpa, Honduras: Role of Antecedent Rainfall and Human Interference.	73
5.2	The Potentially Rapid Weathering and Slaking of Shales Require Safety Precautions Where the Cutting of Slopes Increases the Frequency of Landslips	73
	References.	77

Part II Mine Waste: Utilization and Recycling

Hydrocarbon-Contamination of Soils Around a Trinidadian

Pitch Lake: Red Muds as a Resistance to Potential Soil Toxicants 83

Mark Anglin Harris

1	Introduction.	84
1.1	Inorganic Approach	85
1.2	Organic Approach	86
1.3	Aim and Hypothesis.	87
2	Materials and Method	87
2.1	Site Details	87
2.2	Soil Sampling	88
2.3	Water Repellence Determination	89
2.4	Dispersion and Hydraulic Conductivity.	89
2.5	Bauxite Waste Treatments	89
2.6	Red Mud Safety Concerns	89
2.7	Statistics	90
3	Results.	90
3.1	Water Repellence	90
3.2	Changes in Hydraulic Conductivity.	91
3.3	Hydrophobicity and Dispersion	91
4	Discussion.	92
4.1	Infiltration.	92
5	Conclusion	95
6	Geotechnical Applications	96
6.1	Field Application	96
6.2	Edaphic Effects	96
6.3	Testing for Hydrophobicity	96
6.4	Building Construction Activities	97
6.5	Containment of Aqueous Contaminants.	97
	References.	97

Geotechnical Stability of Two Gypsum-Treated Bauxite Red Muds

and “Marl” as a Road Base Under Submerged Conditions 101

Mark Anglin Harris

1	Introduction.	102
1.1	Requirements of Road Fill	102
1.2	Bauxite Waste as a Potential Road Base	102
1.3	Soft Limestone “Marl”.	103
1.4	Soft Limestone Road Bases in Belize, Northern Caribbean	103
1.5	Marl Road Bases in North-Eastern Jamaica.	104
1.6	Resiliency, and Puerto Rican Cretaceous Limestone.	104
1.7	Bauxite Waste: Health Concerns	106
1.8	Hypothesis: Red Mud Waste	106

2	Methods.	106
2.1	Treatments	106
2.2	Impact/Shatter Test.	107
2.3	California Bearing Ratio Test.	107
2.4	Porosity	109
2.5	Density	109
2.6	Slake Resistance.	110
3	Results.	110
3.1	AIV Test	110
3.2	Slake Resistance: Slaking Durability Test	111
3.3	CBR Test	112
4	Discussion.	113
4.1	Slake Durability	113
4.2	Gypsum Requirement for Bauxite-Waste Road Sub-Stratum	115
4.3	Effects of Slake/Durability Cycles on Rock Strength	116
4.4	Dissolution of Rocks	116
5	Geotechnical Applications	117
5.1	Accelerating the Lithification of Red Mud Waste	117
5.2	Purifying of Variegated Limestone.	118
	References.	118

Uniaxial Compressive Strength of Some Un-calcined Red Mud

Mortars: Geotechnical Implications	121
---	------------

Mark Anglin Harris

1	Introduction.	121
1.1	Utility of Red Muds	121
1.2	Pozzolans	121
1.3	Stabilization of Limestone-Marl with Portland Cement	122
1.4	Previous Red Mud Tests.	123
1.5	Justification, Aim and Hypothesis	123
1.6	Correlating Load-Bearing Tests	124
2	Materials and Methods	124
2.1	Brazilian Tensile Strength Test (BTS)	126
2.2	Slake Durability Tests	127
2.3	CND Tests	128
3	Results.	128
3.1	Brazilian Tensile Test: Red Muds	128
3.2	Effects of Slaking.	133
3.3	Plastic Limit.	135
4	Conclusions.	135
5	Geobiotechnological Applications	136
	References.	137

Part III Acidic Mine Water: Bioremediation

Bioremediation of a Stagnant Polluted Acid Mine Drainage Using a Clay-Lime Spiked Sludge and Bacterial Degradation	143
Mark Anglin Harris and Santo Ragusa	
1 Introduction	144
1.1 Water Acidification: Effects	144
1.2 Low-Cost Bioremediation	145
1.3 Role of Hydroxides	145
1.4 Sulphate Reducing Bacteria	146
1.5 Role of Inorganic and Organic Colloids	149
1.6 Sludge Rates	151
1.7 Cuba: Santa Lucia Mine Wastes	152
1.8 Aim	152
2 Materials and Methods	153
2.1 Acid Drainage	153
2.2 Sludge	153
2.3 Cation Exchange Capacity	156
2.4 Plant Matter	156
2.5 Incubation Procedure	156
2.6 Sampling and Analysis	157
2.7 Electrophoretic Mobility	157
3 Results	158
3.1 Initial Colour Changes	158
3.2 Changes in Acidity	158
3.3 Sulfur (as Sulphate)	170
3.4 Iron	173
3.5 Aluminium	174
3.6 Phosphate	175
3.7 Heavy Metals	176
4 Discussion	179
4.1 Aluminium, Iron, and Pre-SRB Sulphate	179
4.2 Acidity Levels Before SRB Activation	182
4.3 Acidity Levels After SRB Activation	184
5 Conclusion	186
6 Geobiotechnical Applications	187
6.1 Mosquitoes: Impacts of Acidity	187
6.2 Dangers to Aquatic Life	188
6.3 Guyana, Jamaica—Gold Mine Tailings	188
References	189

Detoxification of Acid Drainage Using Inorganic pH Buffers in a Constant Flow Bioreactor	195
---	------------

Mark Anglin Harris and Santo Ragusa

1 Introduction	196
1.1 Effects of Sulfide Exposure	196

1.2	Active or Passive Treatments? Justification	197
1.3	Character of Substrate	198
1.4	Cuba: Camagüey Sulfide System	200
1.5	Dominican Republic: Pueblo Viejo Sulfides	202
1.6	Aim and Hypothesis	203
2	Materials and Methods	204
2.1	Processing of Whole Soils	204
2.2	Inoculation	205
2.3	The Reactor	206
2.4	Sampling Methods: Bioreactor	206
2.5	Buffer Study	208
2.6	Bioreactor Experiment	209
3	Results	209
3.1	Buffer Study	209
3.2	Bioreactor Experiment	211
4	Discussion	215
4.1	Buffer Study	215
4.2	Bioreactor Experiment	216
5	Conclusions	219
6	Geobiotechnological Applications	220
6.1	A Procedure for the Hydrogeological Confinement of Acid Mine Drainage	220
	References	221

Part IV Mine-Spoils and Mine Tailings: Microbial Remediation

Aggregation of Sodic Subsoils Using Gypsum and Decomposable

Phyto-organics: Interactions and Implications for Bauxite

Red Muds 227

Mark Anglin Harris and Pichu Rengasamy

1	Introduction	228
1.1	Effects of Particle Size	228
1.2	Chemical Conditions	229
1.3	Gypsum Justification	229
1.4	Aggregation	231
1.5	Role of Decomposable Organics	232
1.6	Hypothesis	233
2	Methods and Materials	233
2.1	Soil Pre-treatment	233
2.2	Incubations	234
2.3	Water Stable Macro-Aggregation, Hydraulic Conductivity	234
2.4	Spontaneous Dispersion	234
2.5	Mechanical Dispersion	235
2.6	Electrophoretic Mobility	235

3	Results and Discussion	236
3.1	Soil Chemical Analyses	236
3.2	Gypsum and Green Manure as Separate Treatments	237
3.3	Hydraulic Conductivity	243
3.4	Clay Dispersion	244
3.5	Particle Size Analysis	247
3.6	Aggregation	248
3.7	Analysis of Flocculation	249
4	Conclusion	250
5	Geobiotechnological Applications	251
5.1	Expressing Sodicity	251
5.2	Sodicity Determinations	251
5.3	Soil Salinity in Cuba	252
5.4	Kinds of Amendments	252
5.5	General Gypsum Applications	253
	References	254

Structural Amelioration of Indurated Gypsum-Treated Bauxite

Red Mud Tailings Using Bacterially Mediated Organic Treatments 257

Mark Anglin Harris

1	Introduction	258
1.1	Red Mud	258
1.2	Caribbean Bauxite	258
1.3	Aim	260
2	Materials and Methods	260
2.1	Study Area	260
2.2	Review of Prior Gypsum Application at Study Site (Kirkvine, Jamaica)	261
2.3	Experiment #1	263
2.4	Experiment #2: Re-treatment and Topsoil-Free Re-vegetation	264
3	Results and Discussion: Experiment #1	265
3.1	Water Movements and Infiltration	265
3.2	Gas Pressures	267
3.3	Water-Stable Aggregation	269
3.4	Experiment #2: Organic Additives + Gypsum	271
4	Conclusions	273
4.1	Experiment #1	273
4.2	Experiment #2	273
5	Geobiotechnological Applications	273
	References	275

Management of a Potential Mine Capping for Reclamation of Open-Cut Mines: Responses to Decomposable

Organic Treatments	279
Mark Anglin Harris and Pichu Rengasamy	
1 Introduction.	280
1.1 Edaphic Problems of Mine Waste Rock.	280
1.2 Purpose of Mine-Capping	282
1.3 The Ideal Mine Capping.	282
1.4 Other Drawbacks of Top-Soil Storage	283
1.5 Effects on Mycorrhizae	285
1.6 Management History	286
1.7 Purpose of Top-Soil In Situ Amendments	287
1.8 Problem Area #1: Guyana (Bauxite Mining).	287
1.9 Problem Area #2: Bauxite Pits in Jamaica.	289
1.10 Improving Stored Top-Soils.	290
1.11 Research Area.	291
1.12 Pyritic Mines: A Caribbean Perspective.	291
2 Materials and Methods	295
2.1 Soil Preparation	295
2.2 Macro-Aggregation	297
2.3 Hydraulic Conductivity	297
2.4 Water Retention	298
3 Results and Discussion	298
3.1 Saturated Hydraulic Conductivity	298
3.2 Macro-Aggregate Stability.	299
3.3 Water Retention	300
4 Conclusions.	301
5 Geobiotechnological Applications	301
5.1 Choose Tyre-Mounted Machines	301
5.2 Choose Grasses	301
5.3 Use Waste Rock	302
5.4 How to Stockpile Soil	302
5.5 Role of Capping Systems.	303
5.6 The Function of Increased Aggregate Stability	303
5.7 Ideal Compaction Levels	303
5.8 What Is the Objective?	304
5.9 Soil Organic Carbon (SOC).	304
5.10 Increase Microbe Population	304
5.11 Role of Fertilizers.	306
References.	306

Erodibility of Unconsolidated Mine Wastes Under Simulated Rainfall and Hydraulic Forces After Organic Amendments 311

Mark Anglin Harris

1	Introduction.	312
1.1	Caribbean and Humid Tropics	312
1.2	Definition and Description of Soil Erosion	312
1.3	Characteristics of Erodibility	313
1.4	Mine Soils	314
1.5	Raindrop Impacts, Bulk Density, and Runoff	315
1.6	Aim.	316
2	Materials and Method	316
2.1	Mine Tailings	316
2.2	Sludge.	317
2.3	Green Manure.	318
3	Results.	319
3.1	Water-Drop Impact Tests (CND)	319
3.2	Modified Emerson Water Dispersion Test (MEWDT).	320
3.3	Rainfall, Runoff, Sediment Removal and Turbidity.	321
4	Discussion.	326
5	Conclusion	328
6	Geobiotechnological Applications	329
6.1	Detecting Earth Movements.	329
6.2	Slowing Down Erosion	330
	References.	331

Modification of Hydraulic Conductivity and Aggregation in Pyritic Mine Tailings Materials with Sludge and Decomposable Phyto-Organics 335

Mark Anglin Harris and Mallavarapu Megharaj

1	Introduction.	336
1.1	Definition of Acid Sulphate Soils.	336
1.2	The Pueblo Viejo: Dominican Republic.	339
1.3	Soil Quality	340
1.4	Sludge.	341
1.5	Green Manure and Soil Structure.	343
1.6	Aims.	345
2	Materials and Methods	345
2.1	Treatment	345
2.2	Bacterial Assays.	347
2.3	Field Collection of Tailings Leachate Residue	347
2.4	Mine Tailings	347
2.5	Sludge.	348
2.6	Green Manure.	348
2.7	Soil Physical Properties	348

3	Results.	349
3.1	Field Study: Aerobic Heterotrophic Bacteria.	349
4	Discussion.	353
4.1	Mine Tailings and Leachate Residue	353
4.2	Controls	354
4.3	Treated Samples	355
4.4	Sludge and Green Manure	356
4.5	Scanning Electron Microscopy of Water-Stable Aggregates	358
4.6	Sludge Components	359
5	Conclusion	360
6	Geobiotechnological Applications (After: Queensland Govt. 2015)	360
	References.	364

Quenching of Phosphorus-Fixation in a Disturbed Caribbean Bauxite Mine Overburden Using Root Exudates: Implications for Acidic Tropical Soils	369
Mark Anglin Harris	

1	Introduction.	370
1.1	P-Deficiencies of Tropical Soils.	370
1.2	Caribbean Red Soils.	372
1.3	Topography Effects: Puerto Rico	373
1.4	Volcanic Materials of the Eastern Caribbean.	375
1.5	Solubility of Phosphate Minerals	377
1.6	Advantages and Drawbacks of Animal Waste	379
1.7	Rationale for <i>C. Cajan</i> Organics	379
1.8	Aim.	380
1.9	Hypothesis	380
2	Method	380
2.1	P-Extraction	382
2.2	Study Area: A Former Mine-Site	382
2.3	Statistics	383
3	Results.	383
4	Discussion.	384
5	Conclusion	387
6	Geobiotechnological Applications	388
	References.	389

Cold-Water Starch Dissolution Bioreactors: Role in Treating Heap-Leached Wastewater from Precious Metal and REE Ores.	393
Mark Anglin Harris	

1	Introduction.	393
1.1	Occupational Dangers of Cyanide	394
1.2	Chemistry of Heap Leaching	395
1.3	Remediation	396
1.4	Location of Potential Study	397

1.5	Geological Setting	398
1.6	Mineralization Setting	399
1.7	Deposit Grade and Size	399
1.8	Exploration History	399
1.9	Aim and Hypothesis.	399
2	Methodology	400
3	Results and Discussion	400
4	Conclusions.	402
5	Applications	402
5.1	Field Applications	402
	References.	405

**Air, Land, and Water Contamination from Industrial Processing
of Bitter Cassava: Implications for Pre-emptive Moisture-Pressure
Combination Treatments 407**

Mark Anglin Harris and Charles Kofi Koomson

1	Introduction.	408
1.1	Usefulness of Thiocyanate as a Marker	409
1.2	Commercial/Industrial Advantages of Cassava	409
1.3	Respiratory, Dermal, and Oral Exposure	410
1.4	Cassava Wastewater and Cassava Peels	411
1.5	Dangers of Cassava Processing in Study Area.	412
1.6	Previous Processing Methods.	413
1.7	Aim.	414
1.8	Hypothesis #1.	414
1.9	Hypothesis #2.	414
2	Method	414
2.1	Experiment #2: Moisture-Pressure Treatments of Grated Cassava.	415
2.2	Statistical Method.	415
3	Results and Discussion	415
3.1	Experiment #1: Cyanide in Peel Versus Pith	415
3.2	Moisture-Pressure Treatments	416
4	Conclusions.	417
4.1	Hypotheses.	418
5	Applications	418
	References.	418

**A Multiphase Outflow Purification System (MOPS) for Long-Term
Sustainability of Acid Mine Drainage Detoxification and Metal
Recovery. 421**

Mark Anglin Harris

1	Introduction.	421
1.1	Limestone/Lime Treatment: Pros and Cons.	422

2	Method	424
2.1	Treatment Selection	424
2.2	Phase 1: AMD bioreactor (After Harris and Ragusa 2000)	425
2.3	Phase 2: Organic- or Mineral Acids?	426
2.4	Sources of Organic Acids.	427
2.5	Phase 3: Selective Removal of Metals from Sludge	427
2.6	Phase 4	428
2.7	Phase 5	428
2.8	Phase 6	429
2.9	Phase 7	429
	References.	429

**Geobiotechnological Solutions to Anthropogenic
Disturbances**

A Caribbean Perspective

Harris, M.A.

2016, XXVI, 430 p. 124 illus., 102 illus. in color.,

Hardcover

ISBN: 978-3-319-30464-9