

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	Dissertation Background	1
1.2	Cognitive Radio Technology	3
1.2.1	Spectrum Sensing	4
1.2.2	Spectrum Management	5
1.2.3	Spectrum Mobility	6
1.2.4	Spectrum Sharing	7
1.2.5	Conclusions	8
1.3	Spectrum Sensing Technology	10
1.3.1	Spectrum Sensing Classification	10
1.3.2	Spectrum Sensing Method	12
1.4	Motivation	15
	References	16
<b>2</b>	<b>CSS Technology</b>	23
2.1	Introduction	23
2.2	Cooperative Communication Model	24
2.2.1	Cooperative Diversity	24
2.2.2	Relay Cooperation	25
2.3	CSS Model	30
2.3.1	Cooperative Diversity for CSS	30
2.3.2	Relay Diversity for CSS	32
2.4	The Process of CSS	34
2.5	Research Status	37
	References	39
<b>3</b>	<b>The Relationship Among the Performance Parameters in CSS</b>	43
3.1	Introduction	43
3.2	System Model	45

3.3	The CSS Detection Performance . . . . .	46
3.3.1	Local Detection Performance . . . . .	46
3.3.2	CSS Performance Based on Decision Fusion. . . . .	48
3.3.3	Simulation Results. . . . .	50
3.4	The CSS Secondary Throughput . . . . .	53
3.4.1	Spectrum Utilization . . . . .	53
3.4.2	Secondary Throughput . . . . .	56
3.4.3	The Optimal Algorithm . . . . .	58
3.4.4	Simulation Results. . . . .	60
3.5	Summary . . . . .	66
	References . . . . .	66
<b>4</b>	<b>The Censoring Based CSS . . . . .</b>	<b>69</b>
4.1	Introduction . . . . .	69
4.2	System Model . . . . .	71
4.3	The C-CSS Detection Performance . . . . .	72
4.3.1	Performance Analysis . . . . .	72
4.3.2	Optimal Algorithm . . . . .	76
4.3.3	Simulation Results. . . . .	79
4.4	The C-CSS Secondary Throughput . . . . .	83
4.4.1	Performance Analysis . . . . .	83
4.4.2	Optimal Algorithm . . . . .	84
4.4.3	Simulation Results. . . . .	86
4.5	Summary . . . . .	92
	References . . . . .	92
<b>5</b>	<b>CSS Technology with Relay . . . . .</b>	<b>95</b>
5.1	Introduction . . . . .	95
5.2	System Model . . . . .	97
5.2.1	Problem Description . . . . .	97
5.2.2	Signal Model . . . . .	99
5.3	Proposed Best Relay CSS Scheme . . . . .	101
5.3.1	Problem Description . . . . .	101
5.3.2	The SINR-BRCS Scheme . . . . .	103
5.3.3	Proposed $P_e$ -BRCS Scheme . . . . .	103
5.3.4	Complexity Analysis . . . . .	105
5.3.5	Detection Performance . . . . .	105
5.3.6	Simulation Results. . . . .	106
5.4	Proposed C-BR-CSS Scheme . . . . .	108
5.4.1	Problem Description . . . . .	108
5.4.2	System Model . . . . .	109
5.4.3	Performance Analysis . . . . .	111
5.4.4	Simulation Results. . . . .	116

5.5	Proposed Adaptive CSS Scheme with Best Relay . . . . .	118
5.5.1	Problem Description . . . . .	118
5.5.2	Algorithm Design . . . . .	119
5.5.3	Simulation Results. . . . .	120
5.6	Summary . . . . .	122
	References . . . . .	122
<b>6</b>	<b>CSS Based on Soft Combination. . . . .</b>	<b>125</b>
6.1	Introduction . . . . .	125
6.2	System Model . . . . .	126
6.3	SC-EF-CSS Performance . . . . .	127
6.3.1	Performance Analysis . . . . .	127
6.3.2	The Optimal Algorithm Based on N-P Criterion . . . . .	131
6.3.3	The Optimal Algorithm Based on MDC. . . . .	133
6.3.4	Simulation Results. . . . .	134
6.4	SC-DF-CSS Performance . . . . .	136
6.4.1	Performance Analysis . . . . .	136
6.4.2	The Optimal Algorithm Based on N-P Criterion . . . . .	138
6.4.3	The Optimal Algorithm Based on MDC. . . . .	140
6.4.4	Simulation Results. . . . .	141
6.5	Summary . . . . .	143
	References . . . . .	143
<b>7</b>	<b>The SS Application in ICIC . . . . .</b>	<b>145</b>
7.1	Introduction . . . . .	145
7.2	Problem Analysis. . . . .	147
7.2.1	The SFR Scheme . . . . .	147
7.2.2	Interference Analysis . . . . .	148
7.3	The ICI Coordination Based on SS . . . . .	150
7.3.1	Scheme Design . . . . .	150
7.3.2	Interference Analysis . . . . .	153
7.3.3	Detection Algorithm . . . . .	155
7.3.4	Simulation Results. . . . .	155
7.4	Summary . . . . .	158
	References . . . . .	158

Cognitive Wireless Networks Using the CSS Technology

Li, M.; Wang, A.; Pan, J.-S.

2016, XII, 160 p. 69 illus., 31 illus. in color., Hardcover

ISBN: 978-3-319-31094-7