

# Contents

|          |  |          |
|----------|--|----------|
| <b>1</b> | <b>Principles of Cryostat Design</b>                           | <b>1</b> |
|          | J.G. Weisend II  |          |
| 1.1      | Cryostat Requirements  | 1        |
| 1.2      | Cryogenic Properties of Materials                              | 4        |
| 1.2.1    | Thermal Contraction  | 5        |
| 1.2.2    | Thermal Conductivity   | 6        |
| 1.2.3    | Heat Capacity  | 9        |
| 1.2.4    | Material Strength  | 10       |
| 1.3      | Thermal Insulation and Heat Transfer                           | 11       |
| 1.3.1    | Reducing Conduction Heat Transfer                              | 11       |
| 1.3.2    | Reducing Convection Heat Transfer                              | 11       |
| 1.3.3    | Reducing Radiation Heat Transfer                               | 12       |
| 1.3.4    | Other Insulation Approaches                                    | 15       |
| 1.4      | Structural Supports for Cryostats                              | 17       |
| 1.4.1    | Alignment Approaches   | 18       |
| 1.4.2    | Suspension of Components from a Room<br>Temperature Top Flange | 19       |
| 1.4.3    | Space Frames   | 20       |
| 1.4.4    | Support Posts  | 23       |
| 1.4.5    | Supports in Space Cryogenics                                   | 23       |
| 1.5      | Instrumentation  | 24       |
| 1.5.1    | Temperature Measurement  | 24       |
| 1.5.2    | Pressure Measurement   | 27       |
| 1.5.3    | Flow Measurement   | 27       |
| 1.5.4    | Level Measurement  | 28       |
| 1.5.5    | Installation, Wiring, Heat Sinking<br>and Feedthroughs         | 28       |
| 1.5.6    | Commercial Availability of<br>Instrumentation Systems          | 30       |
| 1.5.7    | Best Practices for Cryostat Instrumentation                    | 31       |

|          |  |           |
|----------|--|-----------|
| 1.6      | Seals and Connections . . . . .  | 31        |
| 1.7      | Transfer Lines . . . . .   | 35        |
| 1.8      | Safety. . . . .  | 38        |
| 1.9      | Thermoacoustic Oscillations . . . . .  | 40        |
| 1.10     | Prototyping and Series Testing . . . . .   | 42        |
|          | References . . . . .   | 42        |
| <b>2</b> | <b>SSC Collider Dipole Cryostat . . . . .</b>  | <b>47</b> |
|          | Thomas H. Nicol  |           |
| 2.1      | Introduction. . . . .  | 47        |
| 2.2      | Vacuum Vessel . . . . .  | 49        |
| 2.3      | Thermal Radiation Shields . . . . .  | 50        |
| 2.4      | Multilayer Insulation . . . . .  | 52        |
| 2.5      | Cryogenic Piping . . . . .   | 53        |
| 2.6      | Suspension System. . . . .   | 55        |
| 2.7      | Interconnect . . . . .   | 57        |
| 2.8      | Test Results . . . . .   | 59        |
| 2.9      | Summary . . . . .  | 64        |
|          | References . . . . .   | 65        |
| <b>3</b> | <b>Twenty-Three Kilometres of Superfluid Helium<br/>Cryostats for the Superconducting Magnets<br/>of the Large Hadron Collider (LHC) . . . . .</b> | <b>67</b> |
|          | Philippe Lebrun  |           |
| 3.1      | The LHC and Its Cryogenic System . . . . .   | 67        |
| 3.2      | Feasibility of a Large Distributed Superfluid<br>Helium System . . . . .   | 70        |
| 3.3      | Prototype Cryostats and String Tests . . . . .   | 75        |
| 3.4      | Industrial Series Production, Installation<br>and Commissioning . . . . .  | 83        |
| 3.5      | Concluding Remarks . . . . .   | 91        |
|          | References . . . . .   | 92        |
| <b>4</b> | <b>The Superfluid Helium On-Orbit Transfer (SHOOT)<br/>Flight Demonstration . . . . .</b>  | <b>95</b> |
|          | Michael DiPirro  |           |
| 4.1      | Introduction. . . . .  | 95        |
| 4.2      | Design Considerations . . . . .  | 98        |
| 4.2.1    | Structural Requirements . . . . .  | 98        |
| 4.3      | Dewar and Cryostat Details. . . . .  | 99        |
| 4.3.1    | Dewar Fabrication Details . . . . .  | 99        |
| 4.3.2    | Cryostat Details . . . . .   | 101       |
| 4.4      | Components . . . . .   | 103       |
| 4.4.1    | Development Notes . . . . .  | 103       |
| 4.4.2    | Phase Separation . . . . .   | 103       |

|          |   |            |
|----------|---|------------|
| 4.4.3    | Liquid Acquisition . . . . .  | 105        |
| 4.4.4    | Thermomechanical (Fountain Effect) Pumps . . . . .                              | 107        |
| 4.4.5    | Cryogenic Stepper-Motor Valves . . . . .  | 109        |
| 4.4.6    | Cryogenic Relief Valves . . . . .   | 110        |
| 4.5      | Safety . . . . .  | 110        |
| 4.6      | Working with SHOOT on the Ground . . . . .                                      | 113        |
| 4.7      | On-Orbit Operations . . . . .   | 114        |
| 4.8      | Summary . . . . .   | 115        |
|          | References . . . . .  | 115        |
| <b>5</b> | <b>TESLA &amp; ILC Cryomodules . . . . .</b>                                    | <b>117</b> |
|          | T.J. Peterson and J.G. Weisend II   |            |
| 5.1      | Introduction . . . . .  | 117        |
| 5.2      | Definitions . . . . .   | 118        |
| 5.3      | Functional Requirements Summary . . . . .                                       | 120        |
| 5.4      | Cryomodule Mechanical Design . . . . .  | 120        |
| 5.4.1    | Cryomodule Major Components and Features . . . . .                              | 120        |
| 5.4.2    | Cryomodule Weight . . . . .   | 129        |
| 5.4.3    | Major Interfaces . . . . .  | 129        |
| 5.5      | Cryomodule Vacuum Design and Vacuum Vessel . . . . .                            | 129        |
| 5.6      | Cryomodule Thermal Design and Helium Flow Design . . . . .                      | 131        |
| 5.6.1    | Major Thermal Design Features . . . . .   | 131        |
| 5.6.2    | Design for Large 2 K Heat Transport<br>and Helium Flow . . . . .                | 133        |
| 5.6.3    | Pressure Drop Analyses . . . . .  | 135        |
| 5.6.4    | Typical TESLA-Style Cryomodule Maximum<br>Allowable Working Pressures . . . . . | 136        |
| 5.6.5    | Instrumentation . . . . .   | 137        |
| 5.6.6    | Cryomodule Test Requirements . . . . .  | 137        |
| 5.6.7    | Pressure Stability at the 2 K Level . . . . .                                   | 137        |
| 5.7      | Cryomodule Helium Inventory . . . . .   | 139        |
| 5.8      | Early Results from the TESLA Cryomodules . . . . .                              | 139        |
| 5.9      | Modifications for CW Operation in the LCLS-II Linac . . . . .                   | 143        |
| 5.10     | Summary . . . . .   | 143        |
|          | References . . . . .  | 144        |
| <b>6</b> | <b>Segmented SRF Cryomodules . . . . .</b>                                      | <b>147</b> |
|          | E. Daly, Thomas H. Nicol and J. Preble  |            |
| 6.1      | Introduction . . . . .  | 147        |
| 6.2      | C20 Cryomodule Design for CEBAF . . . . .                                       | 149        |
| 6.2.1    | Introduction . . . . .  | 149        |
| 6.2.2    | Modularity and Segmentation . . . . .   | 149        |
| 6.2.3    | Requirements . . . . .  | 150        |
| 6.2.4    | Design Description and Choices . . . . .  | 150        |

|          |  |            |
|----------|--|------------|
| 6.2.5    | Cryogenic System Interfaces . . . . .                              | 153        |
| 6.2.6    | Vacuum Interfaces . . . . .  | 153        |
| 6.2.7    | Heat Load Estimates . . . . .                                      | 154        |
| 6.2.8    | Cavity . . . . .   | 154        |
| 6.2.9    | Cavity Pair . . . . .  | 154        |
| 6.2.10   | Tuner . . . . .  | 155        |
| 6.2.11   | Helium Vessel . . . . .  | 155        |
| 6.2.12   | Input Coupler . . . . .  | 156        |
| 6.2.13   | HOM Loads . . . . .  | 156        |
| 6.2.14   | Magnetic Shields—Inner and Outer . . . . .                         | 157        |
| 6.2.15   | Thermal Shield and Multilayer Insulation . . . . .                 | 157        |
| 6.2.16   | Vacuum Vessel . . . . .  | 158        |
| 6.2.17   | Cryounit . . . . .   | 158        |
| 6.2.18   | Instrumentation . . . . .  | 159        |
| 6.2.19   | Final Assembly . . . . .   | 160        |
| 6.2.20   | Status . . . . .   | 160        |
| 6.3      | The Spallation Neutron Source (SNS) Cryomodule . . . . .           | 161        |
| 6.3.1    | Introduction . . . . .   | 161        |
| 6.3.2    | Cavity String . . . . .  | 162        |
| 6.3.3    | Cryomodule . . . . .   | 164        |
| 6.3.4    | Cryomodule Heat Loads and Thermal Design . . . . .                 | 166        |
| 6.3.5    | Thermal Performance of the SNS Cryomodule . . . . .                | 173        |
| 6.4      | The CEBAF C100 Energy Upgrade Cryomodule . . . . .                 | 178        |
| 6.4.1    | Introduction . . . . .   | 178        |
| 6.4.2    | Lessons Learned from C20 Experience . . . . .                      | 178        |
| 6.4.3    | Cavity . . . . .   | 180        |
| 6.4.4    | Cavity Frequency Tuner . . . . .                                   | 181        |
| 6.4.5    | Cold Mass and Space frame . . . . .                                | 181        |
| 6.4.6    | Vacuum Vessel . . . . .  | 183        |
| 6.4.7    | End Cans . . . . .   | 184        |
| 6.4.8    | C100 Performance . . . . .   | 185        |
| 6.5      | SSR1 Cryomodule Design for PXIE . . . . .                          | 185        |
| 6.5.1    | Introduction . . . . .   | 185        |
| 6.5.2    | Cryomodule Design . . . . .  | 186        |
| 6.5.3    | Final Assembly . . . . .   | 191        |
| 6.5.4    | Status and Plans . . . . .   | 192        |
|          | References . . . . .   | 193        |
| <b>7</b> | <b>Special Topics in Cryostat Design . . . . .</b>                 | <b>195</b> |
|          | Wolfgang Stautner  |            |
| 7.1      | Boil off Minimization for Cryostats Without a Cryocooler . . . . . | 195        |
| 7.1.1    | Discussion . . . . .   | 199        |
| 7.1.2    | Pitfalls . . . . .   | 200        |

|          |  |            |
|----------|--|------------|
| 7.2      | Cryocooler Integration . . . . .   | 201        |
| 7.2.1    | Cryocooler Integration—Options Overview . . . . .  | 201        |
| 7.2.2    | Cryocooler Integration Examples . . . . .  | 202        |
| 7.2.3    | Schematics and Options of Cryocooler<br>Integration—Overview . . . . .   | 203        |
| 7.2.4    | Cryocooler Integration Techniques<br>for Special Applications . . . . .  | 207        |
| 7.3      | Designing with Inclined Tubes in Cryogenic Systems. . . . .  | 208        |
| 7.3.1    | Pitfalls . . . . .   | 212        |
| 7.4      | Cryogenics for Cryostats: Pressure Rise . . . . .  | 212        |
| 7.4.1    | Quench Pressure Rise in Cryostats and Quench<br>Duct Sizing—A Modeling Example . . . . .                                 | 213        |
| 7.5      | Advanced Cryostat Cryogenics—Carbon<br>Footprint Considerations . . . . .  | 216        |
|          | References . . . . .   | 216        |
| <b>8</b> | <b>Design and Operation of a Large, Low Background,<br/>50 mK Cryostat for the Cryogenic Dark Matter Search. . . . .</b> | <b>219</b> |
|          | Richard L. Schmitt   |            |
| 8.1      | Introduction. . . . .  | 219        |
| 8.2      | Physics Detectors and Towers . . . . .   | 219        |
| 8.3      | Cryogenic System General Description . . . . .   | 221        |
| 8.4      | Dilution Refrigerator Introduction . . . . .   | 222        |
| 8.5      | Icebox General Description . . . . .   | 222        |
| 8.5.1    | Icebox Cans . . . . .  | 222        |
| 8.5.2    | Suspension . . . . .   | 225        |
| 8.5.3    | C-Stems and Tails . . . . .  | 225        |
| 8.6      | E-Stem. . . . .  | 226        |
| 8.6.1    | Thermal Contraction . . . . .  | 226        |
| 8.6.2    | Materials, Radiopurity. . . . .  | 227        |
| 8.6.3    | Fabrication . . . . .  | 227        |
| 8.6.4    | Underground Assembly. . . . .  | 228        |
| 8.7      | Thermal Model . . . . .  | 229        |
| 8.7.1    | Thermal Conductivity . . . . .   | 229        |
| 8.7.2    | Joint Conductance . . . . .  | 230        |
| 8.8      | Heat Load. . . . .   | 231        |
| 8.9      | Detector Signal Feedthrough . . . . .  | 231        |
| 8.10     | Dilution Refrigerator . . . . .  | 232        |
| 8.11     | Liquid Transfer Systems . . . . .  | 232        |
| 8.12     | Liquefier Addition . . . . .   | 233        |
| 8.13     | External Cold Trap. . . . .  | 235        |
| 8.14     | E-Stem Cryocooler. . . . .   | 235        |
| 8.15     | Insulating Vacuum. . . . .   | 236        |

|           |  |            |
|-----------|--|------------|
| 8.16      | Automation and Control . . . . .                           | 236        |
| 8.17      | Cryogenic Operation . . . . .                              | 237        |
| 8.18      | Lessons Learned . . . . .                                  | 237        |
| 8.18.1    | Cryogenic System Assembly and Testing . . . . .            | 237        |
| 8.18.2    | Wiring . . . . .   | 237        |
| 8.18.3    | Mixture Purification . . . . .                             | 237        |
| 8.18.4    | Micro Vibrations . . . . .                                 | 238        |
| 8.18.5    | Can Supports . . . . .                                     | 238        |
| 8.18.6    | Inner Vacuum, Yes or No? . . . . .                         | 238        |
|           | References . . . . .                                       | 239        |
| <b>9</b>  | <b>Cryogenic Transfer Lines . . . . .</b>                  | <b>241</b> |
|           | Jaroslav Fydrych   |            |
| 9.1       | Introduction. . . . .                                      | 241        |
| 9.2       | Cryoline Routing and Modularization . . . . .              | 247        |
| 9.3       | Cryoline Cross-Section Arrangements . . . . .              | 249        |
| 9.4       | Supporting Structures . . . . .                            | 253        |
| 9.5       | Thermal Contraction Compensation . . . . .                 | 256        |
| 9.6       | Materials. . . . .   | 258        |
| 9.7       | Manufacturing and Installation. . . . .                    | 258        |
| 9.8       | Case Study: XFEL/AMTF Cryogenic Transfer Line . . . . .    | 259        |
| 9.8.1     | Technical Requirements . . . . .                           | 260        |
| 9.8.2     | Design . . . . .   | 262        |
| 9.8.3     | Manufacturing the Cryoline Modules . . . . .               | 266        |
| 9.8.4     | Installation . . . . .                                     | 267        |
| 9.8.5     | Commissioning and Performance . . . . .                    | 272        |
|           | References . . . . .                                       | 272        |
| <b>10</b> | <b>Guidelines for Successful Cryostat Design . . . . .</b> | <b>275</b> |
|           | J.G. Weisend II  |            |
| 10.1      | Introduction. . . . .                                      | 275        |
| 10.2      | Guidelines. . . . .  | 275        |
| 10.3      | A Final Comment . . . . .                                  | 276        |
|           | <b>Index . . . . .</b>                                     | <b>277</b> |

<http://www.springer.com/978-3-319-31148-7>

Cryostat Design

Case Studies, Principles and Engineering

Weisend II, J.G. (Ed.)

2016, XVII, 280 p. 197 illus., 147 illus. in color.,

Hardcover

ISBN: 978-3-319-31148-7