

Simulation Driven Policy Recommendations for Code Diversity

Brady Tello, Michael Winterrose, George Baah and Michael Zhivich

Abstract Periodic randomization of a computer program's binary code is an attractive technique for defending against several classes of advanced threats. In this paper we describe a model of attacker-defender interaction in which the defender employs such a technique against an attacker who is actively constructing an exploit using Return Oriented Programming (ROP). In order to successfully build a working exploit, the attacker must guess the locations of several small chunks of program code, known as gadgets, in the defended program's memory space. The defender thwarts the attacker's efforts by periodically re-randomizing his code. Randomization incurs some performance cost, therefore an ideal strategy strikes an acceptable balance between utility degradation (cost) and security (benefit). We present risk aware and risk agnostic policy recommendations that were generated using simulation techniques. We found that policies that create low volatility environments are ideal for risk sensitive actors while policies that favor high system performance are more suitable for higher risk appetites.

Keywords Security · Multi-compiler · Optimization

B. Tello (✉) · M. Winterrose · G. Baah · M. Zhivich
MIT Lincoln Laboratory, 244 Wood Street, Lexington, MA, USA
e-mail: brady.tello@ll.mit.edu

M. Winterrose
e-mail: michael.winterrose@ll.mit.edu

G. Baah
e-mail: george.baah@ll.mit.edu

M. Zhivich
e-mail: mzhivich@ll.mit.edu

1 Introduction

As computer technologies become more firmly embedded in the fabric of our societies the importance of keeping computer systems secure against malicious intent becomes more obvious every day. This increased awareness is the direct result of several high profile security incidents involving major corporations [1, 2], governments [3, 4], and even the infrastructure of the web itself [5]. In response, defensive techniques and technologies to counter these threats have become the focus of much research and development [6, 7].

An interesting class of advanced defense techniques involves the strategic randomization of system components in order to ‘outflank’ adversaries. Defensive strategies that conform to this paradigm are often referred to as Moving Target (MT) strategies [8–10]. Moving Target defenses are particularly effective largely due to the fact that they make it more difficult for attacker’s to gather enough information to launch an effective attack in a timely manner.

As is the case with most computer security technologies, MT defenses impose a certain amount of overhead that must be addressed. As one might imagine, increasing the amount of randomness in a computer system can only make it more difficult to implement and manage. In order for a MT defense to be successful, careful thought and planning must go into every stage of the engineering lifecycle in order to ensure adequate speed, functionality, and compatibility while simultaneously ensuring that things like implementation, design, and/or deployment mistakes don’t undermine the entire system. All of these conditions are necessary in order for a moving target technology to have a chance at acceptance. Often, achieving all of these goals will involve calibration to a specific operational environment due to varying security requirements of different organizations.

One particularly interesting MT technology, developed by researchers at the University of California at Irvine (UCI), is known as the multi-compiler (Franz 2010). The multi-compiler is a tool that takes a computer program’s source code as its input and outputs a set of unique variants of the executable program binary code that are all functionally equivalent but have different code layouts. One technique the multi-compiler uses to accomplish this objective is to probabilistically distribute small pieces of binary code that have no effect on the program semantics. We will refer to these chunks of code as null-operations (NOPs). NOP insertion is a technique that is particularly effective against an attack technique known as Return Oriented Programming (ROP).

In a ROP attack, an adversary turns the code running on a defender’s machine into a weapon. A ROP attack starts with the attacker searching for a set of small bits of code in the defended program’s memory space—known colloquially as “gadgets”—that can be chained together to accomplish the attack objectives. Once a functional set of gadgets is found, the attacker strategically redirects control flow to the beginning of the chain. Once such a set of gadgets has been located on one

machine, it can be re-used on similar machines. The multi-compiler eliminates the re-usability of these gadget chains by breaking them up and relocating them in each program variant. By making ROP attacks less reliable, the multi-compiler is very attractive as a defensive technology. Using the multi-compiler this way strips the attacker of the ability to write reusable exploits which creates a sort of herd immunity in which individual actors can be compromised but the population as a whole experiences a dramatic reduction in risk.

Although the multi-compiler brings security to the collective, we propose a usage that would also benefit the individual. We propose an enhanced usage in which a defender periodically installs a new multi-compiled variant of a program. We refer to this action as a “rotation”. Under this binary rotation-based defense strategy, diversification provides defensive advantages at both the individual and aggregate scales.

The goal of our work is to use a computer simulation to evaluate the effectiveness of a rotation- based multi-compiler defense strategy under a number of different threat scenarios. If the defender is overly aggressive with his diversity/rotation strategy, he incurs costs related to system utility: if a program is spending all of its time defending itself, it’s not spending any of its time doing anything productive. Conversely, if he is not aggressive enough, he risks system compromise and then must pay the costs related to recovery (if recovery is an option).

The contributions of this work are as follows:

1. We present a case study in the use of software-based simulation to evaluate rotation policies for the multi-compiler
2. We provide non-intuitive guidance for the setting of a key security parameter of
3. The multi-compiler (NOP insertion rate). The multi-compiler has a number of additional security parameters that we hope to study in future work
4. We introduce the notion of “impact landscapes” which are useful tools for visualizing and reasoning about task impact due to cyber security threats
5. We utilize observed impact landscapes to generate practical insights for a diversity based cyber defense strategy
6. We present the results of a study that suggest certain parameter settings for the multi-compiler may be robust across a wide array of performance cost scenarios
7. We show that risk considerations can lead to differing policy recommendations.

2 Related Work

In related work at Lincoln Laboratory, we studied a code diversification strategy that is dependent on the results of an output scanner [11]. In the current work we consider a strategy in which the defender simply assumes that he is under constant attack and proactively rotates.

In a recent paper, it is suggested that BBN Technology’s A3 platform could be used to manage a proactive code diversification strategy [12] similar to the one we

outline in this paper. We believe the work laid out in our study bolsters the case for this defensive mechanism by highlighting how it performs under a number of scenarios.

Our approach resembles some aspects of the Data Farming methodology described in [13, 14]. Specifically, our approach shares with Data Farming an emphasis on simple agent-based models, extensive parameter space exploration, visualizing outputs as landscapes, and decision support. Data Farming goes on to emphasize high-performance computing and the discovery of outliers in the simulation results, two aspects that are not emphasized in the present work, though these topics are of interest for future work.

3 Attack Model

In order to carry out our strategy evaluation, we have implemented a model-based simulation of an attacker and defender interaction. Through the use of computer simulation, we are able to study a wide array of attacker-defender scenarios and outcomes.

3.1 *Defender Model*

In the model there are two actors: a defender and an attacker. The defender is responsible for protecting a running computer program, A , from being exploited by the attacker. It is assumed that A is a program that continuously performs processing in support of a notional task. To evade compromise, the defender is allowed to periodically rotate the variant of A that processes user requests, A^* , to a new variant of A . Each rotation resets the attacker's cumulative effort to zero, thus delaying system compromise.

In our model, the task takes a fixed amount of work to complete which is specified by the parameter w_m , measured in work units. The baseline defender (no attacker, no multi-compiler) completes a single work unit during a single time unit. Once the defender completes w_m work units, the simulation ends and the total time expended to complete the task, t_m , is recorded. In the baseline case, it would take w_m time units to complete w_m work units so $t_m = w_m$ but in the presence of an attacker and the accompanying defense strategies, that relationship no longer holds. The difference between these two numbers is what we refer to as task delay, or d_m .

The task delay is important because it allows us to objectively compare defense strategies and, indeed, this is the primary metric we use in our evaluation.

There are two costs associated with rotation and compromise that directly affect how quickly the defender accomplishes his task. The cost of a compromise to the defender, β_{CMP} , is an increase in d_m . The cost of rotation, β_{ROT} , is also an increase in d_m .

$$d_m = t_m - w_m \quad (1)$$

3.2 Threat Model

Much of the ground truth in our model is built into the threat model. Our attacker is a remote actor who we assume has the ability to query the memory space of A*, in an effort to guess the location of each of the n_G gadgets required to build a working ROP exploit. Once the attacker is able to correctly guess the location of all required gadgets he launches an exploit against A*. It is also assumed that the attacker has access to the multi-compiler, can compile versions of the target binary, and has a priori knowledge of the fixed NOP insertion rate used by the defender’s instance of the multi-compiler. The attacker uses these tools to build probability distributions over the locations of the desired gadgets. These distributions allow the attacker to make guesses in order of decreasing likelihood, thus minimizing the average number of guesses that need to be made to find a particular gadget. The attacker is also allowed to set the guess rate, r_G , so the amount of time it would typically take an attacker to find a single gadget is r_G multiplied by the average number of guesses required for that gadget.

The way we simulated this was to build distributions over the number of guesses required to locate a specific gadget, as shown in Fig. 1. These were generated from an empirical analysis of the multi-compiler’s effects on the popular gzip program.

Fig. 1 Distributions over the number of guesses required to locate a gadget. These distributions were calculated using Bonneau’s alpha-guesswork metric using an alpha value of 0.1





Fig. 2 Gadgets are displaced as the multi-compiler adds NOP instructions to the program code



This analysis involved the generation of a control binary as well as 10,000 multi-compiled variants for all NOP insertion rates between 0 and 100 % that are multiples of 5. For each variant, it was necessary to take inventory of all the surviving gadgets by aligning them with the control binary. This was required because the multi-compiler can break up previously existing gadgets as a useful side effect. For each surviving gadget in each variant, we calculated the displacement from the corresponding gadget in the control binary and used those displacements to build probability distributions over the displacements. From the displacement distributions, we constructed our guessing distributions using a password guessing metric known as α -guesswork as proposed by Bonneau with an α value of 0.1 [15]. This metric captures the expected number of guesses required to guess a gadget’s location in at least α percent of the variants. Figure 2 illustrates how gadget displacements were measured for the i th variant of the program.

3.3 Multi-compiler Model

Another key component of our model is the multi-compiler itself. As described in the introduction, the multi-compiler generates unique variants of a computer

program by probabilistically inserting NOP instructions into the program’s binary code. The probability that the multi-compiler will insert a NOP instruction before any given instruction is specified by the model parameter, p_{NOP} . Modifying p_{NOP} directly affects the shape of the attacker’s guess distributions, which makes it a critical security parameter. Although one’s intuition might be to increase p_{NOP} to it’s maximum value (100 %) for optimal security, this actually leads to an entirely deterministic strategy, which is obviously undesirable. The optimal setting for p_{NOP} is 50 % when performance costs are not accounted for.

One drawback of the multi-compiler, however, is that it inflates the number of instructions in the program’s binary code. A multi-compiled program will take longer to run than the control program due to the large number of extraneous NOP instructions that must be executed by the CPU. The UCI team is well aware of this problem and conducted a study into how NOPs might be more strategically placed [16]. In that paper, data was provided describing the measured slowdown due to p_{NOP} . We modelled the average slowdown as a function, s , of p_{NOP} with scaling parameter b .

$$s_b(p_{NOP}) = b * p_{NOP} \quad (2)$$

By performing linear regression on the UCI data we found that $b = 0.165$ in their experiments. We use this value for b in our experiments. Note that this value describes the slowdown due to a Naïve NOP placement strategy. In [16] data is provided for both a Naïve NOP placement strategy as well as a profile-guided strategy. We decided to model the naïve strategy. We made this choice because we think it has the highest potential for wide scale use due to its ease of configuration. In contrast, profile guided NOP insertion requires runtime performance profiling which we feel makes it more likely to be adopted by “power users” who are extremely concerned with performance degradation.

One final metric of interest in this model is the amount of task progress that the defender has made at time T :

$$m(T) = \sum_{t=0}^T ((1 - s_b(p_{NOP})) - \beta_{ROT}^t - \beta_{CMP}^t) \quad (3)$$

where $\beta_{ROT}^t = \beta_{ROT}$ if the defender rotates at time t and is 0 at all other times. Similarly, $\beta_{CMP}^t = \beta_{CMP}$ if the defender becomes compromised at time t and is 0 at all other times.

This metric is useful because it is only once it reaches w_m that the simulation ends. Note that β_{CMP}^t is the only stochastic element of this function.

Table 1 Table of symbols

Symbol	Description
A	The software under defense
A^*	The current variant of A
p_{NOP}	The NOP insertion probability
n_G	The number of gadgets required to build an exploit
r_{ROT}	The defender rotation rate
r_G	The attacker guess rate
β_{ROT}	The time penalty of rotation
β_{CMP}	The penalty due to compromise
w_m	The amount of work required to complete a task
d_m	The total task delay
$s_b(p_{NOP})$	The multi-compilation slowdown
t_m	The time to complete w_m units of work
$m(T)$	The cumulative task progress up until time T

3.4 Strategy Evaluation

We define a defense strategy, S , given an operational environment, Θ , as the tuple:

$$S_\theta = \langle p_{NOP}, r_{ROT} \rangle \quad (4)$$

where Θ is the set of model parameters that define the operational environment:

$$\theta = \{n_G, r_G, \beta_{ROT}, \beta_{CMP}, w_m, s_b\} \quad (5)$$

The effectiveness of a given S_θ is evaluated based on the average observed value of d_m . The average is calculated over several scenario replicates using Monte Carlo methods. We define a scenario as a fixed set of model parameters and a replicate as a single simulation run of a scenario.

The baseline from which we measured relative performance was the scenario in which there was no task delay. This corresponds to a scenario in which attackers and multi-compilers are both disabled. Alternatively, we could have used a scenario in which the attacker is still turned on but $r_{ROT} = \infty$ which would allow us to evaluate the marginal benefit of the rotation strategy. However, since this is a probabilistic baseline, we feel that the first alternative is more straightforward (Table 1).

4 Experiments and Analysis

4.1 Setup

Although our model has many parameters, several of them are fixed across both scenarios and replicates. We set n_G to 10, motivated by the observation that

attackers tend to prefer to use a small number of ROP gadgets as a compact first stage of a full exploit. For example, many of the ROP chains published on the Corelan ROP database [17] simply disable various virtual memory protection mechanisms to set the stage for more efficient/reliable techniques to finish the rest of the attack. The amount of work required to complete a task, w_m , was kept fixed at 10^3 for all experiments. This choice allows for reasonable simulation execution efficiency while allowing enough time for the important dynamics in the model to manifest. The cost of rotation, β_{ROT} , was set to 25 because it is small compared to the values we used for β_{CMP} . The reason for this decision was because it seemed reasonable to assume that nobody would deploy a rotation strategy if they didn't have an efficient mechanism for doing the actual rotations. We also had a maximum tick count of 10,000 in place to prevent the model from running for too long. If the model runs for over 10,000 ticks, it simply halts and reports the maximum task delay of 9000.

Our strategy for varying the remaining parameters was to define nine distinct task scenarios using different values for β_{CMP} and r_G and then for each scenario, perform a parameter sweep on both p_{NOP} and r_{ROT} . This allows us to analyze the task delay landscape (henceforth, referred to as the “impact landscape”) for a wide range of strategies under a number of task scenarios. We ran 100 replicates for each scenario and measured d_m for each.

Nine task scenarios were defined corresponding to various combinations of attacker efficiency and defender costs due to compromise. In three of our scenarios, the attacker guesses once every time unit. This is the strongest possible attacker under our model. In another three scenarios the attacker guesses once every other time unit and in the remaining three he guesses once every fourth time unit. For each of the three attacker strength levels, we set three different levels of β_{CMP} . The levels we use are 125, 250, and 2500. These three values correspond to five, ten, and one hundred times β_{ROT} .

4.2 Results and Analysis

In order to visualize how the various parameters impacted our model task, we created “impact landscapes” for each of our scenarios. Each impact landscape is a surface plot of the average response in d_m (averaged over the 100 replicates) as a function of r_{ROT} and p_{NOP} .

In Fig. 3, the various landscapes are laid out with the attacker getting more aggressive from left to right and the impact due to compromise getting more severe from top to bottom. Within each landscape, the rotation rate increases from left to right and the NOP insertion probability increases from bottom to top. Each landscape provides a clear picture of how the two factors in our experiments affected the total task delay. The dark blue regions correspond to scenarios with small amounts of task delay while the darker red regions correspond to scenarios in which the defender took much longer to complete the task.




Fig. 3 These impact landscapes demonstrate the effects of the rotation rate and NOP insertion rate on overall task impact. *Dark blue* indicates low task impact (most desirable) and *dark red* indicates high impact

The landscapes in Fig. 3 provide some practical strategic insights. Visual inspection makes it immediately obvious that failure to rotate at all will always lead to a compromise. It also clear that being overly zealous with rotations has a negative impact on the task on average. Perhaps surprisingly, we see that a low value for p_{NOP} does not always lead to a high impact situation. This is due to the fact that the cost of the additional instructions is accrued during every step of the simulation.

These landscapes also highlight the fact that the attacker’s aggressiveness has a strong effect on the defender’s ability to maneuver in the parameter space. In the leftmost scenarios the defender has a wide array of parameter settings that can be used to achieve acceptable task delay. In the rightmost scenarios, however, the defender must restrict his setting of the rotation rate to a narrow band or risk being “pinned down” by the attacker.

We also used the impact landscape data to determine optimal parameter settings for each of the nine attacker scenarios. For each scenario, we found the values of r_{ROT} and p_{NOP} corresponding to the lowest task delay. We labeled these optimal parameter settings r_{ROT}^* and p_{NOP}^* respectively and refer to them jointly as an Ideal Operating Point (IOP). Table 2 provides the IOPs for each scenario and the corresponding task delay.

The first thing to notice in this data is that the value for p_{NOP}^* never rises above 0.3. The reason for this phenomenon is not intuitive. It is important to know that the randomness added to a set of application binaries by the multi-compiler peaks when $p_{NOP} = 0.5$. To understand this, consider the case in which $p_{NOP} = 1$: the adversary would be able to reconstruct any multi-compiled application by simply taking the control binary and adding a NOP after every instruction. The inverse parabolic shape of the distribution means in Fig. 1 captures this phenomenon more clearly. It is important to note, however, that although setting the NOP insertion rate to 50 % provides the highest benefit with respect to system security, it also imposes a

Table 2 Ideal operating points for all threat scenarios

r_G	β_{CMP}	r_{ROT}^*	p_{NOP}^*	d_m
0.25	125	550	0.1	54
0.25	250	550 (and 5 others)	0.2	59
0.25	2500	550 (and 6 others)	0.2	59
0.5	125	375	0.3	104
0.5	250	375	0.3	104
0.5	2500	300	0.2	111
1	125	175	0.3	221
1	250	175	0.3	209
1	2500	175	0.3	209

The baseline delay (no attacker, no rotations) is 0

performance cost due to a NOP being executed after every other instruction. It is due to this security-performance tradeoff dynamic that the ideal NOP insertion rate hovers around 0.3.

Because the ideal value for $p_{NOP}(p_{NOP}^*)$ is the result of a tradeoff between security and performance, it is interesting to study the sensitivity of p_{NOP}^* to different performance penalty models. To study this, we ran an experiment in which we fixed the rotation rate at 375 and varied the effect of multi-compilation [the b parameter in the slowdown function, $s_b(p_{NOP})$] from no penalty ($b = 0$) up to a moderate penalty ($b = 0.4$) in increments of 0.05 and studied the resultant value for p_{NOP}^* . Surprisingly, although changes in b did cause shifts in the overall impact landscape, the ideal NOP insertion rate remained fixed at 0.3 for all ten penalty settings. This was surprising to us and seems to indicate that the NOP insertion rate can be set in a way that leads to robustness across various security and performance trade-off scenarios.

As a final step in our analysis, we considered volatility as part of our policy evaluation criteria. Specifically, we replaced the utility metric used in our previous results (the mean mission delay) with a risk adjusted utility metric based on the Sharpe ratio—a risk metric widely used in quantitative finance [18]—to determine whether risk awareness led to any change in the policy recommendation.


$$Risk\ Adjusted\ Utility = \frac{t_{MAX} - t_m}{\sigma_{t_m}} \quad (6)$$

where t_{MAX} is the maximum possible time allowed for mission completion and σ_{t_m} is the standard deviation over the observations of t_m .

We applied the risk adjusted utility to the results of the scenario where $r_G = 1$ and $\beta_{CMP} = 125$. This resulted in the risk adjusted impact landscape shown in Fig. 4. Under this landscape the ideal operating point shifts from $p_{NOP}^* = .3, r_{ROT}^* = 175$ to $p_{NOP}^* = .5, r_{ROT}^* = 225$ bringing d_m from 221 to 226—an increase of about 2 %.

The adjusted operating point is interesting as it highlights the fact that the risk agnostic recommendations may lead to inconsistent results over time. While risk

Fig. 4 The optimal policy under the risk-aware impact landscape differs from the risk-agnostic recommendation



aware policy recommendations may not lead to the minimum average task delay, they can strike a reasonable balance between average task delay and stability. Interestingly enough, p_{NOP}^* sits at 0.5 under the risk aware framework, thus indicating that by choosing 0.3 as suggested by the risk agnostic measure, the operator essentially trades stability for performance.

5 Conclusions

In this paper we presented a simulation-centric evaluation of a cyber defense strategy based on proactively rotating binary variants generated by a multi-compiler. The strategy in question is one that has been considered in previous work but as far as we know has not been the subject of a serious investigation.

We used the delay to a notional task as an evaluation metric to help us understand the impact of this code diversification strategy. We generated a number of comprehensive impact landscapes to help us understand how different deployment configurations and adversarial assumptions affect the overall task impact. Our analysis of these landscapes showed that this strategy facilitates safe and efficient execution even in the presence of a highly motivated adversary.

Our study also suggested the existence of parameter settings for the multi-compiler that are highly resilient across a broad spectrum of scenarios. In our simulations, setting the multi-compiler's NOP insertion rate to 30 % resulted in minimal task impact in a large number of experiments including when the performance cost of NOP insertion was nearly zero. However, when we studied the task delay using a volatility sensitive utility function, we found that the ideal NOP insertion rate shifted away from 30 to 50 % showing that highly risk averse operators may wish to use the highest security setting of the multi-compiler even though it leads to performance degradation.

This work was intended to shed light on various strengths and weaknesses of the strategy and would likely be of greatest interest to those hoping to deploy such a strategy in a production environment.

6 Future Work

In this study we have carried out extensive sweeps through the parameter space of an abstract model of a rotation-based multi-compiler defense, resulting in global visualizations of the task delay landscape caused by multi-compiler related latencies and attacker success. The methodology of performing extensive parameter sweeps is only feasible when the underlying model is highly abstract and simplified. In a future study we plan to enhance our rotation-based multi-compiler model with additional operational details and explore the applicability of metaheuristic search techniques, such as genetic algorithms [19, 20] and simulated annealing [21] to efficiently navigate complex output landscapes to discover optimal operation points for a multi-compiler defense.

As part of this work we noticed that a NOP insertion rate of 30 % appeared to be robust across a wide variety of threat scenarios but led to less stable task delay observations. In future work, we would be interested in determining whether there is any such robust parameter setting that also minimizes volatility.

Acknowledgements The authors would like to thank Dr. William Streilein, Dr. Neal Wagner, and Dr. Kevin M. Carter of MIT Lincoln Laboratory for their advice on this paper. This work is sponsored by Defense Advanced Research Projects Agency under. Air Force Contract #FA8721-05-C-0002. Opinions, interpretations, conclusions and recommendations are those of the authors and are not necessarily endorsed by the United States Government. The views, opinions, and/or findings contained in this article are those of the authors and should not be interpreted as representing the official views or policies of the Department of Defense or the U.S. Government.

References

1. Data Breach FAQ, Target. Inc. Available from: <https://corporate.target.com/about/shopping-experience/payment-card-issue-faq> (07 Oct 2014)
2. The Home Depot Provides Update on Breach Investigation, The Home Depot, Inc. Available from: <https://corporate.homedepot.com/mediacenter/pages/statement1.aspx>, 8 Sept 2014
3. Greenwald, G., MacAskill, E., Poitras, L.: (2013) Edward Snowden: The Whistleblower Behind the NSA Surveillance Revelations, The Guardian. Available from: <http://www.theguardian.com/world/2013/jun/09/edward-snowden-nsa-whistleblower-surveillance>, 9 Oct 2014
4. Bumiller, E.: Army leak suspect is turned in, by Ex-Hacker. The New York Times. Available from: http://www.nytimes.com/2010/06/08/world/08leaks.html?_r=0, 09 Oct 2014
5. CVE-2014-0160 2014, MITRE Corporation. 2014. Available from: <https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2014-0160>, 09 Oct 2014
6. Data Execution Prevention: Frequently Asked Questions n.d. Microsoft Corporation. Available from: <http://windows.microsoft.com/en-us/windows-vista/data-execution-prevention-frequently-asked-questions>, 09 Oct 2014
7. Abadi, M., Budiu, M., Erlingsson, U., Ligatti, J.: Control-flow integrity: principles, implementations, and applications. In: Proceedings of the 12th ACM Conference on Computer and Communications Security, 9 Oct 2014 (2005)
8. Okhravi, H., Hobson, T., Bigelow, D., Streilein, W.: Finding focus in the blur of moving target techniques. IEEE Secur Priv **12**(2), 16–26 (2014)

9. Cox, B., Evans, D., Filipi, A., Rowanhill, J.: N-variant systems a secretless framework for security through diversity. In: Proceedings from the 15th Usenix Security Symposium. Available from: <http://www.cs.virginia.edu/nvariant/> (2006)
10. Franz, M.: E Unibus Pluram: massive-scale software diversity as a defense mechanism. In: Proceedings of the 2010 Workshop on New Security Paradigms, pp. 7–16. Available from: ACM Portal: ACM Digital Library (2010)
11. Priest, B., Vuksani, E., Wagner, N., Tello, B., Carter, K., Streilein, W.: Agent-based simulation in support of moving target cyber defense technology development and evaluation. In: Proceedings of the ACM Spring Simulation Multi-Conference (SpringSim'15) (2015)
12. Pal, P., Schantz, R., Paulos, A., Benyo, B.: Managed execution environment as a moving-target defense infrastructure. *IEEE Secur. Priv.* **12**(2), 51–59 (2014)
13. Alfred, G.B., Gray, E.H. (1998) Data farming: A metatechnique for research in the 21st century. *Maneuver Warfare Science*, pp. 93–99
14. Barry, P., Koehler, M.: Simulation in context: using data farming for decision support. In: Proceedings of the 2004 Winter Simulation Conference. vol. 1. pp. 814–819. Available from: IEEE Xplore Digital Library (2004)
15. Bonneau, J.: The science of guessing: analyzing an anonymized corpus of 70 million passwords. In: 2012 IEEE Symposium on Security and Privacy. Available from: IEEE Xplore Digital Library (2012)
16. Homescu, A., Neisius, S., Larsen, P., Brunthaler, S., Franz, M.: Profile-guided automated software diversity. In: Proceedings of the 2013 International Symposium on Code Generation and Optimization, pp 204–214. Available from: IEEE Xplore Digital Library (2013)
17. Corelan Team n.d, Corelan ROPdb. Available from: <https://www.corelan.be/index.php/security/corelan-ropdb/>, 23 Oct 2014
18. Sharpe, W.F.: Mutual fund performance. *J Bus.* vol. 39. pp. 119–138 (1966)
19. Mitchell, M.: *An Introduction to Genetic Algorithms*. MIT Press, Cambridge (1996)
20. Holland, J.: *Adaptation in Natural and Artificial Systems: An Introductory Analysis With Applications to Biology, Control, and Artificial Intelligence*. University of Michigan Press, Arbor (1975)
21. Kirkpatrick, S., Gelatt, C.D., Vecchi, M.P.: Optimization by simulated annealing. *Science (New Series)* **58**(2), 671–680 (1983)

Simulation and Modeling Methodologies, Technologies
and Applications

International Conference, SIMULTECH 2015 Colmar,
France, July 21-23, 2015 Revised Selected Papers
Obaidat, M.S.; Kacprzyk, J.; Ören, T.; Filipe, J. (Eds.)
2016, XIV, 175 p. 62 illus., 38 illus. in color., Softcover
ISBN: 978-3-319-31294-1