

Contents

Part I Bogoliubov-de Gennes Theory: Method

1 Bogliubov-de Gennes Equations for Superconductors in the Continuum Model	3
1.1 Introduction	3
1.2 Quantum Many-Body Hamiltonian	4
1.3 Second Quantization	9
1.4 Basic Properties of Superconductors	13
1.5 Derivation of the BdG Equations in the Continuum Model	14
1.5.1 Derivation	15
1.5.2 Local Density of States	21
1.5.3 Gauge Invariance	22
1.6 Structure of a General Gap Matrix	22
1.7 Solution to the BdG Equations in Homogeneous Systems	25
1.8 Relation to the Abrikosov-Gor'kov Equations	31
References	35
2 BdG Equations in Tight-Binding Model	37
2.1 Derivation of BdG Equations in a Tight-Bind Model	37
2.1.1 Local Density of States and Bond Current in the Lattice Model	44
2.1.2 Optical Conductivity and Superfluid Density in the Lattice Model	45
2.2 Solution to the BdG Equations in the Lattice Model for a Uniform Superconductor	56
2.3 Abrikosov-Gorkov Equations in the Lattice Model	60
References	64

Part II Bogoliubov-de Gennes Theory: Applications

3 Local Electronic Structure Around a Single Impurity in Superconductors	69
3.1 Introduction	69
3.2 Yu-Shiba-Rusinov Impurity States in an <i>s</i> -Wave Superconductor	69
3.3 Majorana Fermion in an <i>s</i> -Wave Superconductor with a Chain of Localized Spins	77
3.4 Impurity Resonance State in a <i>d</i> -Wave Superconductor	82
References	87
4 Disorder Effects on Electronic and Transport Properties in Superconductors	89
4.1 Anderson Theorem for Disordered <i>s</i> -Wave Superconductor	89
4.2 Suppression of Superconductivity in a Disordered <i>d</i> -Wave Superconductor	94
4.3 Quasiparticle Localization in a Disordered <i>d</i> -Wave Superconductor	100
References	109
5 Local Electronic Structure in Superconductors Under a Magnetic Field	111
5.1 Effect of the Magnetic Field	111
5.2 Vortex Core State in an <i>s</i> -Wave Superconductor	114
5.2.1 Single Isolated Vortex	114
5.2.2 High Field Limit	123
5.3 Vortex Core States in a <i>d</i> -Wave Superconductor	124
5.3.1 Single Isolated Vortex	125
5.3.2 Quasiparticle States in a Mixed-State of <i>d</i> -Wave Superconductors	127
5.4 Fulde-Ferrell-Larkin-Ovchinnikov State due to a Zeeman Magnetic Field	134
References	138
6 Transport Across Normal-Metal/Superconductor Junctions	141
6.1 Blonder-Tinkham-Klapwijk Scattering Formalism	141
6.2 Tunneling Conductance Through a Normal-Metal/Superconductor Junction	146
6.3 Suppression of Andreev Reflection in a Ferromagnet/ <i>s</i> -Wave Superconductor Junction	155
6.4 Transport Properties Through a Topological-Insulator/Superconductor Junction	158
References	166

7 Topological and Quantum Size Effects in Superconductors at Reduced Length Scale	169
7.1 Persistent Current in a Mesoscopic <i>s</i> -Wave Superconducting Ring	169
7.2 Persistent Current in Multiply Connected Mesoscopic <i>d</i> -Wave Superconducting Geometries	176
7.2.1 Cylindrical Geometry	176
7.2.2 Square Loop Geometry	178
7.3 Quantum Size Effects in Nanoscale Superconductors	181
References	184
Additional Reading	187

Bogoliubov-de Gennes Method and Its Applications

Zhu, J.-X.

2016, XI, 188 p. 50 illus., 33 illus. in color., Softcover

ISBN: 978-3-319-31312-2