

Contents

Preface	v
1 Introduction	1
1 Motivation.....	1
2 Correspondence Between $GL(n)$ and Its Inner Forms	4
3 Arthur’s Invariant Trace Formula	10
2 Local Theory	25
1 Case of Division Algebras.....	25
2 Orbital Integrals.....	32
3 Automorphic Forms	55
4 Trace Formula.....	58
5 Density	61
6 Characters	66
7 Coinvariants	71
8 Trace Functions	73
9 Stability	79
10 Discrete Series	81
11 Decay.....	82
12 Finiteness.....	84
13 Simple Algebras	85
14 Germs	90
15 Comparison	91
16 Existence	92
17 Isolation	94
18 Correspondence	96
19 Tempered	98
20 Irreducibility	101
21 Unitarity	103
22 Induction	105
23 Cuspidal Global Correspondence	107
24 Complements on Local Representations.....	108

25	Complete Global Correspondence	116
26	One Cuspidal Place	126
3	Arthur's Noninvariant Trace Formula	139
1	Preliminary Definitions	139
2	The Kernel $K_P(x, y)$	145
3	A Review of Eisenstein Series	150
4	The Second Formula for the Kernel	156
5	The Modified Kernel Identity	163
6	Some Geometric Lemmas	166
7	Integrability of $k_o^T(x, f)$	171
8	Weighted Orbital Integrals	177
9	A Truncation Operator	183
10	Integrability of $k_\chi^T(x, f)$	191
11	The Operator $M_P^T(\tau)_\chi$	201
12	Evaluation in a Special Case	206
13	Conclusion	213
4	Study of Noninvariance	215
1	Notation	215
2	A Review of the Trace Formula	220
3	The Distributions J_o and J_χ	223
4	Noninvariance	231
5	Intertwining Operators	238
6	Normalization	240
7	Real Groups	244
8	p -Adic Groups	251
9	Standard Representations	253
10	Convex Sets and Some Related Functions	257
11	Some Examples	265
12	The Distributions $J_M(\tau_\lambda)$	273
13	The Distributions $J_{M,\gamma}$ and $J_{M,\pi}$	277
14	Hecke Invariance	285
15	The Distributions $J_M(\tau, X)$	288
16	Residues	292
17	Proof of Proposition 17.3	298
18	Changes of Contour	304
19	The Spaces $\mathbb{H}_{ac}(G(F_S))$ and $\mathbb{I}_{ac}(G(F_S))$	307
20	The Map ϕ_M	311
5	The Invariant Trace Formula	317
1	Invariant Harmonic Analysis	321
2	The Invariant Distributions $I_M(\gamma)$	325
3	The Invariant Distributions $I_M(\tau, X)$	334
4	Some Further Maps and Distributions	338
5	A Contour Integral	347

6	Reduction of Induction Hypotheses	354
7	A Property of (G, M) -Families	357
8	Descent	365
9	Splitting	374
10	Local Vanishing Properties for $GL(n)$	378
11	Convex Polytopes	383
12	The Invariant Trace Formula So Far	390
13	The Geometric Side	397
14	The Spectral Side	405
15	Completion of the Induction Argument	416
16	A Convergence Estimate	423
17	Simpler Forms of the Trace Formula	432
18	Global Vanishing Properties for $GL(n)$	437
6	Main Comparison	441
1	Notation and Conventions	441
2	Statement of Parts (i) and (ii) of the Main Comparison	449
3	Statement of Parts (iii) and (iv) of the Main Theorem	451
4	Normalization Factors and the Trace Formula	458
5	The Distributions $I_M(\gamma)$ and $I_M^\mathcal{E}(\gamma)$	469
6	The Distributions $I_M(\tau, X)$ and $I_M^\mathcal{E}(\tau, X)$	474
7	Geometric Induction Assumption	476
8	The Numbers $\varepsilon_M(S)$	478
9	Comparison of Germs	483
10	Comparison of $I_M^\mathcal{E}(\pi, X, f)$ and $I_M(\pi, X, f)$	490
11	A Formula for $I_i^\mathcal{E}(f)$	501
12	The Map ε_M	507
13	Cancellation of Singularities	513
14	Separation by Infinitesimal Character	526
15	Elimination of Restrictions on f	534
16	Completion of the Proof of the Main Theorem	541
	Bibliography	549
	Symbol Index	555
	Subject Index	565

Arthur's Invariant Trace Formula and Comparison of
Inner Forms

Flicker, Y.

2016, XI, 567 p. 3 illus., Hardcover

ISBN: 978-3-319-31591-1

A product of Birkhäuser Basel