

Contents

Part I Isostatic Control of Basin Subsidence in Response to Extension and Thermal Activation of the Lithosphere

1 Amplitude and Duration of Thermal and Tectonic Activation of Basins—An Assessment in the GALO System	3
1.1 The Principles of the Numerical Reconstruction of the Thermal History of the Basin	3
1.1.1 Equation and Physical Attributes of Sedimentary Rocks	3
1.1.2 The Basement of the Basin	5
1.1.3 The Base of the Lithosphere and Latent Heat Effect	6
1.1.4 Boundary and Initial Conditions	9
1.1.5 Numerical Solution of the Equation	10
1.2 Tectonic Subsidence in Burial History of Sedimentary Basin—Algorithm of Calculation	11
1.2.1 The First Method of Tectonic Subsidence Calculation	11
1.2.2 Calculation of Tectonic Subsidence by Second Method	13
1.3 Numerical Simulation of Thermal Activation and Stretching of the Basin Lithosphere in the GALO System	15
1.4 Analysis of the Tectonic Subsidence in Application to Concrete Basin	18
1.5 Isostatic Approach and Yield Strength of the Lithosphere	24
1.6 Conclusion	27
References	28

2	The Lithosphere Extension and Hydrocarbon Generation in the Eastern Continental Passive Margin of India	31
2.1	Geological History of the Krishna-Godavari and Mahanadi Basins	31
2.1.1	Tectonic History of the Bay of Bengal	31
2.1.2	Sedimentation History	34
2.2	Thermal, Burial and Maturity Histories of the Krishna-Godavari and Mahanadi Basins.	37
2.2.1	Input Data for Modeling.	37
2.2.2	Thermal and Maturation Histories of Sedimentary Basins in the Eastern Shelf of India: Results of Modeling	41
2.3	A Comparison Temperature and Maturation Histories of the Probable Source Rocks in the Basins in the Shallow and Deep-Sea Areas	46
2.3.1	Estimation of Smectite/Illite Ratio During Diagenesis of Clays	46
2.3.2	Comparison of Thermal and Maturation Histories of the Probable Source Rocks	48
2.3.3	Correlation Between Smectite/Illite Transformation and Ro%	49
2.4	Hydrocarbon Generation by Probable Source Rocks in Shelf Areas of the Krishna-Godavari and Mahanadi Basins	52
2.5	Conclusion	60
	References	60
3	Thermal Activation and Stretching of the East Barents Sea Lithosphere, Russia	65
3.1	Short Geological and Geophysical Description of the East Barents Basin	65
3.2	Burial, Thermal and Maturation Histories of the Sedimentary Rocks in the Basin.	67
3.2.1	Calculation of Temperature Distribution with Depth in Sedimentary Sections of the Basin.	67
3.2.2	Calculation of Maturity Degree of Organic Matter in Sedimentary Section of the Basin in the EASY%Ro and Basin%Ro Models of Vitrinite Maturation	74
3.2.3	Realization History of Hydrocarbon Potential of Probable Source Rocks of the East Barentz Basin	79
3.3	Thermal Evolution and Two Stage of Stretching of the Basin Lithosphere.	80
3.3.1	Heat Flow and Thermal State of the Basin	80
3.3.2	An Analysis of Tectonic Subsidence of the Basin	81

3.4	Conclusion	84
	References	84
4	Thermal Regime and Extension of the Lithosphere in Different Tectonic Structures of the Sirte Basin, Libya	87
4.1	Tectonic and Geological History of the Basin	87
4.2	Temperature and Maturation Histories of the Sirte Basin.	91
4.2.1	The Principles of Thermal History Computation	91
4.2.2	Evolution of the Temperature Regime of Sedimentary Rocks in the Basin.	93
4.2.3	Maturation History of Organic Matter in the Sirt Basin	95
4.2.4	Realization of Hydrocarbon Potential in the Sirt Basin	100
4.3	Variations in Amplitude of the Lithosphere Extension in Different Structures of the Sirte Basin.	102
4.3.1	Estimation of Amplitude of Tectonic Subsidence.	103
4.3.2	Comparison with the Model [7] of Tectonic Subsidence	105
4.3.3	Analysis of Tectonic Subsidence in Other Models	106
4.4	Conclusion	108
	References	109
5	Tectonic History and Thermal Evolution of Sedimentary Basin in the North-Eastern Shelf of Sakhalin Island, Russia	111
5.1	Some Problems of the Region Study (Introduction)	112
5.2	Tectonic and Geological History of the North and Middle Sakhalin	113
5.3	Burial, Thermal and Maturation Histories of Sedimentary Rocks.	117
5.3.1	The Initial Data for Basing Modeling.	117
5.3.2	Temperature and Maturity Variations in the Sedimentary Blanket of the Basin.	123
5.3.3	Realization of Hydrocarbon Potential by the Main Formations of the Basin	124
5.4	Analysis of Tectonic Subsidence in Two Variants of Tectonic History of the Basin	132
5.5	Conclusion	135
	References	135

Part II The Maturation of Organic Matter and Hydrocarbon Generation in the Vicinity of Intrusions and Subtrappean Sedimentary Complexes

6	The Trappean Complex of the Siberian Platform	141
6.1	Geological Setting	141
6.2	Burial and Thermal Histories of Sedimentary Basins in Kamo Arch of Bayakitskaya Anticline and the Kureika Basin of the Siberian Platform	145
6.3	Evolution of Maturation Degree of Organic Matter During Burial History of the Kuyumba-12 and Kiramkinskaya-1 Sedimentary Sections	149
6.3.1	Formation of Maturity Aureole in the Kuyumba-12 Sedimentary Section Under the Influence of Intrusions	149
6.3.2	Formation of Maturity Aureole in the Kiramkinskaya-1 Sedimentary Section Under the Influence of Intrusions	153
6.4	Estimation of Hydrocarbon Generation in Sedimentary Sections with Intrusions	156
6.5	Conclusion	163
	References	164
7	Duration of the Intrusion Formation and Its Relation to the Size of Thermal and Maturity Aureoles of the Intrusion Bodies	165
7.1	Difference Between Maturity and Thermal Aureoles in the Models of Instantaneous and Finite Time Intrusions on the Examples of the Well Dated Intrusions	166
7.1.1	Model with Finite Times of Intrusion Formation	166
7.1.2	The 118 m Thick Sill from Midland Valley, Scotland	167
7.1.3	Example of the 400 m sill in the Kiramkinskaya Well of the Kureika Basin in Siberia Platform	169
7.2	Thermal and Maturity Aureoles in Subtrappean Sedimentary Complex—Dependence on the Time of the Trap Formation	171
7.2.1	The Trap's Provinces in the World	171
7.2.2	Principles and Input Parameters of the Modeling	172
7.2.3	Maturity Aureole Under Trap: Results of Numerical Modeling	174
7.2.4	Influence of Some Factors on Estimated Size of Maturity Aureole	176
7.3	Conclusion	179
	References	179

8	Deccan Trap, India	183
8.1	Introduction.	183
8.2	Geological Setting and Rock Lithology.	184
8.3	The Western Passive Margin of India	187
8.3.1	Initial Data for Modeling	187
8.3.2	Modeling of Burial and Thermal Histories of the Basin	190
8.3.3	Analysis of Tectonic Subsidence of the Basin	193
8.3.4	Maturation of Organic Matter in the Over- and Sub-Trappean Sedimentary Complexes.	194
8.3.5	Realization of Hydrocarbon Potential by Probable Source Rocks of Sub- and Over-Trappean Sedimentary Complexes in the Bombay Offshore.	196
8.4	The Subtrappean Basins of the Indian Shield.	201
8.4.1	Saurashtra Region, North-Western India (Profile 1)	201
8.4.2	Kutch Region, North-Western India (Profile 2)	204
8.4.3	Western Part of the Deccan Syncline, Central India (Profile 3).	206
8.4.4	Central Part of the Deccan Syncline, India (Profile 4).	207
8.5	Conclusion	211
	References	212

Part III Change in Heat Flow and Rock Temperature Due to Sharp Climate Variations in the Quaternary

9	Evolution of Permafrost and of Gas Hydrate Stability Zone.	217
9.1	Introduction.	217
9.2	Analysis a Thermal Evolution of the Regions with Permafrost Formation Using of Basin Modeling System	219
9.2.1	Formation of Initial Distribution of Temperature and Petrophysical Parameters of Sedimentary Rocks in the FROST Program.	219
9.2.2	Heat Conductivity of Frozen and Thawed Rocks	220
9.2.3	Heat Capacity of Frozen and Thawed Rocks	221
9.2.4	Change in Ice Liquidus and Thickness of Permafrost Due to Salt Content in Porous Water	224
9.2.5	Unfrozen Water Content in Porous Space at Negative Temperatures and Its Influence on Permafrost Evolution	225
9.2.6	Some Specific Features of Numerical Scheme in Solution of Heat Transfer Equation in the Permafrost Problem	226

9.3	Estimations of the Depths of the Gas Hydrate Stability Zone	227
9.3.1	Gas Hydrates: Occurrence and Mechanism of Origin	227
9.3.2	Bottom Simulating Reflector and Gas Hydrate Occurrence.	230
9.3.3	Estimate of Depth of the Zones of Gas Hydrate Stability in the Basin Modeling Procedure	232
9.4	Conclusion	234
	References	234
10	Influence of Climate Variations on Rock Temperature and Heat Flow.	237
10.1	Problem Statement and Initial Data for Modelling the Evolution of Permafrost.	238
10.2	Change of Temperature and Heat Flow with Depth in Permafrost Zones.	245
10.3	Permafrost Thickness and Zone of Gas-Hydrate Stability	248
10.4	Contribution of Different Time-Periods of Climate Variations to Formation of Permafrost	250
10.5	Influence of Climate Variations on the Temperature and Heat Flow Distributions with Depth in the Regions of Total Degradation of Permafrost	253
10.6	Formation the Present-Day Temperature Distribution with Depth in the Arctic Field of the East Barents Basin	256
10.7	Paleoclimate and Depth-Variations in Rock Temperatures in the North-East Sakhalin Shelf	260
10.8	Conclusion	261
	References	262
	Conclusions	265

<http://www.springer.com/978-3-319-33881-1>

Non-standard Problems in Basin Modelling

Galushkin, Y.

2016, XIII, 268 p. 129 illus., Hardcover

ISBN: 978-3-319-33881-1