

Contents

1	Introduction	1
1.1	Scope of Research	1
1.2	Structure of Thesis	1
1.3	Publications and Conferences	3
	Reference	3
2	Literature Review	5
2.1	Global Energy Drivers for Solar Water Splitting	6
2.2	Photo-Electrochemical Cells (PECs)	7
2.2.1	Overview	7
2.3	Requirements for Economical PEC Water Splitting	9
2.3.1	Solar to Hydrogen Efficiency	9
2.4	Materials: Metal Oxides for Water Splitting	11
2.4.1	Bandgap and the Solar Spectrum	11
2.4.2	Band Position	12
2.4.3	TiO ₂ and Fe ₂ O ₃ for Water Splitting	13
2.4.4	Other Water Splitting Materials	14
2.4.5	Improving Solar to Hydrogen Efficiency	15
2.5	Plasmonic Water Splitting	15
2.6	Plasmonic Nanoparticle Arrays	17
2.7	TiO ₂ -AuNP Systems for Water Splitting	18
2.7.1	Nishijima et al. [32, 33]	19
2.7.2	Liu et al. (2011)	22
2.7.3	Naseri et al. (2010)	23
2.7.4	Chandrasekharan and Kamat (2000)	23
2.7.5	Tatsuma Group	24
2.8	Mechanisms of Plasmonic Enhancement	26
2.8.1	Direct Electron Transfer (DET)	27
2.8.2	Plasmonic Resonant Energy Transfer (PRET)	30

2.9	Other Plasmonic Effects	32
2.9.1	Effect of Enhanced Near-Field on Absorption	32
2.10	Evidence for Direct Electron Transfer.	33
2.10.1	Electrons in the Conduction Band of TiO_2	34
2.10.2	Shifting Open Circuit Potential Under Illumination	35
2.10.3	Decrease in Absorbance of Plasmon.	36
2.10.4	Opposition to DET Mechanism	37
2.11	Oriented Thin Films of TiO_2	38
2.12	Conductive TiO_2 Thin Films.	40
2.13	Summary of Literature Review	41
	References	42
3	Principles of Photo-Electrochemical Cells	47
3.1	Nomenclature	48
3.1.1	Constants	48
3.1.2	Symbols	49
3.2	Hydrogen Production by Water Splitting.	50
3.2.1	The Water Splitting Reaction	50
3.2.2	Metallic Versus Semiconducting Electrodes.	52
3.2.3	Solution Fermi Level	53
3.3	Photoelectrochemical Cells—Overview.	54
3.3.1	Quasi-Fermi Level and Photovoltage	56
3.4	Structure of the Space Charge Region	57
3.4.1	Semiconductor Terminology	57
3.4.2	Flat Band Potential	61
3.5	Mathematical Description of the Space Charge Layer.	61
3.5.1	Poisson's Equation.	61
3.5.2	Electric Field Distribution in the Semiconductor	63
3.5.3	Potential Distribution at the Semiconductor-Liquid Interface	64
3.5.4	Width of the Space Charge Region	66
3.5.5	Capacitance—Mott-Schottky Plots	69
3.5.6	Helmholtz Layer Potential Difference Due to PH.	78
3.5.7	Full Interfacial Model.	80
3.6	Photocurrent	83
3.6.1	Depletion Layer Current	84
3.6.2	Diffusion Photocurrent	85
3.6.3	Total Photocurrent	86
3.6.4	Determining the Characteristics of the Electrode	89
3.6.5	Flat Band Potential Estimation from the Photocurrent.	89
	References	91

4	Experimental Methods	93
4.1	Outline of Experiments	94
4.1.1	Plasmonic Au NPs on TiO ₂	94
4.1.2	Thin Film Deposition and Characterization	94
4.2	Single Crystal Preparation	94
4.2.1	Nb-Doped Rutile (110)	94
4.2.2	Reduced Undoped Rutile (110)	95
4.2.3	Fabrication of Electrodes	95
4.3	Nanoparticle Fabrication	96
4.3.1	Annealing Metal Thin Films	96
4.3.2	Micellar Nanolithography	97
4.3.3	Nano-sphere Lithography	98
4.4	Thin Film Deposition	99
4.4.1	Target Processing	100
4.4.2	Pulsed Laser Deposition	100
4.4.3	Sputtering	103
4.5	Materials Characterization	104
4.5.1	X-Ray Diffraction	105
4.5.2	Raman Spectroscopy	108
4.5.3	Scanning Electron Microscopy (SEM)	109
4.5.4	Atomic Force Microscopy (AFM)	109
4.5.5	Profilometry	110
4.5.6	UV-Vis Spectroscopy	111
4.6	Electrochemical Techniques	113
4.6.1	Electrochemical Measurement Setup	113
4.6.2	Working Electrode Preparation	116
4.6.3	Reference Electrodes and Electrolyte	117
4.6.4	Voltammetry	118
4.6.5	Chopped Light Voltammetry	121
4.6.6	Chronoamperometry	123
4.6.7	Impedance Spectroscopy	124
	References	129
5	Results: Plasmonic Photocurrent with AuNP-TiO₂	131
5.1	Experimental Aims	132
5.2	Summary of Experimental Results and Conclusions	133
5.3	Future Work	135
5.4	Sample Production—General	136
5.5	Nanoparticle Array Architecture	136
5.5.1	Annealed Gold Thin Films on Indium Tin Oxide (ITO)	137
5.5.2	AuNPs on Rutile (110)—Annealing Gold Thin Films	142
5.5.3	AuNPs on Rutile (110)—Micellar Nanolithography (MNL)	143

5.5.4	Nano-sphere Lithography (NSL)	144
5.5.5	Sample Identification—Batch Numbers	145
5.6	Optical Measurements	146
5.6.1	Transmittance and Reflectance	147
5.6.2	Reflectance	150
5.6.3	Absorption	151
5.7	Photo-Electrochemical Measurements	151
5.7.1	Measuring the Photocurrent in Chronoamperometry	152
5.7.2	AuNPs Versus AuMNLs—Nb-Doped TiO ₂ —Chronoamperometry	156
5.7.3	Effect of Electrode Potential on Plasmonic Photocurrent on Nb-TiO ₂ AuNPs	163
5.7.4	AuNPs—Reduced Versus Nb-Doped TiO ₂ —Chronoamperometry	166
5.7.5	Chopped Light Voltammetry of Nb-TiO ₂ AuNPs	167
5.7.6	Effect of Reduction of Rutile (110) on Plasmonic Photocurrent	171
5.8	Discussion of Results	172
	References	177
6	Electrochemistry of TiO₂—Rutile (110)	179
6.1	Experimental Aims	180
6.2	Summary of Experimental Results and Conclusions	180
6.3	Further Work	182
6.4	Comparing Nb-Doped to Reduced Rutile (110)	183
6.5	Phase Diagrams	184
6.6	Nb-Doped Rutile (110)—Batch 1—Voltammetry	184
6.6.1	‘Dark’ Voltammetry	184
6.6.2	Photocurrent	188
6.6.3	Photocurrent—Reproducibility	190
6.7	Nb-Doped Rutile (110)—Batch 2—Voltammetry	191
6.7.1	Initial ‘Dark’ Voltammetry	191
6.7.2	Further ‘Dark’ Voltammetry	192
6.8	Voltammetry of Reduced (Undoped) Rutile (110)	193
6.8.1	‘Dark’ Voltammetry	193
6.8.2	Redox Process on Reduced Rutile	195
6.9	Structure of the Space Charge Layer of Rutile (110)	196
6.9.1	Mott-Schottky Analysis—Nb-Doped TiO ₂ (Batch 1)	196
6.9.2	Mott-Schottky Analysis—Nb-Doped TiO ₂ (Batch 2)	199
6.9.3	Mott-Schottky Analysis—Reduced TiO ₂	201
6.9.4	Discussion of Mott-Schottky Analysis	203
6.9.5	Resistance Measurements	204
6.10	Photocurrent Measurements	206
6.10.1	Optical Characteristics—Band Gap and Absorption	206
6.10.2	Modelling the Photocurrent	207

6.11	Impedance Spectroscopy—Equivalent Circuits.	211
6.11.1	Nb ^V -Doped Rutile (110)—Sample 2, Batch 2.	211
6.11.2	Reduced Rutile (110)—Sample 1, Batch 1	217
	References	220
7	TiO₂ Thin Films on Fused Silica	221
7.1	Summary of Results and Conclusions.	222
7.2	Further Work	223
7.3	Target Production and Pulsed Laser Deposition Methods	224
7.4	General Deposition Conditions	224
7.5	Deposition on Borosilicate Glass	224
7.6	Deposition on Fused Silica	225
7.6.1	Effect of Deposition Pressure on Crystallization.	226
7.6.2	Post-annealing of Films Deposited at Room Temperature	228
7.6.3	The Effect of Substrate Heating During Deposition on Film Structure.	230
7.6.4	Discussion of Substrate Heating Versus Post-annealing.	234
7.6.5	Effect of Growth Conditions on Film Surface Morphology	236
7.6.6	Effect of Film Thickness.	241
7.7	Optical Properties of TiO ₂ Films	244
7.7.1	Optical Characterization—Film Thickness and Refractive Index	244
7.7.2	Optical Characterization—Absorption.	246
7.8	Discussion—Stabilisation of Anatase with Nb	253
7.9	Discussion—Conductivity.	254
	References	258
8	Epitaxial TiO₂ Thin Films on Single Crystal Substrates.	261
8.1	Summary of Results.	261
8.2	Further Work	262
8.3	Substrate Overview	263
8.4	TiO ₂ Films on STO (100).	264
8.4.1	Effect of Substrate Temperature.	264
8.4.2	Effect of Post-annealing	268
8.4.3	Effect of Other Deposition Parameters	269
8.4.4	X-ray Texture Analysis—Epitaxy of Films on STO (100)	272
8.4.5	Optical Measurements—Films on STO.	275

8.5	TiO ₂ on MgO (100)	275
8.5.1	Effect of Temperature—90 mm Substrate-Target Distance	276
8.5.2	Effect of Temperature—50 mm Substrate-Target Distance	279
8.5.3	Effect of Other Deposition Parameters	282
8.5.4	X-ray Texture Analysis—Epitaxy of Films on MgO (100)	285
8.5.5	Optical Measurements—Films on MgO	293
8.5.6	Raman Spectroscopy—Films on MgO	295
	References	296
9	Conclusions	299
	Appendix A: Defect Chemistry of TiO₂	303
	Appendix B: Phase Diagrams of TiO₂ and H₂O	313
	Appendix C: Optical Measurements—Films on Fused Silica	321
	Appendix D: Optical Measurements—Films on MgO (100)	329
	Appendix E: Additional XRD Measurements	333

<http://www.springer.com/978-3-319-34227-6>

Surface Modifications and Growth of Titanium Dioxide
for Photo-Electrochemical Water Splitting

Alexander, J.C.

2016, XLI, 336 p. 216 illus., 196 illus. in color.,

Hardcover

ISBN: 978-3-319-34227-6