

Contents

| | | |
|----------|---|-----------|
| 1 | Preliminary Correlations for Characterizing the Morphology of Abdominal Aortic Aneurysms as Predictor of Rupture | 1 |
| | Guillermo Vilalta Alonso, Eduardo Soudah, José A. Vilalta Alonso, Laurentiu Lipsa, Félix Nieto, María Ángeles Pérez, and Carlos Vaquero | |
| 1.1 | Introduction | 2 |
| 1.2 | Material and Methods | 3 |
| 1.2.1 | AAA Geometry: Segmentation and Reconstruction | 3 |
| 1.2.2 | AAA Geometry: Size and Shape Indices | 3 |
| 1.2.3 | Computational Methods | 5 |
| 1.2.4 | Statistical Analysis | 6 |
| 1.3 | Results and Discussions | 6 |
| 1.3.1 | Relationship Between Hemodynamic Parameters and Geometric Indices of the AAA | 8 |
| 1.4 | Conclusions | 11 |
| | References | 14 |
| 2 | Mathematical-Computational Simulation of Cytoskeletal Dynamics | 15 |
| | Carlos A. de Moura, Mauricio V. Kritz, Thiago F. Leal, and Andreas Prokop | |
| 2.1 | Introduction | 16 |
| 2.2 | The Object of Our Study | 17 |
| 2.2.1 | Actin Dynamics | 17 |
| 2.2.2 | Filopodia | 19 |
| 2.3 | Suitable Biological Systems for Parallel Experimental Approaches | 20 |

| | | |
|----------|--|-----------|
| 2.4 | Modeling Filopodia | 21 |
| 2.4.1 | Previous Models | 21 |
| 2.4.2 | Can Diffusion Alone Explain G-Actin Delivery to the Filopodial Tip? | 23 |
| 2.4.3 | An Alternative Approach | 25 |
| 2.5 | A Model for Filopodial Dynamics | 27 |
| 2.5.1 | Principal Thoughts About Strategic Choices | 27 |
| 2.5.2 | Modeling F-Actin Polymerization and Diffusion | 28 |
| 2.5.3 | Modeling Cytosolic Flow as a Means to Drive Passive Transport of G-Actin | 29 |
| 2.5.4 | Model Validation | 31 |
| 2.6 | Conclusions | 32 |
| | References | 33 |
| 3 | Fault Diagnosis with Missing Data Based on Hopfield Neural Networks | 37 |
| | Raquelita Torres Cabeza, Egly Barrero Viciado, Alberto Prieto-Moreno, and Valery Moreno Vega | |
| 3.1 | Introduction | 37 |
| 3.2 | Materials and Methods | 38 |
| 3.2.1 | Hopfield and Probabilistic Artificial Neural Networks Models | 38 |
| 3.2.2 | DAMADICS Benchmarking and Design of Architectures | 41 |
| 3.2.3 | Design of the Experiments | 44 |
| 3.3 | Results and Discussion | 44 |
| 3.4 | Conclusions | 45 |
| | References | 45 |
| 4 | Diagnosing Time-Dependent Incipient Faults | 47 |
| | Lídice Camps-Echevarría, Orestes Llanes-Santiago, Haroldo Fraga de Campos Velho, and Antônio José da Silva Neto | |
| 4.1 | Introduction | 48 |
| 4.2 | Fault Diagnosis as an Inverse Problem | 49 |
| 4.2.1 | Structural Analysis | 50 |
| 4.3 | Differential Evolution and Differential Evolution with Particle Collision | 51 |
| 4.3.1 | Differential Evolution | 51 |
| 4.3.2 | Differential Evolution with Particle Collision | 52 |
| 4.4 | Two Tanks System | 53 |
| 4.4.1 | Structural Analysis | 55 |
| 4.5 | Experimental Methodology | 56 |
| 4.6 | Results | 57 |
| 4.7 | Conclusions | 60 |
| | References | 61 |

| | | |
|----------|---|-----------|
| 5 | An Indirect Kernel Optimization Approach to Fault Detection with KPCA | 63 |
| | José M. Bernal de Lázaro, Orestes Llanes-Santiago, Alberto Prieto-Moreno, and Diego Campos Knupp | |
| 5.1 | Introduction | 63 |
| 5.2 | Materials and Methods | 65 |
| 5.2.1 | Kernel Principal Component Analysis | 65 |
| 5.2.2 | Indirect Kernel Optimization Criteria | 67 |
| 5.3 | Optimization with Differential Evolution | 69 |
| 5.4 | Results and Discussion | 70 |
| 5.4.1 | Study Case: Tennessee Eastman Process | 70 |
| 5.4.2 | Experimental Description | 72 |
| 5.4.3 | Discussion | 72 |
| 5.5 | Conclusions | 74 |
| 5.6 | Future Work | 74 |
| | References | 74 |
| 6 | Uncertainty Quantification in Chromatography Process Identification Based on Markov Chain Monte Carlo | 77 |
| | Mirtha Irizar Mesa, Leôncio D. Tavares Câmara, Diego Campos-Knupp, and Antônio José da Silva Neto | |
| 6.1 | Introduction | 77 |
| 6.2 | Front Velocity Chromatography Model | 78 |
| 6.3 | Parameter Uncertainty Quantification | 79 |
| 6.3.1 | Delayed Rejection Adaptive Metropolis Algorithm | 80 |
| 6.4 | Convergence Diagnostics | 82 |
| 6.5 | Conclusions | 87 |
| | References | 87 |
| 7 | Inverse Analysis of a New Anomalous Diffusion Model Employing Maximum Likelihood and Bayesian Estimation | 89 |
| | Diego Campos-Knupp, Luciano G. da Silva, Luiz Bevilacqua, Augusto C.N.R. Galeão, and Antônio José da Silva Neto | |
| 7.1 | Introduction | 90 |
| 7.2 | Direct Problem Formulation and Solution | 92 |
| 7.3 | Inverse Problem | 94 |
| 7.3.1 | Maximum Likelihood | 94 |
| 7.3.2 | Bayesian Inference | 95 |
| 7.4 | Results and Discussion | 98 |
| 7.5 | Conclusions | 103 |
| | References | 103 |

| | | |
|-----------|---|------------|
| 8 | Accelerated Direct-Problem Solution: A Complementary Method for Computational Time Reduction | 105 |
| | Alberto Prieto-Moreno, Leôncio D. Tavares Câmara, and Orestes Llanes-Santiago | |
| 8.1 | Introduction | 106 |
| 8.2 | Materials and Methods | 107 |
| 8.2.1 | Front Velocity | 107 |
| 8.2.2 | Direct Solution | 108 |
| 8.2.3 | Parameters Estimation | 111 |
| 8.3 | Accelerated Simulation | 112 |
| 8.3.1 | Procedure for Selecting the Solution Step | 112 |
| 8.3.2 | Statistical Evaluation | 113 |
| 8.4 | Results and Discussions | 114 |
| 8.4.1 | Direct Solution | 114 |
| 8.4.2 | Parameters Estimation | 115 |
| 8.5 | Conclusions | 119 |
| | References | 119 |
| 9 | Effects of Antennas on Structural Behavior of Telecommunication Towers | 121 |
| | Patricia Martín Rodríguez, Vivian B. Elena Parnás, and Angel Emilio Castañeda Hevia | |
| 9.1 | Introduction | 121 |
| 9.2 | Methodology | 122 |
| 9.2.1 | Wind Tunnel Experiment | 122 |
| 9.2.2 | Numerical Experiment | 124 |
| 9.2.3 | Structure and Wind Load Modeling | 126 |
| 9.2.4 | Modal Analysis | 127 |
| 9.3 | Discussion of Results | 128 |
| 9.3.1 | Factorial Design of Experiments with UHF and VHF Antennas | 128 |
| 9.3.2 | Factorial Design of Experiments Without UHF and VHF Antennas | 131 |
| 9.4 | Conclusions | 131 |
| | References | 139 |
| 10 | Comparing Two-Level Preconditioners for Solving Petroleum Reservoir Simulation Problems | 141 |
| | José R.P. Rodrigues, Paulo Goldfeld, and Luiz M. Carvalho | |
| 10.1 | Introduction | 141 |
| 10.2 | Methods | 144 |
| 10.2.1 | ILU(k)-Based Domain Decomposition | 144 |
| 10.2.2 | Coarse Space Correction | 147 |

| | | |
|-----------|--|------------|
| 10.3 | Analysis and Discussion | 148 |
| 10.3.1 | Tests Description | 148 |
| 10.3.2 | Experiments | 149 |
| 10.3.3 | Discussion | 150 |
| 10.4 | Future Work | 151 |
| | References | 151 |
| 11 | Assessment of the Reliability of Electrical Power Systems | 153 |
| | Yorlandys Salgado Duarte and Alfredo M. del Castillo Serpa | |
| 11.1 | Introduction | 153 |
| 11.2 | Materials and Methods | 154 |
| 11.2.1 | Models and Methods for the Adequacy Assessment | 154 |
| 11.2.2 | Models and Methods for the Security Assessment | 158 |
| 11.2.3 | Methodology | 164 |
| 11.3 | Result Analysis and Discussion | 165 |
| 11.3.1 | Analysis of the Adequacy of the RBTS | 166 |
| 11.3.2 | Analysis of the Security of RBTS | 167 |
| 11.4 | Conclusions and Recommendations | 169 |
| | References | 170 |
| 12 | Polymeric Thin Film Transistors Modeling in the Presence of Non-Ohmic Contacts | 171 |
| | Magali Estrada del Cueto, Antonio Cerdeira Altuzarra, Benjamín Iñiguez Nicolau, Lluís F. Marsal Garvi, and Josep Pallarés Marzal | |
| 12.1 | Introduction | 172 |
| 12.2 | Basic Aspects of UMEM | 173 |
| 12.2.1 | Basic Expressions to Represent the Above Threshold Operating Region | 173 |
| 12.2.2 | Basic Expressions to Represent the Subthreshold Operating Region | 175 |
| 12.2.3 | Modeling the Output Characteristics in TFTs with Non-Ohmic Contacts at D and S | 176 |
| 12.2.4 | Summarizing the Steps to Extract Model Parameters when Non-Ohmic Contacts Are Present | 177 |
| 12.3 | Examples of OTFT Characteristics Modeling | 177 |
| 12.4 | Conclusions | 177 |
| | References | 179 |

Mathematical Modeling and Computational Intelligence
in Engineering Applications

Silva Neto, A.J.d.; Llanes Santiago, O.; Silva, G.N. (Eds.)

2016, XXVII, 179 p. 79 illus., 46 illus. in color., Hardcover

ISBN: 978-3-319-38868-7