

# The Common Characteristics of User-Defined and Mid-Air Gestures for Rotating 3D Digital Contents

Li-Chieh Chen<sup>1</sup>, Yun-Maw Cheng<sup>2(✉)</sup>, Po-Ying Chu<sup>1</sup>,  
and Frode Eika Sandnes<sup>3</sup>

<sup>1</sup> Department of Industrial Design, Tatung University, Taipei, Taiwan  
{lcchen, juby}@ttu.edu.tw

<sup>2</sup> Graduate Institute of Design Science, Department of Computer Science  
and Engineering, Tatung University, Taipei, Taiwan  
kevin@ttu.edu.tw

<sup>3</sup> Oslo and Akershus University College of Applied Sciences, Oslo, Norway  
Frode-Eika.Sandnes@hioa.no

**Abstract.** Recently, the technology of mid-air gestures for manipulating 3D digital contents has become an important research issue. In order to conform to the needs of users and contexts, eliciting user-defined gestures is inevitable. However, it was reported that user-defined hand gestures tended to vary significantly in posture, motion and speed, making it difficult to identify common characteristics. In this research, the authors conducted an experiment to study the intuitive hand gestures for controlling the rotation of 3D digital furniture. Twenty graduate students majored in Industrial Design were invited to participate in the task. Although there were great varieties among different participants, common characteristics were extracted through systematic behavior coding and analysis. The results indicated that open palm and D Handshape (American Sign Language) were the most intuitive hand poses. In addition, moving hands along the circumference of a horizontal circle was the most intuitive hand motion and trajectory.

**Keywords:** Mid-air gesture · User-defined gesture · 3D digital content rotation

## 1 Introduction

Manipulating 3D digital contents through mid-air gestures is a new experience for most people. In many applications, such as interactive product virtual exhibition in public and medical image display in a surgery room, the tasks may include translation, rotation, and scaling of 3D components. In order to facilitate the natural mapping between controls and displays, eliciting intuitive gestures from a group of user-defined gestures is necessary. However, due to individual differences in the experiences of using 3D applications and relative input devices, it is extremely difficult to develop consensus gestures. Given the potential difficulty, identifying the common characteristics of intuitive gestures is still important to inform the development process of

gesture recognition algorithms. Therefore, the objective of this research is to study the common characteristics of intuitive gestures through a pilot experiment of 3D digital content manipulations.

## 2 Literature Review

Since 3D and mid-air hand gesture controls are natural, intuitive and sanitary [1–3], the number of applications have increased significantly. The contexts include interactive navigation systems in museum [4], surgical imaging systems [1, 2], interactive public displays [5], and 3D modelling [6]. Based on the number and trajectory of hands, mid-air gestures could be classified as one or two hands, linear or circular movements, and different degrees of freedom in path (1D, 2D, or 3D) [7]. If the context is not considered, mid-air gestures could be pointing, semaphoric, pantomimic, iconic, and manipulation [8]. The types of control tasks could be select, release, accept, refuse, remove, cancel, navigate, identify, translate, and rotate [8]. Since the characteristics of contexts could influence gesture vocabularies [9], the gestures for short-range human computer interaction [10] and TV controls [11, 12] were reported to be different. Even for the same task in the same context, users may prefer different gestures, which could be influenced by previous experiences in using different devices. While choosing an intuitive mid-air gesture for a specific task, it is necessary to consider and analyze the common characteristics of user-defined gestures.

## 3 Experiment

In order to explore the characteristics of hand gestures for manipulating 3D digital contents, a pilot experiment was carried out. The context of an interactive exhibition system for 3D product virtual models was considered. In a laboratory with illumination control, each participant stood on the spot in front of a 50-inch TV, with a distance of 200 cm. During the experiments, the images simulating the rotating products were displayed on the TV, which was controlled by a laptop computer with a computer mouse. In order to obtain gesture characteristics, the motions of the body and hand joints were recorded by one overhead camera and two 3D depth cameras. Each participant conducted two trials of experiments to offer self-defined gestures for rotating product models with respect to the vertical axis (Fig. 1). The participants were encouraged to provide with separate gestures for start or stop rotations, respectively. In the first trial, a Microsoft Kinect for Windows (v2) sensor was mounted on the top of the TV. The sensor could extract 25 joints per person. The motion of the arms and hands was recorded by the Kinect Studio program running on a desktop computer. The images of body tracking were displayed on a 23-inch monitor, which was placed on the right hand side of the TV. In the second trial, an Intel RealSense 3D Camera (F200) was used to extract the position and orientation of 22 joints on a hand. It was placed

between the participant and the TV. The distance to the participant was adjusted with respect to the arm length. The height was adjusted to the shoulder height of each participant. The motion of each hand gesture was recorded by the Hands Viewer program. The program was running on a laptop computer with a 15-inch display, which was placed on the lower right hand side of the TV. Therefore, each participant performed the tasks of user-defined gestures by facing two 3D depth cameras with different distances. In addition, offering different gestures between two trials was encouraged.



**Fig. 1.** Experiment setup

## 4 Results and Discussions

Twenty students, majored in the Master Program of Industrial Design, were invited to participate in the experiment. From two trials of user-defined gestures, forty gestures were recorded. In the first trial, the numbers of one-hand and two-hand gestures were 8 and 12, respectively. In the second trial, the numbers of one-hand and two-hand gestures were 11 and 9, respectively. There were no significant differences in the numbers of one-hand and two-hand gestures. For systematic behavior coding and analysis, the gestures were categorized based on hand poses, orientations, motions and trajectories. Fourteen types of one-hand gestures were identified (Table 1). Fifteen types of two-hand gestures were identified (Table 2). Although many types of gestures were identified, common characteristics could be extracted. Open palm and D Handshape (American Sign Language) were the most intuitive hand poses. For one-hand gestures, moving along the circumference of a horizontal circle was the most intuitive hand

**Table 1.** User-defined gestures with one hand

| Type | Hand pose   | Hand orientation              | Hand motion and trajectory  | Count  |
|------|-------------|-------------------------------|---|--------|
| 1-1  | Open palm   | Facing up                     | Rotating with respect to the vertical axis at the center of the palm  | 2      |
| 1-2  | Open palm   | Facing forward                | Moving in a 3D smiling curve from left to right (or right to left)  | 2 (SP) |
| 1-3  | D Handshape | Index finger pointing forward | <b>Start rotation:</b><br>Moving along the circumference of a horizontal circle<br><b>Stop rotation:</b><br>Tapping forward                       | 2      |
| 1-4  | Open palm   | Changing                      | <b>Start rotation:</b><br>Swiping<br><b>Stop rotation:</b><br>Pushing forward   | 2 (SP) |
| 1-5  | Open palm   | Facing forward                | <b>Start rotation:</b><br>Swiping (from left to right; or from right to left),<br><b>Stop rotation:</b> Grabbing                                  | 2 (SP) |
| 1-6  | Pinch       | Facing forward                | Moving in a 3D smiling curve from left to right (or right to left)  | 1      |
| 1-7  | D Handshape | Pointing forward              |   | 1      |
| 1-8  | D Handshape | Pointing up                   | Moving along the circumference of a horizontal circle   | 1      |
| 1-9  | Open palm   | Facing down                   |   | 1      |
| 1-10 | Open palm   | Facing down                   | <b>Start rotation:</b><br>Moving along the circumference of a horizontal circle;<br><b>Stop rotation:</b> Fist                                    | 1      |
| 1-11 | Grab        | Facing forward                |   | 1      |
| 1-12 | D Handshape | Index finger pointing forward |   | 1      |
| 1-13 | Open palm   | Fingers pointing forward      | <b>Start rotation:</b><br>Rotating with respect to the vertical axis at the center of the palm<br><b>Stop rotation:</b><br>Pushing forward        | 1      |
| 1-14 | Open palm   | Facing down                   | <b>Start rotation:</b><br>Moving along the circumference of a horizontal circle;<br><b>Stop rotation:</b><br>Palm facing down and moving downward | 1      |

Note: SP (Same Participant)

**Table 2.** User-defined gestures with two hands

| Type | Hand pose  | Hand orientation   | Hand motion and trajectory  | Count |
|------|--|--|---|-------|
| 2-1  | Open palm  | Facing to each other;<br>Fingers pointing up                             | Moving relatively with a constant distance along the circumference of a horizontal circle   | 3     |
| 2-2  | Open palm  | Facing down  |   | 3     |
| 2-3  | Open palm  | Facing to each other;<br>Fingers pointing forward                        |   | 2     |
| 2-4  | Open palm  | Facing to each other;<br>Fingers pointing down                           |   | 2     |
| 2-5  | D Handshape  | Facing down; Index finger pointing forward                               |   | 1     |
| 2-6  | D Handshape  | Facing to each other;<br>Index finger pointing up                        |   | 1     |
| 2-7  | Open palm  | Raising arms to around 45 degrees, with fingers pointing down naturally, |   | 1     |
| 2-8  | L Handshape  | Facing down; Index finger pointing forward                               |   | 1     |
| 2-9  | Open palm  | Facing up  | Rotating with respect to the vertical axis at the center of the palm  | 1     |
| 2-10 | First hand – open palm;<br>Second hand – free pose | First hand - facing forward;<br>Second hand – changing                   | Raising one hand with the palm facing forward,<br>Moving the second hand circularly with respect to the raising hand  | 1     |
| 2-11 | Holding a virtual steering wheel,                  | Facing to each other   | <b>Start rotation:</b><br>Moving relatively with a constant distance along the circumference of a horizontal circle;<br><b>Stop rotation:</b><br>Moving two hands downward similar to holding a disc and then putting it down | 1     |

*(Continued)*

**Table 2.** (Continued)

| Type | Hand pose                                   | Hand orientation                                  | Hand motion and trajectory  | Count |
|------|---|---|---|-------|
| 2-12 | Open palm                                   | Facing to each other;<br>Fingers pointing forward | <b>Start rotation:</b><br>Moving relatively with a constant distance along the circumference of a horizontal circle<br><b>Stop rotation:</b><br>Moving downward quickly | 1     |
| 2-13 | Left hand open palm;<br>Right hand changing | Left hand facing down and stay still,             | Left hand stays still.<br><b>Start rotation:</b><br>Right hand moving circularly under left hand<br><b>Stop rotation:</b><br>Right hand fist                            | 1     |
| 2-14 | Changing                                    | Changing  | <b>Start rotation:</b><br>Moving single hand circularly along the circumference of a horizontal circle;<br><b>Stop rotation:</b><br>Two Hands, Palm pushing forward     | 1     |
| 2-15 | Changing                                    | Changing  | <b>Start rotation:</b><br>Two Hands, Fist, moving circularly with respect to the vertical axis<br><b>Stop rotation:</b><br>Single Hand, Palm pushing forward            | 1     |

motion and trajectory. For two-hand gestures, moving two hands relatively with a constant distance along the circumference of a horizontal circle was the most intuitive hand motion and trajectory. Sample gestures recorded by the Hands Viewer program were displayed in Fig. 2.




Fig. 2. Sample gestures recorded by the hands viewer program

## 5 Conclusion

In this research, a systematic behavior coding scheme was developed to analyze and decompose user-defined gestures. In addition, the most intuitive hand pose and trajectory of gestures for rotating 3D virtual models with respect to the vertical axis were identified. These results could be used to inform the development team of mid-air gestures and serve as the references for 3D digital content manipulations.

**Acknowledgement.** The authors would like to express our gratitude to the Ministry of Science and Technology of the Republic of China for financially supporting this research under Grant No. MOST 104-2221-E-036-020.

## References

1. O'Hara, K., Gonzalez, G., Sellen, A., Penney, G., Varnavas, A., Mentis, H., Criminisi, A., Corish, R., Rouncefield, M., Dastur, N., Carrell, T.: Touchless interaction in surgery. *Commun. ACM* **57**(1), 70–77 (2014)
2. Rosa, G.M., Elizondo, M.L.: Use of a gesture user interface as a touchless image navigation system in dental surgery: Case series report. *Imaging Sci. Dent.* **44**, 155–160 (2014)
3. Hettig, J., Mewes, A., Riabikin, O., Skalej, M., Preim, B., Hansen, C.: Exploration of 3D medical image data for interventional radiology using myoelectric gesture control. In: 2015 Eurographics Workshop on Visual Computing for Biology and Medicine (2015)
4. Hsu, F.-S., Lin, W.-Y.: A multimedia presentation system using a 3D gesture interface in museums. *Multimedia Tools Appl.* **69**(1), 53–77 (2014)
5. Ackad, C., Clayphan, A., Tomitsch, M., Kay, J.: An in-the-wild study of learning mid-air gestures to browse hierarchical information at a large interactive public display. In: *UBICOMP 2015*, 7–11 September 2015, Osaka, Japan (2015)
6. Vinayak, Ramani, K.: A gesture-free geometric approach for mid-air expression of design intent in 3D virtual pottery. *Comput. Aided Des.* **69**, 11–24 (2015)
7. Nancel, M., Wagner, J., Pietriga, E., Chapuis, O., Mackay, W.: Mid-air pan-and-zoom on wall-sized displays. In: *Proceedings of the SIGCHI Conference on Human Factors and Computing Systems, CHI 2011*, May 2011, Vancouver, Canada, pp. 177–186 (2011)
8. Aigner, R., Wigdor, D., Benko, H., Haller, M., Lindlbauer, D., Ion, A., Zhao, S., Koh, J.T.K.V.: Understanding Mid-Air Hand Gestures: A Study of Human Preferences in Usage of Gesture Types for HCI, Microsoft Research Technical Report MSR-TR-2012-111 (2012). <http://research.microsoft.com/apps/pubs/default.aspx?id=175454>
9. LaViola Jr., J.J.: 3D gestural interaction: the state of the field. *ISRN Artif. Intell.* **2013**, 1–18 (2013). Article ID 514641
10. Pereira, A., Wachs, J.P., Park, K., Rempel, D.: A user-developed 3-D hand gesture set for human-computer interaction. *Hum. Factors* **57**(4), 607–621 (2015)
11. Choi, E., Kim, H., Chung, M.K.: A taxonomy and notation method for three-dimensional hand gestures. *Int. J. Ind. Ergon.* **44**(1), 171–188 (2014)
12. Pisharady, P.K., Saerbeck, M.: Recent methods and databases in vision-based hand gesture recognition: A review. *Comput. Vis. Image Underst.* **141**, 152–165 (2015). *Pose & Gesture*



Universal Access in Human-Computer Interaction.  
Interaction Techniques and Environments  
10th International Conference, UAHCI 2016, Held as  
Part of HCI International 2016, Toronto, ON, Canada,  
July 17-22, 2016, Proceedings, Part II  
Antona, M.; Stephanidis, C. (Eds.)  
2016, XVII, 478 p. 199 illus., Softcover  
ISBN: 978-3-319-40243-7