

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	Motivation	1
1.2	Related Work	3
1.3	Problem Statement	5
1.4	Concept of Whole-Body Impedance	6
1.5	Contributions and Overview	8
<b>2</b>	<b>Fundamentals</b>	13
2.1	Robot Kinematics and Dynamics	13
2.1.1	Forward Kinematics, Jacobian Matrices, and Power Ports	13
2.1.2	Derivation of the Equations of Motion	14
2.1.3	Rigid Body Dynamics	16
2.2	Compliant Motion Control of Robotic Systems	16
2.2.1	Impedance Control	17
2.2.2	Admittance Control	18
2.3	Humanoid Robot Rollin' Justin	19
2.3.1	Design and Hardware	19
2.3.2	Modeling Assumptions	21
<b>3</b>	<b>Control Tasks Based on Artificial Potential Fields</b>	23
3.1	Self-Collision Avoidance	24
3.1.1	Geometric Collision Model	25
3.1.2	Repulsive Potential	26
3.1.3	Damping Design	28
3.1.4	Control Design	31
3.1.5	Experiments	33
3.2	Singularity Avoidance for Nonholonomic, Wheeled Platforms	34
3.2.1	Instantaneous Center of Rotation	34
3.2.2	Controllability and Repulsion	36
3.2.3	Effect on the Instantaneous Center of Rotation	37
3.2.4	Effect on the Wheel	39

3.2.5	Control Design . . . . .	39
3.2.6	Simulations and Experiments . . . . .	40
3.3	Posture Control for Kinematically Coupled Torso Structures . . . . .	44
3.3.1	Model of the Torso of Rollin' Justin . . . . .	45
3.3.2	Kinematic Constraints . . . . .	45
3.3.3	Dynamic Constraints . . . . .	46
3.3.4	Control Design . . . . .	49
3.3.5	Experiments . . . . .	49
3.4	Classical Objectives in Reactive Control. . . . .	50
3.4.1	Cartesian Impedance . . . . .	50
3.4.2	Manipulator Singularity Avoidance . . . . .	51
3.4.3	Avoidance of Mechanical End Stops . . . . .	52
3.5	Summary . . . . .	52
<b>4</b>	<b>Redundancy Resolution by Null Space Projections . . . . .</b>	<b>55</b>
4.1	Strictness of the Hierarchy . . . . .	56
4.1.1	Successive Projections . . . . .	56
4.1.2	Augmented Projections . . . . .	57
4.2	Consistency of the Projections. . . . .	58
4.2.1	Static Consistency . . . . .	59
4.2.2	Dynamic Consistency . . . . .	60
4.2.3	Stiffness Consistency . . . . .	64
4.3	Comparison of Null Space Projectors. . . . .	65
4.3.1	Simulations . . . . .	66
4.3.2	Experiments . . . . .	70
4.3.3	Discussion . . . . .	75
4.4	Unilateral Constraints in the Task Hierarchy . . . . .	78
4.4.1	Basics . . . . .	79
4.4.2	Ensuring Continuity. . . . .	81
4.4.3	Simulations . . . . .	86
4.4.4	Experiments . . . . .	87
4.4.5	Discussion . . . . .	95
4.5	Summary . . . . .	97
<b>5</b>	<b>Stability Analysis. . . . .</b>	<b>99</b>
5.1	Whole-Body Impedance with Kinematically Controlled Platform . . . . .	99
5.1.1	Subsystems . . . . .	100
5.1.2	Control Design . . . . .	106
5.1.3	Proof of Stability . . . . .	107
5.1.4	Experiments . . . . .	109
5.1.5	Discussion . . . . .	114
5.2	Multi-Objective Compliance Control . . . . .	116
5.2.1	Problem Formulation . . . . .	118
5.2.2	Hierarchical Dynamics Representation . . . . .	120

5.2.3	Control Design . . . . .	126
5.2.4	Proof of Stability . . . . .	128
5.2.5	Simulations and Experiments . . . . .	131
5.2.6	Discussion . . . . .	137
5.3	Summary . . . . .	139
<b>6</b>	<b>Whole-Body Coordination . . . . .</b>	<b>141</b>
6.1	Order of Tasks in the Hierarchy . . . . .	142
6.2	Implementation on Rollin' Justin . . . . .	144
6.3	Summary . . . . .	148
<b>7</b>	<b>Integration of the Whole-Body Controller into a Higher-Level Framework . . . . .</b>	<b>151</b>
7.1	Intelligent Parameterization of the Whole-Body Controller . . . . .	153
7.2	Communication Channel Between Controller and Planner . . . . .	153
7.3	Real-World Applications for a Service Robot . . . . .	154
7.4	Summary . . . . .	156
<b>8</b>	<b>Summary . . . . .</b>	<b>157</b>
	<b>Appendix A: Workspace of the Torso of Rollin' Justin . . . . .</b>	<b>161</b>
	<b>Appendix B: Null Space Definitions and Proofs . . . . .</b>	<b>163</b>
	<b>Appendix C: Proofs for the Stability Analysis . . . . .</b>	<b>169</b>
	<b>Appendix D: Stability Definitions . . . . .</b>	<b>175</b>
	<b>References . . . . .</b>	<b>177</b>

Whole-Body Impedance Control of Wheeled Humanoid  
Robots

Dietrich, A.

2016, XV, 187 p. 82 illus., 71 illus. in color., Hardcover

ISBN: 978-3-319-40556-8