

# Contents – Part I

## Robot Control

|                                                                                                                                                    |    |
|----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Robust Backstepping Control for Spacecraft Rendezvous on Elliptical Orbits Using Transformed Variables . . . . .                                   | 3  |
| <i>Yu Wang, Haibo Ji, and Kun Li</i>                                                                                                               |    |
| Sampled Adaptive Control for Multi-joint Robotic Manipulator with Force Uncertainties . . . . .                                                    | 14 |
| <i>Hao Zhou, Hongbin Ma, Haiyang Zhan, Yimeng Lei, and Mengyin Fu</i>                                                                              |    |
| Rapid Developing the Simulation and Control Systems for a Multifunctional Autonomous Agricultural Robot with ROS . . . . .                         | 26 |
| <i>Zhenyu Wang, Liang Gong, Qianli Chen, Yanming Li, Chengliang Liu, and Yixiang Huang</i>                                                         |    |
| Design of 3D Printer-Like Data Interface for a Robotic Removable Machining . . . . .                                                               | 40 |
| <i>Fusaomi Nagata, Shingo Yoshimoto, Kazuo Kiguchi, Keigo Watanabe, and Maki K. Habib</i>                                                          |    |
| Combined Model-Free Decoupling Control and Double Resonant Control in Parallel Nanopositioning Stages for Fast and Precise Raster Scanning . . . . | 51 |
| <i>Jie Ling, Zhao Feng, Min Ming, and Xiaohui Xiao</i>                                                                                             |    |
| Towards the Development of Fractional-Order Flight Controllers for the Quadrotor. . . . .                                                          | 63 |
| <i>Wei Dong, Jie Chen, Jiteng Yang, Xinjun Sheng, and Xiangyang Zhu</i>                                                                            |    |
| Design and Implementation of Data Communication Module for a Multi-motor Drive and Control Integrated System Based on DSP . . . . .                | 75 |
| <i>Qijie Yang, Chao Liu, Jianhua Wu, Xinjun Sheng, and Zhenhua Xiong</i>                                                                           |    |
| A Novel Continuous Single-Spindle Doffing Robot with a Spatial Cam and Multiple Grippers . . . . .                                                 | 87 |
| <i>Sicheng Yang, Yue Lin, Wenzeng Zhang, and Liguao Cao</i>                                                                                        |    |

## Robot Mechanism

|                                                                                               |     |
|-----------------------------------------------------------------------------------------------|-----|
| Design of Wireframe Expansion and Contraction Mechanism and Its Application to Robot. . . . . | 101 |
| <i>Yuki Takei and Naoyuki Takesue</i>                                                         |     |

|                                                                                                                                    |     |
|------------------------------------------------------------------------------------------------------------------------------------|-----|
| Practical Robot Edutainment Activities Program for Junior High School Students. . . . .                                            | 111 |
| <i>Noriko Takase, János Botzheim, Naoyuki Kubota, Naoyuki Takesue, and Takuya Hashimoto</i>                                        |     |
| Modeling and Analysis on Position and Gesture of End-Effector of Cleaning Robot Based on Monorail Bogie for Solar Panels . . . . . | 122 |
| <i>Chengwei Shen, Lubin Hang, Jun Wang, Wei Qin, Yabo Huangfu, Xiaobo Huang, and Yan Wang</i>                                      |     |
| PASA Hand: A Novel Parallel and Self-Adaptive Underactuated Hand with Gear-Link Mechanisms. . . . .                                | 134 |
| <i>Dayao Liang, Jiuya Song, Wenzeng Zhang, Zhenguo Sun, and Qiang Chen</i>                                                         |     |
| Topological Structure Synthesis of 3T1R Parallel Mechanism Based on POC Equations. . . . .                                         | 147 |
| <i>Tingli Yang, Anxin Liu, Huiping Shen, and Lubin Hang</i>                                                                        |     |
| Structural Analysis of Parallel Mechanisms Using Conformal Geometric Algebra . . . . .                                             | 162 |
| <i>Lubin Hang, Chengwei Shen, and Tingli Yang</i>                                                                                  |     |
| Kinematics Analysis of a New Type 3T1R PM. . . . .                                                                                 | 175 |
| <i>Wei Qin, Lu-Bin Hang, An-Xin Liu, Hui-Ping Shen, Yan Wang, and Ting-Li Yang</i>                                                 |     |
| Power Efficiency-Based Stiffness Optimization of a Compliant Actuator for Underactuated Bipedal Robot . . . . .                    | 186 |
| <i>Qiang Zhang, Xiaohui Xiao, and Zhao Guo</i>                                                                                     |     |
| Analysis of the Stiffness of Modular Reconfigurable Parallel Robot with Four Configurations . . . . .                              | 198 |
| <i>Qisheng Zhang, Ruiqin Li, Qing Li, and Jingjing Liang</i>                                                                       |     |
| Kinematic Analysis and Simulation of a Ball-Roller Pair for the Active-Caster Robotic Drive with a Ball Transmission . . . . .     | 210 |
| <i>Masayoshi Wada and Kosuke Kato</i>                                                                                              |     |
| <b>Robot Vision and Sensing</b>                                                                                                    |     |
| Fast Hierarchical Template Matching Strategy for Real-Time Pose Estimation of Texture-Less Objects . . . . .                       | 225 |
| <i>Chaoqiang Ye, Kai Li, Lei Jia, Chungang Zhuang, and Zhenhua Xiong</i>                                                           |     |
| Latent Force Models for Human Action Recognition . . . . .                                                                         | 237 |
| <i>Zhi Chao Li, Ryad Chellali, and Yi Yang</i>                                                                                     |     |

|                                                                                 |     |
|---------------------------------------------------------------------------------|-----|
| A Study on Classification of Food Texture with Recurrent Neural Network . . . . | 247 |
| <i>Shuhei Okada, Hiroyuki Nakamoto, Futoshi Kobayashi, and Fumio Kojima</i>     |     |
| A Rotating Platform for Swift Acquisition of Dense 3D Point Clouds . . . . .    | 257 |
| <i>Tobias Neumann, Enno Dülberg, Stefan Schiffer, and Alexander Ferrein</i>     |     |
| Kinematic Calibration and Vision-Based Object Grasping for Baxter Robot. . . .  | 269 |
| <i>Yanjiang Huang, Xunman Chen, and Xianmin Zhang</i>                           |     |
| Stiffness Estimation in Vision-Based Robotic Grasping Systems . . . . .         | 279 |
| <i>Chi-Ying Lin, Wei-Ting Hung, and Ping-Jung Hsieh</i>                         |     |
| Contour Based Shape Matching for Object Recognition . . . . .                   | 289 |
| <i>Haoran Xu, Jianyu Yang, Zhanpeng Shao, Yazhe Tang, and Youfu Li</i>          |     |
| Robust Gaze Estimation via Normalized Iris Center-Eye Corner Vector . . . . .   | 300 |
| <i>Haibin Cai, Hui Yu, Xiaolong Zhou, and Honghai Liu</i>                       |     |

### **Planning, Localization, and Mapping**

|                                                                                                                                     |     |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|
| Large Scale Indoor 3D Mapping Using RGB-D Sensor . . . . .                                                                          | 313 |
| <i>Xiaoxiao Zhu, Qixin Cao, Hiroshi Yokoi, and Yinlai Jiang</i>                                                                     |     |
| Performance Comparison of Probabilistic Methods Based Correction Algorithms for Localization of Autonomous Guided Vehicle . . . . . | 322 |
| <i>Hyunhak Cho, Eun Kyeong Kim, Eunseok Jang, and Sungshin Kim</i>                                                                  |     |
| Driving Control by Based upon the Slip Pattern of the Ball Robot . . . . .                                                          | 334 |
| <i>Howon Lee, Moonjeon Hwan, Dongju Park, Seon-ho Park, and Jangmyung Lee</i>                                                       |     |
| Straight Driving Improvement of Mobile Robot Using Fuzzy/Current Sensor . . . . .                                                   | 343 |
| <i>Ha-Neul Yoon, Dong-Eon Kim, Byeong-Chan Choi, Min-Chul Lee, and Jang-Myung Lee</i>                                               |     |
| Efficiency of Dynamic Local Area Strategy for Frontier-Based Exploration in Indoor Environments . . . . .                           | 351 |
| <i>Serkan Akagunduz, Nuri Ozalp, and Sirma Yavuz</i>                                                                                |     |
| Optimization of a Proportional-Summation-Difference Controller for a Line-Tracing Robot Using Bacterial Memetic Algorithm . . . . . | 362 |
| <i>Brandon Zahn, Ivan Ucherdzhev, Julia Szeles, Janos Botzheim, and Naoyuki Kubota</i>                                              |     |
| Navigation and Control for an Unmanned Aerial Vehicle. . . . .                                                                      | 373 |
| <i>Jiahao Fang, Xin Ye, Wei Dong, Xinjun Sheng, and Xiangyang Zhu</i>                                                               |     |

|                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------|-----|
| Robot Path Control with Rational-Order Calculus . . . . .                                                            | 384 |
| <i>Adrian Łęgowski, Michał Niezabitowski, and Tomasz Grzejszczak</i>                                                 |     |
| Path Planning Based on Direct Perception for Unknown Object Grasping . . .                                           | 396 |
| <i>Yasuto Tamura, Hiroyuki Masuta, and Hun-ok Lim</i>                                                                |     |
| An Efficient RFID-Based Localization Method with Mobile Robot . . . . .                                              | 407 |
| <i>Haibing Wu, Zeyu Gong, Bo Tao, and Zhouping Yin</i>                                                               |     |
| Vector Maps: A Lightweight and Accurate Map Format for Multi-robot<br>Systems . . . . .                              | 418 |
| <i>Khelifa Baizid, Guillaume Lozenguez, Luc Fabresse,<br/>and Noury Bouraqadi</i>                                    |     |
| <b>Interactive Intelligence</b>                                                                                      |     |
| Optimal Viewpoint Selection Based on Aesthetic Composition Evaluation<br>Using Kullback-Leibler Divergence . . . . . | 433 |
| <i>Kai Lan and Kosuke Sekiyama</i>                                                                                   |     |
| Guidance of Robot Swarm by Phase Gradient in 3D Space . . . . .                                                      | 444 |
| <i>Keita Horayama, Daisuke Kurabayashi, Syarif Ahmad,<br/>Ayaka Hashimoto, Takuro Moriyama, and Tatsuki Choh</i>     |     |
| Collective Construction by Cooperation of Simple Robots and Intelligent<br>Blocks . . . . .                          | 452 |
| <i>Ken Sugawara and Yohei Doi</i>                                                                                    |     |
| Can Haptic Feedback Improve Gesture Recognition in 3D Handwriting<br>Systems? . . . . .                              | 462 |
| <i>Dennis Babu, Seonghwan Kim, Hikaru Nagano, Masashi Konyo,<br/>and Satoshi Tadokoro</i>                            |     |
| Meta-module Self-configuration Strategy for Modular Robotic System. . . . .                                          | 472 |
| <i>Zhen Yang, Zhuang Fu, Enguang Guan, Jiannan Xu, and Hui Zheng</i>                                                 |     |
| Quantized Consensus of Multi-agent Systems with Additive Noise . . . . .                                             | 485 |
| <i>Jiayu Chen and Qiang Ling</i>                                                                                     |     |
| Design and Development of a Multi-rotor Unmanned Aerial Vehicle<br>System for Bridge Inspection . . . . .            | 498 |
| <i>Jie Chen, Junjie Wu, Gang Chen, Wei Dong, and Xinjun Sheng</i>                                                    |     |

## Cognitive Robotics

|                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------|-----|
| Evaluating Trust in Multi-Agents System Through Temporal Difference Learning . . . . .                                         | 513 |
| <i>Rishwaraj Gengarajoo, Ponnambalam S.G., and Chu Kiong Loo</i>                                                               |     |
| Controlling Logistics Robots with the Action-Based Language YAGI . . . . .                                                     | 525 |
| <i>Alexander Ferrein, Christopher Maier, Clemens Mühlbacher, Tim Niemueller, Gerald Steinbauer, and Stavros Vassos</i>         |     |
| Robots that Refuse to Admit Losing – A Case Study in Game Playing Using Self-Serving Bias in the Humanoid Robot MARC . . . . . | 538 |
| <i>Mriganka Biswas and John Murray</i>                                                                                         |     |
| Cognitive Architecture for Adaptive Social Robotics . . . . .                                                                  | 549 |
| <i>Seng-Beng Ho</i>                                                                                                            |     |
| Accelerating Humanoid Robot Learning from Human Action Skills Using Context-Aware Middleware. . . . .                          | 563 |
| <i>Charles C. Phiri, Zhaojie Ju, and Honghai Liu</i>                                                                           |     |

## Bio-inspired Robotics

|                                                                                                                                     |     |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|
| Optimization of Throwing Motion by 2-DOF Variable Viscoelastic Joint Manipulator . . . . .                                          | 577 |
| <i>Hiroki Tomori, Hikaru Ishihara, Takahiro Nagayama, and Taro Nakamura</i>                                                         |     |
| Development of the Attachment for the Cable of Peristaltic Crawling Robot to Reduce Friction in Elbow Pipe . . . . .                | 589 |
| <i>Ryutaro Ishikawa, Takeru Tomita, Yasuyuki Yamada, and Taro Nakamura</i>                                                          |     |
| Multimodal Recurrent Neural Network (MRNN) Based Self Balancing System: Applied into Two-Wheeled Robot. . . . .                     | 596 |
| <i>Azhar Aulia Saputra, Indra Adji Sulistijono, and Naoyuki Kubota</i>                                                              |     |
| A Prototype of a Laparoscope Holder Operated by a Surgeon Through Head and Jaw Movements . . . . .                                  | 609 |
| <i>Shunji Moromugi, Tamotsu Kuroki, Tomohiko Adachi, Kotaro Oshima, Daiki Ito, Hyan Gi Kim, Amane Kitasato, and Shinichiro Ohno</i> |     |
| The Design and the Gait Planning Analysis of Hexapod Wall-Climbing Robot . . . . .                                                  | 619 |
| <i>Yongjie Li, Jiaxin Zhai, Weixin Yan, and Yanzheng Zhao</i>                                                                       |     |

**Smart Material Based Systems**

|                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Adaptive Control of Magnetostrictive-Actuated Positioning Systems with Input Saturation . . . . .                                          | 635 |
| <i>Zhi Li and Chun-Yi Su</i>                                                                                                               |     |
| Adaptive Dynamic Surface Inverse Output Feedback Control for a Class of Hysteretic Systems . . . . .                                       | 646 |
| <i>Xiuyu Zhang, Dan Liu, Zhi Li, and Chun-Yi Su</i>                                                                                        |     |
| A Neural Hysteresis Model for Smart-Materials-Based Actuators . . . . .                                                                    | 663 |
| <i>Yu Shen, Lianwei Ma, Jinrong Li, Xiuyu Zhang, Xinlong Zhao, and Hui Zheng</i>                                                           |     |
| Modeling of Rate-Dependent Hysteresis in Piezoelectric Actuators Using a Hammerstein-Like Structure with a Modified Bouc-Wen Model . . . . | 672 |
| <i>Chun-Xia Li, Lin-Lin Li, Guo-Ying Gu, and Li-Min Zhu</i>                                                                                |     |
| A High Efficiency Force Predicting Method of Multi-axis Machining Propeller Blades . . . . .                                               | 685 |
| <i>Zerun Zhu, Rong Yan, Fangyu Peng, Kang Song, Zepeng Li, Chaoyong Guo, and Chen Chen</i>                                                 |     |
| A High-Flexible ACC/DEC Look-Ahead Strategy Based on Quintic Bézier Feed Rate Curve . . . . .                                              | 697 |
| <i>Hui Wang, Chao Liu, Jianhua Wu, Xinjun Sheng, and Zhenhua Xiong</i>                                                                     |     |
| Data-Driven Feedforward Decoupling Filter Design for Parallel Nanopositioning Stages . . . . .                                             | 709 |
| <i>Zhao Feng, Jie Ling, Min Ming, and Xiaohui Xiao</i>                                                                                     |     |
| Study on the Relationship Between the Stiffness of RV Reducer and the Profile Modification Method of Cycloid-pin Wheel . . . . .           | 721 |
| <i>Jianing Wang, Jingjun Gu, and Yonghua Yan</i>                                                                                           |     |

**Mechatronics Systems for Nondestructive Testing**

|                                                                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Proposal of Carburization Depth Inspection of Both Surface and Opposite Side on Steel Tube Using 3D Nonlinear FEM in Consideration of the Carbon Concentration . . . . . | 739 |
| <i>Saijiro Yoshioka and Yuji Gotoh</i>                                                                                                                                   |     |
| Evaluation for Electromagnetic Non-destructive Inspection of Hardened Depth Using Alternating Leakage Flux on Steel Plate . . . . .                                      | 749 |
| <i>Kazutaka Nishimura and Yuji Gotoh</i>                                                                                                                                 |     |

|                                                                                                                                                                            |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Estimation of Mutual Induction Eddy Current Testing Method Using<br>Horizontal Exciting Coil and Spiral Search Coil . . . . .                                              | 759        |
| <i>Tatsuya Marumoto, Yuta Motoyasu, Yuji Gotoh, and Tatsuo Hiroshima</i>                                                                                                   |            |
| Examination of Evaluation Method of Power Generation Current Using<br>Static Magnetic Field Around Polymer Electrolyte Fuel Cell. . . . .                                  | 770        |
| <i>Daiki Nagata, Yuji Gotoh, Ryota Naganoma, and Masaaki Izumi</i>                                                                                                         |            |
| Evaluation of Nondestructive Inspecting Method of Surface and Opposite<br>Side Defect in Steel Plate Using Large Static and Minute Alternating<br>Magnetic Field . . . . . | 780        |
| <i>Akira Fujii and Yuji Gotoh</i>                                                                                                                                          |            |
| Evaluation of Positions of Thinning Spots in a Dual Structure Using ECT<br>with DC Magnetization . . . . .                                                                 | 790        |
| <i>Daigo Kosaka</i>                                                                                                                                                        |            |
| <b>Author Index . . . . .</b>                                                                                                                                              | <b>797</b> |

## Contents – Part II

### Social Robotics

|                                                                                                                       |    |
|-----------------------------------------------------------------------------------------------------------------------|----|
| Location Monitoring Support Application in Smart Phones for Elderly People, Using Suitable Interface Design . . . . . | 3  |
| <i>Julia Szeles and Naoyuki Kubota</i>                                                                                |    |
| Evaluating Human-Robot Interaction Using a Robot Exercise Instructor at a Senior Living Community . . . . .           | 15 |
| <i>Lundy Lewis, Ted Metzler, and Linda Cook</i>                                                                       |    |
| Estimating the Effect of Dynamic Variable Resistance in Strength Training. . .                                        | 26 |
| <i>Tomosuke Komiyama, Yoshiki Muramatsu, Takuya Hashimoto, and Hiroshi Kobayashi</i>                                  |    |
| Smart Device Interlocked Robot Partner for Elderly Care . . . . .                                                     | 36 |
| <i>Takenori Obo, Sigi Sun, and Naoyuki Kubota</i>                                                                     |    |
| Simplified Standing Function Evaluation System for Fall Prevention . . . . .                                          | 48 |
| <i>Mami Sakata, Keisuke Shima, Koji Shimatani, and Hiroyuki Izumi</i>                                                 |    |
| Psychographic Profiling for Use in Assistive Social Robots for the Elderly . . .                                      | 58 |
| <i>Kayo Sakamoto, Sue-Ann Lee Ching Fern, Lin Han, and Joo Chuan Tong</i>                                             |    |

### Human Support Robotics

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| Interface Design Proposal of Card-Type Programming Tool . . . . .                                               | 71  |
| <i>Naoki Tetsumura, Toru Oshima, Ken'ichi Koyanagi, Hiroyuki Masuta, Tatsuo Motoyoshi, and Hiroshi Kawakami</i> |     |
| Direct Perception of Easily Visible Information for Unknown Object Grasping . . . . .                           | 78  |
| <i>Hiroyuki Masuta, Tatsuo Motoyoshi, Ken'ichi Koyanagi, Toru Oshima, and Hun-ok Lim</i>                        |     |
| Multi-layer Situation Map Based on a Spring Model for Robot Interaction. . .                                    | 90  |
| <i>Satoshi Yokoi, Hiroyuki Masuta, Toru Oshima, Ken'ichi Koyanagi, and Tatsuo Motoyoshi</i>                     |     |
| Service Robot Development with Design Thinking . . . . .                                                        | 102 |
| <i>Takeo Ainoya, Keiko Kasamatsu, Kouhei Shimizu, and Akio Tomita</i>                                           |     |



|                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| Advancement in the EEG-Based Chinese Spelling Systems . . . . .                                                                        | 110 |
| <i>Minghui Shi, Changle Zhou, Min Jiang, Qingyang Hong, Fei Chao, Jun Xie, Weifeng Ren, Dajun Zhou, Tianyu Yang, and Xiangqian Liu</i> |     |
| A Wearable Pressure Sensor Based on the Array of Polymeric Piezoelectric Fiber with Metal Core . . . . .                               | 118 |
| <i>Ran Chen, Weiting Liu, Xiaodong Ruan, and Xin Fu</i>                                                                                |     |
| Practical-Use Oriented Design for Wearable Robot Arm . . . . .                                                                         | 125 |
| <i>Akimichi Kojima, Hirotake Yamazoe, and Joo-Ho Lee</i>                                                                               |     |
| Robot Fault Diagnosis Based on Wavelet Packet Decomposition and Hidden Markov Model . . . . .                                          | 135 |
| <i>You Wu, Zhuang Fu, Shuwei Liu, Jian Fei, Zhen Yang, and Hui Zheng</i>                                                               |     |

**Assistive Robotics**

|                                                                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Development of Pneumatic Myoelectric Hand with Simple Motion Selection . . . . .                                                                                                                    | 147 |
| <i>Kotaro Nishikawa, Masayuki Shakutsui, Kentaro Hirata, and Masahiro Takaiwa</i>                                                                                                                   |     |
| Research of Rehabilitation Device for Hemiplegic Knee Flexion Based on Repetitive Facilitation Exercise. . . . .                                                                                    | 158 |
| <i>Yong Yu, Mizuki Kodama, Hirokazu Matsuwaki, Koutaro Taniguchi, Shuji Matsumoto, Hiroko Yamanaka, Isamu Fukuda, Megumi Shimodozono, and Kazumi Kawahira</i>                                       |     |
| Development of an Add-on Driving Unit for Attendant Propelled Wheelchairs with Sensorless Power Assistance . . . . .                                                                                | 168 |
| <i>Masashi Shibayama, Chi Zhu, and Wang Shui</i>                                                                                                                                                    |     |
| Modeling Dynamic of the Human-Wheelchair System Applied to NMPC. . . . .                                                                                                                            | 179 |
| <i>Gabriela M. Andaluz, Víctor H. Andaluz, Héctor C. Terán, Oscar Arteaga, Fernando A. Chicaiza, José Varela, Jessica S. Ortiz, Fabricio Pérez, David Rivas, Jorge S. Sánchez, and Paul Canseco</i> |     |
| FESleeve: A Functional Electrical Stimulation System with Multi-electrode Array for Finger Motion Control. . . . .                                                                                  | 191 |
| <i>Tianqu Shao, Xiang Li, Hiroshi Yokoi, and Dingguo Zhang</i>                                                                                                                                      |     |
| A Calibration Method for Interbody Distance in Lumbosacral Alignment Estimation . . . . .                                                                                                           | 200 |
| <i>Yoshio Tsuchiya, Takashi Kusaka, Takayuki Tanaka, Yoshikazu Matsuo, Makoto Oda, Tsukasa Sasaki, Tamotsu Kamishima, and Masanori Yamanaka</i>                                                     |     |

|                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------|-----|
| Human-Wheelchair System Controlled by Through Brain Signals . . . . .                                 | 211 |
| <i>Jessica S. Ortiz, Víctor H. Andaluz, David Rivas, Jorge S. Sánchez,<br/>and Edison G. Espinosa</i> |     |

|                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------|-----|
| Adaptive Control of the Human-Wheelchair System Through Brain Signals . . .                                             | 223 |
| <i>Víctor H. Andaluz, Jessica S. Ortiz, Fernando A. Chicaiza, José Varela,<br/>Edison G. Espinosa, and Paúl Canseco</i> |     |

## Intelligent Space

|                                                                                                 |     |
|-------------------------------------------------------------------------------------------------|-----|
| Acquiring Personal Attributes Using Communication Robots for<br>Recommendation System . . . . . | 237 |
| <i>Aoi Suzuki, Eri Sato-Shimokawara, Toru Yamaguchi,<br/>and Kentaro Ikehata</i>                |     |

|                                                                                                   |     |
|---------------------------------------------------------------------------------------------------|-----|
| Robot Control Interface System Using Glasses-Type Wearable Devices . . . . .                      | 247 |
| <i>Eichi Tamura, Yoshihiro Yamashita, Yihsin Ho, Eri Sato-Shimokawara,<br/>and Toru Yamaguchi</i> |     |

|                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| Relationship Between Personal Space and the Big Five with Telepresence<br>Robot . . . . . | 257 |
| <i>Yoshifumi Kokubo, Eri Sato-Shimokawara, and Toru Yamaguchi</i>                         |     |

|                                                             |     |
|-------------------------------------------------------------|-----|
| Development of Behavior Observation Robot Ver.2. . . . .    | 266 |
| <i>Motoyasu Tooyama, Kazuyoshi Wada, and Mutsuki Yageta</i> |     |

|                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------|-----|
| A Collaborative Task Experiment by Multiple Robots in a Human<br>Environment Using the Kukanchi System. . . . .   | 276 |
| <i>Kazuma Fujimoto, Takeshi Sasaki, Midori Sugaya, Takashi Yoshimi,<br/>Makoto Mizukawa, and Nobuto Matsuhira</i> |     |

|                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------|-----|
| Mel-Frequency Cepstral Coefficient (MFCC) for Music Feature Extraction<br>for the Dancing Robot Movement Decision . . . . . | 283 |
| <i>Indra Adjı Sulistijono, Renita Chulafa Urrosyda, and Zaqiatud Darojah</i>                                                |     |

## Sensing and Monitoring in Environment and Agricultural Sciences

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Random Forests Hydrodynamic Flow Classification in a Vertical Slot<br>Fishway Using a Bioinspired Artificial Lateral Line Probe . . . . . | 297 |
| <i>Shinji Fukuda, Jeffrey A. Tuhtan, Juan Francisco Fuentes-Perez,<br/>Martin Schletterer, and Maarja Kruusmaa</i>                        |     |

|                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------|-----|
| Assessment of Depth Measurement Using an Acoustic Doppler Current<br>Profiler and a CTD Profiler in a Small River in Japan . . . . . | 308 |
| <i>Shinji Fukuda, Kazuaki Hiramatsu, and Masayoshi Harada</i>                                                                        |     |

|                                                                                                                                                                               |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Potential for Automated Systems to Monitor Drying of Agricultural Products Using Optical Scattering . . . . .                                                                 | 317 |
| <i>Marcus Nagle, Giuseppe Romano, Patchimaporn Udomkun, Dimitrios Argyropoulos, and Joachim Müller</i>                                                                        |     |
| Online Monitoring System on Controlled Irrigation Experiment for Export Quality Mango in Thailand . . . . .                                                                   | 328 |
| <i>Eriko Yasunaga, Shinji Fukuda, Wolfram Spreer, and Daisuke Takata</i>                                                                                                      |     |
| Intensity Histogram Based Segmentation of 3D Point Cloud Using Growing Neural Gas . . . . .                                                                                   | 335 |
| <i>Shin Miyake, Yuichiro Toda, Naoyuki Kubota, Naoyuki Takesue, and Kazuyoshi Wada</i>                                                                                        |     |
| Influence of Water Supply on CO <sub>2</sub> Concentration in the Rootzone of Split-Root Potted Longan Trees . . . . .                                                        | 346 |
| <i>Winai Wiriya-Alongkorn, Wolfram Spreer, Somchai Ongprasert, Klaus Spohrer, and Joachim Müller</i>                                                                          |     |
| <b>Human Data Analysis</b>                                                                                                                                                    |     |
| Development of an Uchi Self-learning System for Mutsumi-ryu-style Shamisen Using VR Environment . . . . .                                                                     | 359 |
| <i>Takeshi Shibata, Kazutaka Mitobe, Takeshi Miura, Katsuya Fujiwara, Masachika Saito, and Hideo Tamamoto</i>                                                                 |     |
| Action Learning to Single Robot Using MARL with Repeated Consultation: Realization of Repeated Consultation Interruption for the Adaptation to Environmental Change . . . . . | 371 |
| <i>Yoh Takada and Kentarou Kurashige</i>                                                                                                                                      |     |
| A Study on the Deciding an Action Based on the Future Probabilistic Distribution . . . . .                                                                                    | 383 |
| <i>Masashi Sugimoto and Kentarou Kurashige</i>                                                                                                                                |     |
| Rehabilitation Support System Using Multimodal Interface Device for Aphasia Patients . . . . .                                                                                | 395 |
| <i>Takuya Mabuchi, Joji Sato, Takahiro Takeda, and Naoyuki Kubota</i>                                                                                                         |     |
| Post-operative Implanted Knee Kinematics Prediction in Total Knee Arthroscopy Using Clinical Big Data. . . . .                                                                | 405 |
| <i>Belayat Md. Hossain, Manabu Nii, Takatoshi Morooka, Makiko Okuno, Shiichi Yoshiya, and Syoji Kobashi</i>                                                                   |     |
| Camera-Projector Calibration - Methods, Influencing Factors and Evaluation Using a Robot and Structured-Light 3D Reconstruction . . . . .                                     | 413 |
| <i>Jonas Lang and Thomas Schlegl</i>                                                                                                                                          |     |

**Robot Hand**

|                                                                                                |            |
|------------------------------------------------------------------------------------------------|------------|
| Automatic Grasp Planning Algorithm for Synergistic Underactuated Hands. . .                    | 431        |
| <i>Lei Hua, Xinjun Sheng, Wei Lv, and Xiangyang Zhu</i>                                        |            |
| Feasibility of a Sensorimotor Rhythm Based Mobile Brain-Computer Interface. . . . .            | 443        |
| <i>Shiyong Su, Xiaokang Shu, Xinjun Sheng, Dingguo Zhang, and Xiangyang Zhu</i>                |            |
| Brain Gamma Oscillations of Healthy People During Simulated Driving . . . .                    | 453        |
| <i>Min Lei, Guang Meng, Wenming Zhang, Joshua Wade, and Nilanjan Sarkar</i>                    |            |
| Virtual Environments for Hand Rehabilitation with Force Feedback . . . . .                     | 459        |
| <i>Wei Lv, Xinjun Sheng, Lei Hua, and Xiangyang Zhu</i>                                        |            |
| A Novel Tactile Sensing Array with Elastic Steel Frame Structure for Prosthetic Hand . . . . . | 471        |
| <i>Chunxin Cu, Weiting Liu, Xiaodong Ruan, and Xin Fu</i>                                      |            |
| Visualization of Remote Taskspace for Hand/Arm Robot Teleoperation . . . .                     | 479        |
| <i>Futoshi Kobayashi, Yoshiyuki Kakizaki, Hiroyuki Nakamoto, and Fumio Kojima</i>              |            |
| <b>Author Index . . . . .</b>                                                                  | <b>489</b> |

Intelligent Robotics and Applications

9th International Conference, ICIRA 2016, Tokyo, Japan,

August 22-24, 2016, Proceedings, Part I

Kubota, N.; Kazuo, K.; Liu, H.; Obo, T. (Eds.)

2016, XXIII, 801 p. 555 illus., Softcover

ISBN: 978-3-319-43505-3