

Contents

1	Make a Plot with a Click	1
1.1	The First Plot	2
1.2	Apply Themes and Save to Multiplot	7
1.2.1	Gray Theme	7
1.2.2	Classic Theme	7
1.2.3	Economist Theme	8
1.2.4	Wall Street Journal(wsj) Theme	10
1.3	Make a Multiplot	11
1.3.1	Adjust of the Viewport	13
1.3.2	Multiplot Examples	14
2	Make a Plot by ggplot2	15
2.1	The Grammar of Graphics	15
2.1.1	The Components of Graphics	15
2.1.2	Steps for Making a Plot with ggplot2	16
2.1.3	Example 1: Salaries of Professors	16
2.1.4	Example 2: The acs Data	19
3	Show Data Distribution	21
3.1	Goal	21
3.2	Web-R's Way	22
3.2.1	Step 1: Data Selection	22
3.2.2	Step 2: Making a Histogram	23
3.2.3	Step 3: Colorize the Histogram	24
3.2.4	Step 4: Making a Density Curve	25
3.2.5	Step 5: Density Curve Overlaid on a Histogram	26
3.2.6	Step 6: Use Line Instead of Density	27
3.2.7	Step 7: Adjust the Amount of Smoothing	28
3.2.8	Step 8: Add Transparent Shadow	29
3.2.9	Step 9: Standard Method Using R Code	30

3.2.10	Step 10: Making Multiple Density Curves by Group.	31
3.2.11	Step 11: Facets by Rows.	32
4	Scatter Plots(I)	33
4.1	Goal	33
4.2	Web-R's Way	34
4.2.1	Step 1: Make a Basic Scatter Plot.	34
4.2.2	Step 2: Grouping Points with Colors	35
4.2.3	Step 3: Change the Shape and Color of Points	36
4.2.4	Step 4: Add Regression Line	37
4.2.5	Step 5: Add Linear Regression	38
4.2.6	Step 6: Facets by Column and Apply Theme	39
4.3	Standard Method Using R Code.	40
4.4	The Shapes of Point in R.	41
5	Scatter Plot(II)	43
5.1	Goal	43
5.2	Web-R's Way	44
5.2.1	Step 1: Select Data	44
5.2.2	Step 2: Scatter Plot with Regression Lines	45
5.2.3	Step 3: Preprocessing of Data.	46
5.2.4	Step 4: Scatter Plot Between Age and Height.	47
5.2.5	Step 5: Jittering.	48
5.2.6	Step 6: Make a Box Plot.	49
5.2.7	Step 7: Options for Jittering	50
6	Logistic Regression	51
6.1	Goal	51
6.2	Web-R's Way	52
6.2.1	Step 1: Select Data and Preprocessing	52
6.2.2	Step 2: Logistic Regression.	53
6.3	Standard Method Using R Code.	54
7	Labelling Points in a Scatter Plot	55
7.1	Goal	55
7.2	Web-R's Way	56
7.2.1	Step 1: Data Selection and Preprocessing	56
7.2.2	Step 2: Make a Scatter Plot.	57
7.2.3	Step 3: Labelling the Points	58
7.2.4	Step 4: Change the Position of Labels	59
7.2.5	Step 5: Coloring the Points.	60
7.2.6	Step 6: Coloring the Points(2).	61
7.2.7	Step 7: Use geom_label() Function.	62

7.2.8	Step 8: Avoid Overlap	63
7.2.9	Step 9: Change the Range of an Axis	64
7.3	Standard Method Using R Code	65
8	Making a 2D Density Plot	67
8.1	Goal	67
8.2	Web-R's Way	68
8.2.1	Step 1: Select Data	68
8.2.2	Step 2: Read Help File for Data	69
8.2.3	Step 3: Make a 2-Dimensional Density Plot	70
8.2.4	Step 4: Mapping Density to the Fill Color	72
8.2.5	Step 5: Mapping Density to the Transparency	74
8.3	Standard Method Using R Code	75
9	Drawing 2D Contours	77
9.1	Goal	77
9.2	Web-R's Way	78
9.2.1	Step 1: Select Data	78
9.2.2	Step 2: Draw 2D Contours	79
9.2.3	Step 3: Adjust Options	81
9.2.4	Step 4: Overlap the Two Sets of Contours	82
9.3	Standard Method Using R Code	83
9.4	3D Contour	84
10	Balloon Plot	85
10.1	Goal	85
10.2	Web-R's Way	86
10.2.1	Step 1: Enter the Data Name	86
10.2.2	Step 2: Make a Scatter Plot	87
10.2.3	Step 3: Make a Balloon Plot	88
10.2.4	Step 4: Add Text Label	89
10.3	Standard Method Using R Code	90
11	Cleveland Dot Plot	91
11.1	Goal	91
11.2	Web-R's Way	92
11.2.1	Step 1: Enter the Data	92
11.2.2	Step 2: Subset the Data	93
11.2.3	Step 3: Typo	94
11.2.4	Step 4: Assign Variables and Make a Scatter Plot	95
11.2.5	Step 5: Add Segments	96
11.2.6	Step 6: Sort by Batting Average	97
11.2.7	Step 7: Apply Black and White Theme	98
11.2.8	Step 8: Make Subplots	99

11.2.9	Step 9: Adjust Scales Parameter	100
11.2.10	Step 10: Adjust Space Parameter	101
11.3	Standard Method Using R Code.	102
12	Wilkinson Dot Plot	103
12.1	Goal	103
12.2	Web-R's Way	104
12.2.1	Step 1: Data Selection.	104
12.2.2	Step 2: Assign Variables and Select the Dotplot.	105
12.2.3	Step 3: Stackdir; Direction to Stack the Dots	106
12.2.4	Step 4: Make Multiple Dotplots by Group	107
12.2.5	Step 5: Dotplot Overlaid on Boxplot	108
12.3	Standard Method Using R Code.	109
13	Bar Plot(I).	111
13.1	Goal	111
13.2	Web-R's Way	112
13.2.1	Step 1: Select Data	112
13.2.2	Step 2: The First Bar Plot.	113
13.2.3	Step 3: The Histogram	114
13.2.4	Step 4: Stacked Bar Plot.	115
13.2.5	Step 5: Grouped Bar Plot	116
13.2.6	Step 6: Proportional Stacked Bar Plot.	117
13.2.7	Step 7: Make a Multiplot	118
14	Bar Plot(II)	121
14.1	Goal	121
14.2	Web-R's Way	122
14.2.1	Step 1: Data Preprocessing	122
14.2.2	Step 2: Make Bar Plot Representing Values	124
14.2.3	Step 3: Add Error Bar.	125
14.2.4	How It Works?	126
14.3	Standard Method Using R Code.	127
15	Labelling a Bar Plot(I)	129
15.1	Goal	129
15.2	Web-R's Way	130
15.2.1	Step 1: Draw a Bar Plot	130
15.2.2	Step 2: Labelling the Stacked Bar Plot	131
15.2.3	Step 3: Labelling the Grouped Bar Plot	132
15.2.4	Step 4: Labelling the Proportional Stacked Bar Plot	133
15.3	Standard Method Using R Code.	134
15.3.1	Labelling the Stacked Bar Plot	134
15.3.2	Labelling the Grouped Bar Plot	135
15.3.3	Labelling the Proportional Stacked Bar Plot	136

16	Labelling a Bar Plot(II)	141
16.1	Goal	141
16.2	Web-R's Way	142
16.2.1	Step 1: Stacked Bar Plot	142
16.2.2	Step 2: Add Labels	143
16.2.3	Step 3: Labelling the Grouped Bar Plot	144
16.2.4	Step 4: Labelling the Proportional Stacked Bar Plots	145
16.2.5	Step 5: Change the Palette	146
16.3	Standard Method Using R Code	147
16.3.1	Labelling the Stacked Bar Plot	147
16.3.2	Labelling the Grouped Bar Plot	148
16.3.3	Labelling the Proportional Stacked Bar Plot	149
17	Line Graph	151
17.1	Goal	151
17.2	Web-R's Way	152
17.2.1	Step 1: Select Data	152
17.2.2	Step 2: The First Line Graph	153
17.2.3	Step 3: Options for Line	154
17.2.4	Step 4: ToothGrowth Data	155
17.2.5	Step 5: A Line Graph with Points	156
17.2.6	Step 6: Summarize the Data	157
17.2.7	Step 7: Draw a Line Graph	158
17.2.8	Step 8: Change the Line Type and Shape	159
17.2.9	Step 9: Dodge the Points	161
17.3	Standard Method Using R Code	162
18	Multiplot with Error Bars	163
18.1	Goal	163
18.2	Standard Method Using R Code	164
18.2.1	Select Data	164
18.2.2	Summarize Data with Means and Standard Errors	164
18.2.3	Make a Bar Plot with Error Bars	165
18.2.4	Make a Line Plot with Error Bars	167
18.3	Web-R's Way	169
18.3.1	Step 1: Make a Bar Plot	169
18.3.2	Step 2: Add Error Bars	170
18.3.3	Step 3: Preprocessing	171
18.3.4	Step 4: Save to Multiplot	172
18.3.5	Step 5: Make a Line Plot	173
18.3.6	Step 6: Adjust the Position of Error Bars	174
18.3.7	Step 7: Make a Multiplot	175

18.3.8	Step 8: Select the Viewports	177
18.3.9	Step 9: Adjust the Plot Width	178
19	Boxplot	179
19.1	Goal	179
19.2	Web-R's Way	180
19.2.1	Step 1: Select Data	180
19.2.2	Step 2: Make a Boxplot	181
19.2.3	Step 3: Assign the Fill Variable	182
19.2.4	Step 4: Delete Legend.	183
19.2.5	Step 5: Use Color Rather Than Fill	184
19.2.6	Step 6: Make a Notched Boxplot	185
19.2.7	Step 7: Do Not Show Outliers	186
19.2.8	Step 8: Add Means to Boxplots	187
19.2.9	Step 9: Apply Theme	188
19.3	Standard Method Using R Code.	189
20	Violin Plot	191
20.1	Goal	191
20.2	Web-R's Way	192
20.2.1	Step 1: Select Data	192
20.2.2	Step 2: Assign Variables/Draw a Violin Plot	193
20.2.3	Step 3: Trim and Scale Options	194
20.2.4	Step 4: Fill the Violin	195
20.2.5	Step 5: Add Boxplots	196
20.2.6	Step 6: Add Jittered Points	197
20.2.7	Step 7: Add Means	198
20.2.8	Step 8: Get the R Code.	199
20.3	Standard Method Using R Code.	200
21	Area Plot	201
21.1	Goal	201
21.2	Web-R's Way	202
21.2.1	Step 1: Select Example	202
21.2.2	Step 2: Assign Variables.	203
21.2.3	Step 3: Make a Scatterplot	204
21.2.4	Step 4: Change the Shape of Point	205
21.2.5	Step 5: Change the Position of Point	206
21.2.6	Step 6: Select Area Plot	207
21.2.7	Step 7: Change the Palette	208
21.2.8	Step 8: Add Lines.	209
21.2.9	Step 9: Adjust Transparency	210
21.2.10	Step 10: Download Your Plot.	211
21.3	Standard Method Using R Code.	212
21.3.1	Show the Palettes Plot	213

22	Polar Plot	215
22.1	Goal	215
22.2	Web-R's Way	216
22.2.1	Step 1: Select Data	216
22.2.2	Step 2: Draw a Barplot	217
22.2.3	Step 3: Draw a Polar Plot	218
22.2.4	Step 4: Stacked Bar Plot	219
22.2.5	Step 5: Bull's Eye Chart	220
22.2.6	Step 6: Pie Chart	221
22.2.7	Step 7: Rose Data	222
22.2.8	Step 8: Draw a Bar Plot	223
22.2.9	Step 9: Polar Plot	224
22.3	Standard Method Using R Code	225
23	Annotations	227
23.1	Goal	227
23.2	Web-R's Way	228
23.2.1	Step 1: Draw a Scatter Plot	228
23.2.2	Step 2: Add Text Labels	229
23.2.3	Step 3: Insert a Text Annotation	230
23.2.4	Step 4: Highlighting and Labelling Selected Items	231
23.2.5	Step 5: Adding a Shaded Rectangle	234
23.2.6	Step 6: Adding a Segement	235
23.2.7	Step 7: Adding a Regression Line	236
23.2.8	Step 8: Get the Regression Equation	237
23.2.9	Step 9: Adding the Regression Equation	239
23.3	Standard Method Using R Code	240
24	Add a Table Annotation	241
24.1	Goal	241
24.2	Web-R's Way	242
24.2.1	Step 1: Preparing a Table	242
24.2.2	Step 2: Draw a Scatter Plot	243
24.2.3	Step 3: Adding the Table	244
24.2.4	Step 4: Insert the Table Title	245
24.3	Standard Method Using R Code	246
25	Adding the Regression Results in Scatter Plot	247
25.1	Goal	247
25.2	Standard Method Using R Code	248
25.2.1	Summarizing Regression Results	248
25.2.2	Make the Function <code>lm2table()</code>	249
25.3	Standard Method Using R Code	250

25.4	Web-R's Way	251
25.4.1	Scatter Plot with Regression Line	251
25.4.2	Set the annotation_custom()	252
25.4.3	Customizing the Table Position (1).	253
25.4.4	Customizing the Table Position (2).	254
26	Heatmap	255
26.1	Goal	255
26.2	Web-R's Way	256
26.2.1	Step 1: Enter the Name of Data	256
26.2.2	Step 2: Draw a Heatmap.	257
26.2.3	Step 3: Customizing Heatmap.	258
26.3	Standard Method Using R Code.	260
27	Horizontal Bar Plot	261
27.1	Goal	261
27.2	Web-R's Way	262
27.2.1	Step 1: Preprocessing the Data	262
27.2.2	Step 2: Draw a Bar Plot	263
27.2.3	Step 3: Customizing the Bar Plot	264
27.3	Standard Method Using R Code.	266
28	Horizontal Box Plot	267
28.1	Goal	267
28.2	Web-R's Way	268
28.2.1	Step 1: Enter the Name of Data	268
28.2.2	Step 2: Draw Boxplots	269
28.2.3	Step 3: Customizing Boxplots.	270
28.3	Standard Method Using R Code.	271
29	Drawing a Map.	273
29.1	Goal	273
29.2	Standard Method Using R Code.	274
29.2.1	Some Notes About maps Package.	276
29.3	Web-R's Way	277
29.3.1	Step 1: Select the Map Data	277
29.3.2	Step 2: Draw a Map	278
29.3.3	Step 3: Subset the Map.	279
29.3.4	Step 4: Map Projection	280
29.3.5	Step 5: Remove Background of a Map.	281
30	Choropleth Map	283
30.1	Goal	283
30.2	Standard Method Using R Code.	284
30.2.1	The First Choropleth Map.	284
30.2.2	The Faceted Choropleth Map	285

30.3	Web-R's Way	287
30.3.1	Step 1: Load the Data	287
30.3.2	Step 2: Choropleth Map	288
30.3.3	Step 3: Set the coord_map()	290
30.3.4	Step 4: Transform Data from Wide Form to Long Form(1)	291
30.3.5	Step 5: Transform Data from Wide Form to Long Form (2)	292
30.3.6	Step 6: Faceting the Map	293
30.3.7	Step 7: Apply a Palette	294
31	Interactive Plot	295
31.1	Goal	295
31.2	Package Installation	295
31.3	ggRadar() for an Interactive Radar Chart	296
31.3.1	Standard Method Using R Code	296
31.3.2	Web-R's Way	297
31.4	ggPoints() for an Interactive Scatter Plot	299
31.4.1	Web-R's Way	299
31.4.2	Standard Method Using R Code	300
31.5	ggPieDonut() to Combine Pie and Donut Plots	301
31.5.1	Standard Method Using R Code	301
31.5.2	Web-R's Way	304
31.6	ggBoxplot() for an Interactive Box Plot	305
31.6.1	Standard Method Using R Code	305
31.6.2	Web-R's Way	306
31.7	ggSpine() for an Interactive Spinogram	307
31.7.1	Standard Method Using R Code	307
31.7.2	Web-R's Way	311
31.8	ggBar() for an Interactive Bar Plot	312
31.8.1	Standard Method Using R Code	312
31.8.2	Web-R's Way	313
31.9	ggRose() for an Interactive Rose Plot	314
31.9.1	Standard Method Using R Code	314
31.9.2	Web-R's Way	315
31.10	ggPair() for a Paired Test	316
31.10.1	Standard Method Using R Code	316
31.10.2	Web-R's Way	318
31.11	ggCLE() for a Cleveland Dot Plot	320
31.11.1	Standard Method Using R Code	320
31.11.2	Web-R's Way	322
31.12	ggDot() for a Wilkinson Dot Plot	323
31.12.1	Standard Method Using R Code	323
31.12.2	Web-R's Way	324

31.13	ggCor() for a Correlation Plot	325
31.13.1	Standard Method Using R Code	325
31.13.2	Web-R's Way	327
31.14	ggHeatmap() for an Interactive Heatmap	328
31.14.1	Standard Method Using R Code	328
31.14.2	Web-R's Way	330
31.15	ggAncova() for an ANCOVA Model	331
31.15.1	Standard Method Using R Code	331
31.15.2	Web-R's Way	332
31.16	ggEffect() for a Linear Regression with Interaction Model.	333
31.16.1	Standard Method Using R Code	333
31.16.2	Web-R's Way	339
31.17	ggErrorBar() for a Bar Plot with Error Bar	340
31.17.1	Standard Method Using R Code	340
31.17.2	Web-R's Way	342
31.18	ggChoropleth() for an Interactive Choropleth Map.	344
31.18.1	Standard Method Using R Code	344
31.18.2	Web-R's Way	346
Index	349

<http://www.springer.com/978-3-319-53018-5>

Learn ggplot2 Using Shiny App

Moon, K.-W.

2016, XVI, 351 p. 346 illus., 336 illus. in color.,

Softcover

ISBN: 978-3-319-53018-5