

# Contents

## Part I Numbers and Alphanumerics in Digital Imaging

<b>1</b>	<b>Number Set</b>	<b>3</b>
1.1	Set	3
1.2	Natural Number	3
1.3	Integer Number	4
1.4	Rational Number	5
1.5	Irrational Number	6
1.6	Real Number	7
1.7	Number Variables	7
	References	7
<b>2</b>	<b>Number Input</b>	<b>9</b>
2.1	Representation of Numbers	9
2.2	Decimal Representation of Integers	9
2.3	Binary Representation of Integers	10
2.4	Hexadecimal Representation of Integers	11
2.5	ASCII Representation of Characters	11
2.6	Correspondence Between Representations	14
2.7	Computer Representation of Numbers	14
2.8	Flowchart	16
2.9	Development of Computer Input	16
	References	17
<b>3</b>	<b>Number Process</b>	<b>19</b>
3.1	Algorithm	19
3.2	Integer Arithmetic	22
3.3	Integer Addition	23
3.4	Integer Subtraction	23
3.5	Integer Multiplication	24
3.6	Integer Division	24

3.7	Integer Remainder . . . . .	25
3.8	Integer Power . . . . .	25
3.9	Rational Multiplier . . . . .	26
3.10	Integer Vector . . . . .	26
3.11	Integer Matrix . . . . .	27
3.12	Matrix Addition . . . . .	28
3.13	Matrix Subtraction . . . . .	28
3.14	Scalar Multiplication . . . . .	28
3.15	Matrix Multiplication . . . . .	29
3.16	Integer Matrix Inversion . . . . .	30
3.17	Real Arithmetic . . . . .	30
3.18	Boolean Algebra . . . . .	32
3.19	Computer Representation of Arithmetic . . . . .	34
3.20	Computer Process . . . . .	35
3.21	Programming Language . . . . .	35
3.22	Program with Display Output . . . . .	36
3.23	Development of Programming Languages . . . . .	37
	References . . . . .	38
<b>4</b>	<b>Alphanumeric File . . . . .</b>	<b>39</b>
4.1	Flowchart . . . . .	39
4.2	Memory . . . . .	39
4.3	Development of Memory . . . . .	40
4.4	File . . . . .	41
4.5	ASCII File . . . . .	42
4.6	Program with ASCII File Input and Output . . . . .	42
	References . . . . .	45
<b>5</b>	<b>Alphanumeric Output . . . . .</b>	<b>47</b>
5.1	Flowchart . . . . .	47
5.2	Display Hardware . . . . .	47
5.3	Display Typography . . . . .	47
5.4	Alphanumeric Display Software . . . . .	49
5.5	Development of Alphanumeric Display . . . . .	50
5.6	Program with Display Output . . . . .	51
5.7	Print Hardware . . . . .	51
5.8	Alphanumeric Print Typography . . . . .	52
5.9	Alphanumeric Print Software . . . . .	52
5.10	Development of Alphanumeric Output . . . . .	53
5.11	Program with Print Output . . . . .	53
	References . . . . .	56

## Part II Location in Digital Imaging

<b>6</b>	<b>Coordinate Geometry</b> . . . . .	61
6.1	Geometric Space . . . . .	61
6.2	Euclidean Coordinate Space . . . . .	62
6.3	Discrete Coordinate Space . . . . .	66
6.4	Arithmetic Scale and Harmonic Scale . . . . .	67
6.5	Harmonic Coordinate Space . . . . .	70
6.6	Euclidean-to-Harmonic Conversion . . . . .	72
6.7	Family of Coaxial Circles and Codiskal Caps . . . . .	72
6.8	Homogeneous Coordinates . . . . .	74
6.9	Elliptic Coordinate Space . . . . .	74
	References. . . . .	77
<b>7</b>	<b>Object Geometry</b> . . . . .	79
7.1	Measuring Physical Objects . . . . .	79
7.2	Discrete Space Box . . . . .	79
7.3	Contact Measurement . . . . .	81
7.4	Optical Measurement. . . . .	82
7.5	Global Positioning System (GPS) . . . . .	82
7.6	Photogrammetry . . . . .	83
7.7	Computer Modelling of Objects . . . . .	83
7.8	Example of Computer Modelling . . . . .	84
7.9	Discrete Space Graph . . . . .	84
7.10	Space Data Editor Program . . . . .	86
7.11	Space Transformation . . . . .	87
7.12	Reflection . . . . .	90
7.13	Translation . . . . .	91
7.14	Rotation . . . . .	92
7.15	Dilation . . . . .	95
7.16	Shearing . . . . .	96
7.17	Space Transformation Program . . . . .	98
	References. . . . .	99
<b>8</b>	<b>Projection Geometry</b> . . . . .	101
8.1	Plane Projection . . . . .	101
8.2	Euclidean Plane Projection . . . . .	103
8.3	Harmonic Plane Projection . . . . .	106
8.4	Elliptic Plane Projection . . . . .	107
8.5	Space Projection . . . . .	108
8.6	Euclidean Space Projection. . . . .	110
8.7	Ten Classical Projections . . . . .	112
8.8	Orthographic Projection . . . . .	114
8.9	Isometric Projection. . . . .	119

8.10	Dimetric Projection . . . . .	122
8.11	Trimetric Projection. . . . .	125
8.12	Military Projection . . . . .	127
8.13	Cavalier Projection . . . . .	129
8.14	Cabinet Projection. . . . .	131
8.15	One-Point Perspective . . . . .	132
8.16	Two-Point Perspective . . . . .	134
8.17	Three-Point Perspective . . . . .	137
8.18	Space Projection Program . . . . .	138
8.19	Relief Projection . . . . .	141
8.20	Harmonic Space Projection. . . . .	143
8.21	Elliptic Space Projection . . . . .	144
8.22	Diorama and Panorama . . . . .	145
	References. . . . .	146
<b>9</b>	<b>Lens Geometry . . . . .</b>	<b>149</b>
9.1	Converging Lens. . . . .	149
9.2	Real Image. . . . .	151
9.3	Gaussian Nomogram . . . . .	153
9.4	Lens Image as Space Projection . . . . .	155
9.5	Depth of Field . . . . .	156
9.6	Virtual Image . . . . .	159
9.7	Compound Converging Lens . . . . .	159
9.8	Diffraction Limit of Lens . . . . .	161
	Reference . . . . .	163
<b>10</b>	<b>Viewing Geometry . . . . .</b>	<b>165</b>
10.1	Flowchart. . . . .	165
10.2	Physiology of Eye. . . . .	165
10.3	Geometrical Optics of Eye . . . . .	167
10.4	Size Variables of Eye . . . . .	168
10.5	Resolving Power of Eye . . . . .	170
10.6	Snellen Acuity . . . . .	172
10.7	Vernier Acuity . . . . .	176
10.8	Diffraction Limit of Eye . . . . .	176
10.9	Corrective Converging Lens . . . . .	177
10.10	Virtual Image . . . . .	179
10.11	Simple Magnifier . . . . .	180
10.12	Compound Magnifier. . . . .	182
	Reference . . . . .	183
<b>11</b>	<b>Stereo Projection . . . . .</b>	<b>185</b>
11.1	Stereoscopy . . . . .	185
11.2	Stereo Projection by Geometry . . . . .	186

11.3	Stereoscopic Difference . . . . .	188
11.4	Stereo Projection by Computation . . . . .	189
11.5	Parallel Stereo Projection . . . . .	192
11.6	Magnified Stereo Projection . . . . .	195
11.7	Stereo Projection by Camera. . . . .	196
11.8	Camera Stereoscopic Difference . . . . .	196
11.9	Stereo-pair from Native Camera Images . . . . .	199
11.10	Stereo-pair from Masked Camera Images . . . . .	203
11.11	Random-Dot Stereo-pair. . . . .	206
11.12	Anaglyph Stereo-pair. . . . .	208
11.13	Polarized Stereo-pair . . . . .	208
11.14	Lenticular Printing. . . . .	209
	References. . . . .	210
<b>12</b>	<b>Stereo Viewing . . . . .</b>	<b>211</b>
12.1	Flowchart. . . . .	211
12.2	Binocular Geometry . . . . .	211
12.3	Binocular Fusion. . . . .	213
12.4	Binocular Disparity . . . . .	215
12.5	Depth Acuity . . . . .	216
12.6	Viewing Stereo-pair of Images . . . . .	218
12.7	Direct Viewing, Uncrossed. . . . .	218
12.8	Direct Viewing, Crossed . . . . .	218
12.9	Viewing with Masks . . . . .	220
12.10	Viewing with Plane Mirrors . . . . .	220
12.11	Viewing with Plane Prisms. . . . .	221
12.12	Viewing with De-centred Lenses. . . . .	222
12.13	Viewing with Centred Lenses . . . . .	224
12.14	State of the Art. . . . .	225
	References. . . . .	225
<b>13</b>	<b>Auto-stereo Imaging . . . . .</b>	<b>227</b>
13.1	False Fusion. . . . .	227
13.2	Wallpaper Effect. . . . .	228
13.3	Extended False Fusion. . . . .	229
13.4	Auto-stereo . . . . .	231
13.5	Perspective Auto-stereo . . . . .	232
13.6	Random-dot Auto-stereo . . . . .	234
13.7	Computed Random-dot Auto-stereo. . . . .	235
13.8	4-bit Random-dot Auto-stereogram Examples . . . . .	240
	References. . . . .	245

<b>14 Perception of Space</b> . . . . .	247
14.1 Choice of Coordinate Space . . . . .	247
14.2 Phenomenology of Perceived Space. . . . .	248
References. . . . .	249

**Part III Intensity in Digital Imaging**

<b>15 Photometry</b> . . . . .	253
15.1 Electro-magnetic Radiation. . . . .	253
15.2 Radiometry . . . . .	254
15.3 Photometry. . . . .	255
15.4 Radian and Steradian. . . . .	256
15.5 Point Source. . . . .	257
15.6 Extended Source. . . . .	259
15.7 Light Arriving at a Surface. . . . .	260
15.8 Light Leaving a Surface. . . . .	262
15.9 Photometry Examples . . . . .	264
References. . . . .	267
<b>16 Colorimetry</b> . . . . .	269
16.1 Colorimetry . . . . .	269
16.2 CIE XYZ Colour Space. . . . .	270
16.3 CIE xyY Colour Space . . . . .	273
16.4 CIE LAB Colour Space. . . . .	275
16.5 sRGB Colour Space . . . . .	275
16.6 CMYK Colour Space . . . . .	277
16.7 Numerical Conversion Between Colour Spaces. . . . .	280
References. . . . .	281
<b>17 Perception of Brightness, Hue, and Saturation</b> . . . . .	283
17.1 Perception of Brightness . . . . .	283
17.2 Brightness Threshold. . . . .	283
17.3 Brightness Difference . . . . .	284
17.4 Fechner’s Law . . . . .	285
17.5 Brightness Transfer Function of Eye . . . . .	285
17.6 Stevens’ Power Law . . . . .	288
17.7 CIE Lightness. . . . .	288
17.8 The Brightness Transfer Function is Linear . . . . .	289
17.9 Subtractive Brightness Gradient . . . . .	290
17.10 Perception of Colour . . . . .	291
17.11 Perception of Hue . . . . .	292
17.12 Perception of Saturation. . . . .	293

17.13	Perception of Feature. . . . .	293
17.14	Perception of Scene. . . . .	294
	References. . . . .	294

## **Part IV Complexity in Digital Imaging**

<b>18</b>	<b>Complexity. . . . .</b>	<b>297</b>
18.1	Complex Systems . . . . .	297
18.2	Statistical Information Theory. . . . .	298
18.3	Classical Statistics of Digital Images . . . . .	299
18.4	8-bit Frequency Table . . . . .	300
18.5	8-bit Histogram. . . . .	301
18.6	8-bit Ogee Plot. . . . .	302
18.7	Histograms in Digital Imaging . . . . .	302
18.8	Normal Distribution. . . . .	302
18.9	Standard Normal Distribution . . . . .	303
18.10	Departures from Standard Normal Distribution . . . . .	305
18.11	8-bit Statistical Calculations . . . . .	305
18.12	Organized Complex Systems . . . . .	306
18.13	Cellular Automata. . . . .	307
18.14	Complexity Programming. . . . .	308
	References. . . . .	311

## **Part V 1-bit Imaging**

<b>19</b>	<b>1-bit Image. . . . .</b>	<b>315</b>
19.1	Bit-mapped Graphics and Vector Graphics . . . . .	315
19.2	Image Location. . . . .	315
19.3	Location Coordinates. . . . .	316
19.4	Discrete Cartesian Plane. . . . .	317
19.5	Discrete Cartesian Window . . . . .	318
19.6	Image Intensity. . . . .	319
19.7	Bit-depth 1. . . . .	319
19.8	1-bit Digital Image . . . . .	321
19.9	Flowchart. . . . .	321
<b>20</b>	<b>1-bit Program Input . . . . .</b>	<b>323</b>
20.1	Image Creation by Program . . . . .	323
20.2	Random Process . . . . .	325
20.3	1-bit Random Image . . . . .	325
20.4	1-bit Uniform Random Image. . . . .	326
20.5	Program to Generate Random Images . . . . .	326

20.6	1-bit Gradient Random Image. . . . .	328
20.7	1-bit Elementary Features. . . . .	328
20.8	Discrete Line . . . . .	329
20.9	Discrete Length . . . . .	333
20.10	Discrete Plane Graph. . . . .	334
20.11	Data Editor Program . . . . .	336
20.12	Plane Graph Program . . . . .	338
20.13	Discrete Circle . . . . .	340
20.14	Discrete Arc-length . . . . .	343
20.15	Discrete Sinusoidal Curve . . . . .	345
20.16	Discrete Bézier Curve . . . . .	350
20.17	Programmed Image Resolution . . . . .	355
	References. . . . .	356
<b>21</b>	<b>1-bit Graphic Input . . . . .</b>	<b>357</b>
21.1	Image Creation by Graphic User Interface . . . . .	357
21.2	Graphic User Interface. . . . .	357
21.3	Graphic Input by GUI Image Editor . . . . .	358
21.4	Plane Graph by GUI Editor . . . . .	361
21.5	Curve by GUI Editor. . . . .	361
21.6	Construction by GUI Editor . . . . .	363
21.7	Half-toning by GUI Editor . . . . .	364
21.8	Text Within Image . . . . .	365
21.9	Image Within Text . . . . .	366
21.10	GUI Image Resolution. . . . .	366
	References. . . . .	366
<b>22</b>	<b>1-bit Scanner Input. . . . .</b>	<b>367</b>
22.1	Flowchart. . . . .	367
22.2	1-bit Scanner . . . . .	367
22.3	Object Window. . . . .	369
22.4	Light Source. . . . .	369
22.5	Sensor . . . . .	369
22.6	Scanning Mechanism . . . . .	370
22.7	Analogue-to-Digital Converter (ADC) . . . . .	370
22.8	Thresholder . . . . .	371
22.9	Scanner Size Variables . . . . .	372
22.10	Resolving Power of Scanner. . . . .	373
22.11	Acuity of Scanner. . . . .	374
22.12	Transfer Function . . . . .	375
22.13	Scanner Intensity Variables . . . . .	376
22.14	Optical Density. . . . .	377
22.15	Step-wedge . . . . .	377



22.16	Scanner Step-wedge Test . . . . .	378
22.17	1-bit Scan of Text . . . . .	379
22.18	1-bit Scan of Grating . . . . .	381
22.19	1-bit Scan of Half-tone . . . . .	382
22.20	1-bit Scan of Object . . . . .	384
	References . . . . .	384
<b>23</b>	<b>1-bit Location Process . . . . .</b>	<b>385</b>
23.1	Flowchart . . . . .	385
23.2	Discrete Transformation . . . . .	385
23.3	1-bit Location Transformation . . . . .	386
23.4	Reflection . . . . .	387
23.5	Translation . . . . .	390
23.6	Rotation . . . . .	391
23.7	Dilation . . . . .	392
23.8	Shearing . . . . .	394
23.9	Inversion . . . . .	395
23.10	1-bit Change-location Program . . . . .	396
23.11	Sequential Transformation . . . . .	398
23.12	Symmetry Group . . . . .	398
23.13	Rotation Group . . . . .	399
23.14	Single-Translation Group . . . . .	400
23.15	Double-Translation Group . . . . .	401
23.16	1-bit Grating . . . . .	405
23.17	Parallel Gratings with Same Wavelength . . . . .	406
23.18	Parallel Gratings with Different Wavelengths . . . . .	407
23.19	Gratings with Different Angles . . . . .	407
23.20	Orthogonal Gratings . . . . .	409
23.21	Repeated Dilation . . . . .	410
23.22	Combine 1-bit Locations . . . . .	411
23.23	Reduce 1-bit Locations . . . . .	412
	References . . . . .	413
<b>24</b>	<b>1-bit Intensity Process . . . . .</b>	<b>415</b>
24.1	Flowchart . . . . .	415
24.2	Intensity Transformation . . . . .	415
24.3	Reverse Intensities . . . . .	415
24.4	Boolean Function . . . . .	416
24.5	Boolean Intensity Function of Gratings . . . . .	418
24.6	Combine-intensities Program . . . . .	419
24.7	Outline of 1-bit Figure . . . . .	421
24.8	Reduce Bit-Depth to 1-bit . . . . .	422
24.9	Statistics of 1-bit Image . . . . .	423

<b>25</b>	<b>1-bit Fourier Process</b> . . . . .	425
25.1	Flowchart. . . . .	425
25.2	Fourier Process for 1-bit Image. . . . .	425
25.3	Frequency Filtering . . . . .	425
25.4	Alternative 1-bit Fourier Process . . . . .	429
25.5	1-bit DCT Program . . . . .	432
25.6	1-bit IDCT Program . . . . .	433
<b>26</b>	<b>1-bit .BMP File</b> . . . . .	435
26.1	Flowchart. . . . .	435
26.2	Memory . . . . .	436
26.3	File . . . . .	436
26.4	Data Representation. . . . .	436
26.5	Bitmap and Scan. . . . .	436
26.6	.BMP File . . . . .	437
26.7	1-bit .BMP File . . . . .	437
26.8	Example of 1-bit .BMP File . . . . .	439
26.9	1-bit .BMP File Editor. . . . .	441
	Reference . . . . .	442
<b>27</b>	<b>1-bit Display</b> . . . . .	443
27.1	Flowchart. . . . .	443
27.2	Display Hardware . . . . .	443
27.3	Scanning Circuitry . . . . .	444
27.4	Digital-to-Analogue Converter (DAC) . . . . .	444
27.5	Display Screen . . . . .	444
27.6	Display Size Variables. . . . .	445
27.7	Resolving Power of Display . . . . .	446
27.8	Display Sizes from Program/GUI Image . . . . .	447
27.9	Display Sizes from Scanner Image . . . . .	449
27.10	1-bit Display Intensity Variables . . . . .	451
27.11	Additive Light . . . . .	452
27.12	1-bit Display Colours . . . . .	452
	References. . . . .	452
<b>28</b>	<b>1-bit Printout</b> . . . . .	455
28.1	Flowchart. . . . .	455
28.2	1-bit Printer Hardware . . . . .	456
28.3	Print Size Variables. . . . .	456
28.4	Resolving Power of Printer. . . . .	459
28.5	1-bit Image by Program/GUI and Printer . . . . .	459
28.6	1-bit Image by Scanner and Printer . . . . .	461
28.7	1-bit Print Intensity Variables . . . . .	462
28.8	Subtractive Light. . . . .	463

28.9	Additive-to-Subtractive Converter . . . . .	463
28.10	1-bit Print Colours . . . . .	463
	References. . . . .	464
<b>29</b>	<b>Viewing 1-bit Image . . . . .</b>	<b>465</b>
29.1	Flowchart. . . . .	465
29.2	Viewing Variables. . . . .	465
29.3	Scope of Eye and 1-bit Image. . . . .	466
29.4	Location Resolution of Eye and 1-bit Image. . . . .	467
29.5	External Luminance and Internal Intensity . . . . .	469
29.6	Luminance Range of Eye and 1-bit Image . . . . .	470
29.7	Ambient Illuminance . . . . .	471
29.8	Colour Resolution of Eye and 1-bit Image . . . . .	474
	References. . . . .	474
 <b>Part VI 4-bit Imaging</b>		
<b>30</b>	<b>4-bit Image. . . . .</b>	<b>477</b>
30.1	Bit-Depth 4 . . . . .	477
30.2	4-bit Colour-table 4CO . . . . .	477
30.3	4-bit Grey-match Colour-table 4GM . . . . .	479
30.4	4-bit Digital Image . . . . .	480
30.5	Flowchart. . . . .	481
	References. . . . .	481
<b>31</b>	<b>4-bit Input . . . . .</b>	<b>483</b>
31.1	4-bit Input . . . . .	483
31.2	4-bit Program Input. . . . .	483
31.3	4-bit GUI Input. . . . .	485
31.4	Scanner Input Reduced to 4-bit. . . . .	488
31.5	Camera Input Reduced to 4-bit. . . . .	488
<b>32</b>	<b>4-bit Process. . . . .</b>	<b>489</b>
32.1	Flowchart. . . . .	489
32.2	Change 4-bit Image Locations . . . . .	489
32.3	Combine 4-bit Images by Location . . . . .	492
32.4	Reduce 4-bit Image Locations. . . . .	492
32.5	Change Bit-depth . . . . .	493
32.6	Statistics of 4-bit Image . . . . .	495
<b>33</b>	<b>4-bit .BMP File. . . . .</b>	<b>497</b>
33.1	Flowchart. . . . .	497
33.2	Files and Data . . . . .	497

33.3	4-bit .BMP File . . . . .	497
33.4	4-bit Colour File with Colour-table 4CO . . . . .	498
33.5	4-bit Grey-match File with Colour-table 4GM. . . . .	499
33.6	4-bit BMP File Editor . . . . .	500
<b>34</b>	<b>4-bit Display . . . . .</b>	<b>505</b>
34.1	Flowchart. . . . .	505
34.2	Display Hardware . . . . .	505
34.3	Display Size Variables. . . . .	505
34.4	4-bit Display Intensity Variables . . . . .	505
34.5	4-bit Display Colours . . . . .	508
	Reference . . . . .	509
<b>35</b>	<b>4-bit Printout . . . . .</b>	<b>511</b>
35.1	Flowchart. . . . .	511
35.2	Printer Hardware. . . . .	511
35.3	Print Size Variables. . . . .	512
35.4	Ideal YMC Printing. . . . .	512
35.5	Practical YMCK Printing . . . . .	513
35.6	Grey-scale Separations. . . . .	514
35.7	Separation Half-tones. . . . .	515
35.8	4-bit Print Intensity Variables . . . . .	517
35.9	4-bit Print Colours . . . . .	520
35.10	4-bit Separations and Half-tones . . . . .	520
<b>36</b>	<b>Viewing 4-bit Image . . . . .</b>	<b>521</b>
36.1	Flowchart. . . . .	521
36.2	Viewing Variables. . . . .	521
36.3	Colour Resolution of Eye and 4-bit Image . . . . .	522
 <b>Part VII 8-bit Imaging</b>		
<b>37</b>	<b>8-bit Image. . . . .</b>	<b>527</b>
37.1	Bit-depth 8. . . . .	527
37.2	8-bit Colour-table 8CO . . . . .	528
37.3	8-bit Grey-match Colour-table 8GM . . . . .	529
37.4	8-bit Grey-scale 8GS . . . . .	529
37.5	8-bit Digital Image . . . . .	532
37.6	Flowchart. . . . .	533
<b>38</b>	<b>8-bit Input . . . . .</b>	<b>535</b>
38.1	8-bit Input . . . . .	535
38.2	8-bit Program Input. . . . .	535

38.3	Encoding Gamma . . . . .	537
38.4	8-bit Graphic Input by GUI . . . . .	538
38.5	8-bit Scanner Input . . . . .	539
38.6	24-bit Camera Input Reduced to 8-bit . . . . .	540
<b>39</b>	<b>8-bit Process. . . . .</b>	<b>541</b>
39.1	Flowchart. . . . .	541
39.2	Change 8-bit Image Locations . . . . .	542
39.3	Combine 8-bit Images by Location . . . . .	545
39.4	Reduce 8-bit Image Locations. . . . .	546
39.5	8-bit Intensity Process . . . . .	548
39.6	Reverse Intensity. . . . .	549
39.7	Add/Subtract Intensity . . . . .	550
39.8	Multiply/Divide Intensity . . . . .	551
39.9	Exponentiate Intensity . . . . .	551
39.10	Re-scale Intensity . . . . .	552
39.11	8-bit Transform Intensity Program. . . . .	553
39.12	Combine Images by Averaging Intensities . . . . .	555
39.13	Change 8-bit Colour-table . . . . .	555
39.14	Change Bit-depth . . . . .	556
39.15	Half-toning. . . . .	558
39.16	Digital Half-toning . . . . .	559
39.17	Fixed Threshold . . . . .	559
39.18	Random Threshold . . . . .	561
39.19	Fixed Threshold, Distributed Error . . . . .	562
39.20	Clustered Vector. . . . .	563
39.21	Dispersed Vector. . . . .	565
39.22	Clustered Matrix. . . . .	565
39.23	Dispersed Matrix. . . . .	567
39.24	8-bit Half-tone Programs . . . . .	568
39.25	Half-toning for Print . . . . .	572
39.26	Program for 8-bit Statistics. . . . .	573
	References. . . . .	580
<b>40</b>	<b>8-bit Fourier Process. . . . .</b>	<b>581</b>
40.1	Flowchart. . . . .	581
40.2	Fourier Transformation . . . . .	581
40.3	Fourier Transformation of Real Curve . . . . .	581
40.4	8-bit Sinusoidal Grating. . . . .	591
40.5	Harmonic Set of Gratings. . . . .	591
40.6	Coefficient of Grating . . . . .	596
40.7	Sum of Gratings . . . . .	596

40.8	Product of Gratings . . . . .	598
40.9	Mean Intensity of Grating . . . . .	600
40.10	Fourier Series of Gratings . . . . .	600
40.11	Discrete Fourier Analysis . . . . .	602
40.12	Discrete Fourier Synthesis . . . . .	604
40.13	One-Dimensional Discrete Cosine Transformation . . . . .	606
40.14	Two-Dimensional Discrete Cosine Transformation . . . . .	612
40.15	Frequency Transformation . . . . .	618
40.16	Programs for Fourier Analysis and Synthesis . . . . .	620
40.17	JPG Compression and Coding . . . . .	624
	References . . . . .	624
<b>41</b>	<b>8-bit File . . . . .</b>	<b>625</b>
41.1	Flowchart . . . . .	625
41.2	Files and Data . . . . .	625
41.3	8-bit .BMP File with Colour-table 8CO . . . . .	625
41.4	8-bit .BMP File with Colour-table 8GM . . . . .	626
41.5	8-bit .BMP File with Colour-table 8GS . . . . .	630
41.6	8-bit .BMP File Editor . . . . .	632
<b>42</b>	<b>8-bit Display . . . . .</b>	<b>635</b>
42.1	Flowchart . . . . .	635
42.2	Display Hardware . . . . .	635
42.3	Display Size Variables . . . . .	635
42.4	8-bit Display Intensity Variables . . . . .	635
42.5	8-bit Display Colours . . . . .	636
	Reference . . . . .	636
<b>43</b>	<b>8-bit Printout . . . . .</b>	<b>637</b>
43.1	Flowchart . . . . .	637
43.2	Printer Hardware . . . . .	637
43.3	Print Size Variables . . . . .	637
43.4	YMCK Printing . . . . .	638
43.5	8-bit Grey-scale Printing . . . . .	639
43.6	8-bit Print Intensity Variables . . . . .	641
43.7	8-bit Print Colours . . . . .	642
<b>44</b>	<b>Viewing 8-bit Image . . . . .</b>	<b>643</b>
44.1	Flowchart . . . . .	643
44.2	Viewing Variables . . . . .	643
44.3	Colour Resolution of Eye and 8-bit Image . . . . .	644

**Part VIII 24-bit Imaging**

<b>45</b>	<b>24-bit Image</b> . . . . .	649
45.1	Bit-depth 24 . . . . .	649
45.2	24-bit Digital Image . . . . .	649
45.3	Flowchart. . . . .	650
<b>46</b>	<b>24-bit Input</b> . . . . .	653
46.1	24-bit Input . . . . .	653
46.2	24-bit Program Input . . . . .	653
46.3	Encoding Gamma . . . . .	655
46.4	24-bit Input by GUI . . . . .	656
46.5	24-bit Input by Scanner . . . . .	657
46.6	24-bit Input by Camera . . . . .	659
46.7	Camera Size Variables. . . . .	661
46.8	Resolving Power of Camera . . . . .	664
46.9	Acuity of Camera . . . . .	666
46.10	Depth of Field . . . . .	667
46.11	Camera Intensity Variables. . . . .	668
46.12	Own Test Image . . . . .	669
46.13	Camera Colour Test . . . . .	669
46.14	Camera State of the Art. . . . .	669
46.15	Computational Photography State of the Art. . . . .	671
	References. . . . .	672
<b>47</b>	<b>24-bit Process</b> . . . . .	673
47.1	Flowchart. . . . .	673
47.2	Change 24-bit Image Locations. . . . .	673
47.3	24-bit Change-location Program . . . . .	676
47.4	Combine 24-bit Images by Location . . . . .	677
47.5	Reduce 24-bit Image Locations. . . . .	678
47.6	24-bit Intensity Process . . . . .	680
47.7	Reverse Intensity. . . . .	680
47.8	Add/Subtract Intensity . . . . .	681
47.9	Multiply/Divide Intensity . . . . .	682
47.10	Exponentiate Intensity . . . . .	683
47.11	Re-scale Intensity . . . . .	684
47.12	24-bit Transform-intensity Program . . . . .	685
47.13	Combine Images by Averaging Intensities . . . . .	686
47.14	Separate 24-bit Image to 8-bit. . . . .	687
47.15	24-bit Statistics. . . . .	689

<b>48</b>	<b>24-bit File</b> . . . . .	691
48.1	Flowchart. . . . .	691
48.2	Files and Data . . . . .	692
48.3	24-bit .BMP File. . . . .	692
48.4	24-bit .BMP File Editor . . . . .	694
<b>49</b>	<b>24-bit Display</b> . . . . .	695
49.1	Flowchart. . . . .	695
49.2	Display Hardware . . . . .	695
49.3	Display Size Variables. . . . .	696
49.4	Display of Camera Image. . . . .	696
49.5	24-bit Display Intensity Variables . . . . .	697
49.6	24-bit Display Colours. . . . .	698
	Reference . . . . .	698
<b>50</b>	<b>24-bit Printout</b> . . . . .	699
50.1	Flowchart. . . . .	699
50.2	Printer Hardware. . . . .	700
50.3	Print Size Variables. . . . .	700
50.4	Printout of Camera Image . . . . .	700
50.5	YMCK Printing . . . . .	702
50.6	24-bit Print Intensity Variables . . . . .	703
50.7	24-bit Print Colours. . . . .	705
<b>51</b>	<b>Viewing 24-bit Image</b> . . . . .	707
51.1	Flowchart. . . . .	707
51.2	Viewing Variables. . . . .	707
51.3	Colour Resolution of Eye and 24-bit Image . . . . .	708
	<b>Appendix A: Summary of Image Types</b> . . . . .	711
	<b>Appendix B: Source Code for Programs</b> . . . . .	713
	<b>Index</b> . . . . .	715





<http://www.springer.com/978-3-540-85617-7>

Digital Imaging Primer

Parkin, A.

2016, XXIX, 721 p., Hardcover

ISBN: 978-3-540-85617-7