

# Contents

<b>Acknowledgements</b>	VII
<b>Abstract</b>	IX
<b>Glossary</b>	XV
<b>List of Figures</b>	XIX
<b>List of Tables</b>	XXI
<b>1 Introduction and Theory</b>	1
<b>1.1 Motivation of research</b>	1
<b>1.2 Spin Hamiltonian</b>	2
1.2.1 Electron Zeeman interaction $\hat{H}_{EZ}$ . . . . .	3
1.2.2 Hyperfine interaction $\hat{H}_{HF}$ . . . . .	4
1.2.3 Electron-electron spin interactions $\hat{H}_{EX}$ and $\hat{H}_{DD}$ . . . . .	5
1.2.3.1 Exchange interaction $\hat{H}_{EX}$ . . . . .	5
1.2.3.2 Dipole-dipole interaction $\hat{H}_{DD}$ . . . . .	6
<b>1.3 Pulses in EPR experiments</b>	6
1.3.1 Magnetisation vector picture . . . . .	7
1.3.2 Adiabatic pulses . . . . .	8
1.3.2.1 Linear-chirp pulse . . . . .	10
1.3.2.2 Hyperbolic secant pulse . . . . .	10
1.3.2.3 Hyperbolic secant pulse of order $h$ . . . . .	10
1.3.3 Inversion Characterisation . . . . .	11
<b>1.4 Pulsed EPR experiments</b>	11
1.4.1 Primary and stimulated echo . . . . .	11
1.4.2 Nutation experiment . . . . .	13
1.4.3 DEER sequences . . . . .	13
1.4.3.1 Computation of echo amplitude modulation function . . . . .	13

1.4.3.2 4-pulse DEER sequence . . . . .	14
1.4.3.3 5-pulse DEER sequence . . . . .	17
1.4.3.4 Pump pulses in DEER . . . . .	18
1.4.3.5 DEER signal . . . . .	20
1.4.4 DEER data analysis . . . . .	20
<b>1.5 Relaxation</b>	21
1.5.1 Relaxation processes in immobilised samples . . . . .	22
<b>1.6 Dynamical Decoupling</b>	23
<b>2 Material and Methods</b>	25
<b>2.1 Model systems</b>	25
2.1.1 Sample preparation . . . . .	26
2.1.1.1 TEMPOL . . . . .	27
2.1.1.2 Rigid radicals MS 107 and MSA 236 . . . . .	27
2.1.1.3 T4 Lysozyme . . . . .	27
2.1.1.4 WALP23 . . . . .	28
<b>2.2 Instrumentation</b>	28
2.2.1 X band . . . . .	28
2.2.2 Q band . . . . .	28
2.2.2.1 Home-built spectrometer . . . . .	28
2.2.2.2 Commercial . . . . .	29
<b>2.3 Experiments</b>	29
<b>2.4 Relaxation Measurements</b>	29
2.4.1 Pulse sequences . . . . .	30
<b>2.5 DEER Measurements</b>	32
2.5.1 Pulse sequence . . . . .	32
2.5.1.1 X band . . . . .	39
2.5.1.2 Q band . . . . .	39

2.5.2 Pump pulses . . . . .	40
2.5.2.1 Design . . . . .	40
2.5.3 Resonator compensation . . . . .	41
2.5.3.1 Inversion characterisation . . . . .	41
2.5.4 DEER signal analysis . . . . .	42
<b>3 Results and Discussion</b>	<b>43</b>
<b>3.1 Relaxation</b>	<b>43</b>
3.1.1 TEMPOL . . . . .	43
3.1.2 T4 Lysozyme . . . . .	46
3.1.3 WALP23 . . . . .	47
3.1.4 Comparison of free TEMPOL, spin-labelled T4 Lysozyme and WALP23 . . . .	48
3.1.5 MS 107 . . . . .	50
3.1.6 MSA 236 . . . . .	51
<b>3.2 DEER experiments</b>	<b>53</b>
3.2.1 MSA 236 . . . . .	54
3.2.1.1 Q Band . . . . .	54
3.2.1.2 X band . . . . .	57
3.2.1.3 DEER data analysis . . . . .	60
3.2.2 T4 Lysozyme in $H_2O-d_8Gly$ . . . . .	62
3.2.2.1 Q band . . . . .	63
3.2.2.2 X band . . . . .	64
3.2.2.3 DEER data analysis . . . . .	66
3.2.3 Comparison X- and Q-band DEER experiments . . . . .	67
<b>4 Conclusion and Outlook</b>	<b>69</b>
<b>Bibliography</b>	<b>73</b>

Dynamical Decoupling in Distance Measurements by  
Double Electron-Electron Resonance

Soetbeer, J.M.

2016, XXI, 74 p. 24 illus., Softcover

ISBN: 978-3-658-14669-6