

Contents

List of Figures	XV
List of Tables	XIX
Acronyms	XXI
1. Introduction	1
1.1. Motivation	1
1.2. Weather Hazard Warning Application Overview	3
1.3. Chapter Outline	7
2. Car-to-X Communication	9
2.1. Overall Car-to-X System Architecture Overview	11
2.2. Frequency and Channel Allocation	13
2.3. Car-to-X Messages	13
2.3.1. Cooperative Awareness Message	14
2.3.2. Decentralized Environmental Notification Message	16
2.3.3. Probe Vehicle Data Message	19
2.3.4. Message Distribution Algorithms	20
2.4. Pseudonym Changes	26
2.5. Area and Coordinate Definitions	28
2.5.1. Area Definition, Representation, and Encoding	29
2.5.2. Coordinate Definition and Representation	31
3. Weather Hazard Detection	39
3.1. Vehicle Data Processing	39
3.1.1. Vehicle Data Unification	40
3.1.2. Improved Positioning	42
3.1.3. Weather Profiles	43
3.2. Situation Recognition	45
3.2.1. Basic Situation Detection	45

3.2.2.	Advanced Situation Detection	49
3.2.3.	Determining a Surrounding Rectangle	62
3.3.	Infrastructure-Based Weather Detection	66
4.	Situation Maintenance	71
4.1.	Mobility Data Verification	72
4.1.1.	The Kalman Filter	74
4.1.2.	Mobility Data Verification Flow	76
4.2.	Weather Data Verification	81
4.3.	Area Aggregation	85
4.3.1.	Intersection Points of Bounded Lines	85
4.3.2.	Verifying a Point's Location in Relation to an Area	87
4.3.3.	Determining the Size of an Overlapping Field	89
4.3.4.	Overall Event Area	92
4.4.	Reliability Aggregation	93
4.4.1.	Time-dependent Situation Reliability	93
4.4.2.	Overall Event Reliability	94
4.5.	Situation Management	96
5.	Driver Notification	99
5.1.	Relevant Events	99
5.1.1.	Determining the Distance to a Rectangle	100
5.1.2.	The Recognition Field	101
5.2.	Presenting Driver Notifications	102
5.2.1.	Notification Levels	103
5.2.2.	Driver Notification Interfaces	105
5.2.3.	Weather Hazard Warning Notifications Strategies	106
6.	Reference Implementations	111
6.1.	The sim ^{TD} Field Operational Test System Architecture	111
6.1.1.	Overall System Architecture Overview	112
6.1.2.	Vehicle ITS Station Architecture	114
6.2.	The Plausibility Verification Component	120
6.2.1.	Adapting the Kalman Filter as Vehicle Tracker	123
6.2.2.	Vehicle Sensor Data Fusion	125
6.3.	The <i>Road Weather Warning</i> Application in sim ^{TD}	126
6.4.	The <i>Weather Warning</i> Application in DRIVE C2X	132

7. Evaluation Results	139
7.1. DLE Coordinates Applicability	139
7.2. Mobility Data Verification Accuracy	144
7.3. Situation Detection Reliability	147
7.4. Driver Notification	153
7.5. Driver Acceptance	156
8. Summary and Conclusion	167
A. Security Considerations	171
A.1. Attacker and Threat Analysis	171
A.1.1. Hardware Data Intrusion	173
A.1.2. Vehicle Tracking	173
A.1.3. Roadside Attacker	174
A.1.4. Participating Attacker	176
A.2. Secure C2X Beamforming	176
A.2.1. Radiation Patterns for the Weather Hazard Warning	178
A.2.2. Integrating into the sim ^{TD} System Architecture	182
A.3. Cryptographic Security	184
A.3.1. Hardware Security Module	186
A.3.2. The Module as a Pluggable USB Stick	191
A.3.3. Module Performance	194
Bibliography	197

Weather Hazard Warning Application in Car-to-X
Communication

Concepts, Implementations, and Evaluations

Jaeger, A.

2016, XXIII, 214 p. 92 illus., Softcover

ISBN: 978-3-658-15315-1