

Contents

1	Transition Metal-Catalyzed, Directing Group-Assisted C(sp³)–H Bond Functionalization	1
1.1	Introduction	1
1.2	Directed C(sp ³)–H Arylation	2
1.3	Directed C(sp ³)–H Alkynylation, Alkenylation, and Alkylation	12
1.4	Directed C–X Bond Forming from C(sp ³)–H Bond	16
1.5	Conclusions	20
	References	21
2	Recent Advances in Non-Directed C(sp³)–H Bond Functionalization	25
2.1	Introduction	25
2.2	Oxidative Functionalization of α -C(sp ³)–H Bond Adjacent to Nitrogen Atoms	26
2.3	Oxidative Functionalization of α -C(sp ³)–H Bond Adjacent to Oxygen Atom	31
2.4	Oxidative Functionalization of Allylic and Benzylic C(sp ³)–H Bond	37
2.5	Oxidative Functionalization of General C(sp ³)–H Bond	43
2.6	Redox-Neutral C(sp ³)–H Bond Functionalization	50
2.6.1	1,n–H Shift-Induced C(sp ³)–H Bond Functionalization	51
2.6.2	Metal-Carbenoid-Induced C(sp ³)–H Bond Functionalization	51
2.6.3	Metalation-Induced Arylation of C(sp ³)–H Bond	52
2.7	Conclusions	53
	References	53
3	Functionalization of C(sp³)–H Bond by Visible-Light Photoredox Catalysis	61
3.1	Introduction	61
3.2	α -C(sp ³)–H Bond Functionalization of Amines	63

3.3 α -C(sp ³)-H Functionalization of Ethers and Alcohols	72
3.4 Selective Functionalization of Unactivated C(sp ³)-H Bond	75
3.5 Conclusions	79
References	80

<http://www.springer.com/978-3-662-49494-3>

Sustainable C(sp³)-H Bond Functionalization

Xie, J.; Zhu, C.

2016, XII, 81 p. 117 illus., 112 illus. in color., Softcover

ISBN: 978-3-662-49494-3