

# Contents

|          |                                                                                                                                      |           |
|----------|--------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction. Theory and Experiment of High-Order Harmonic Generation in Narrow and Extended Media . . . . .</b>                  | <b>1</b>  |
| 1.1      | High-Order Harmonic Generation in Isotropic Medium: Three-Step Model and Macroscopic Consideration of Frequency Conversion . . . . . | 1         |
| 1.2      | Overview of the Applications of Long Gaseous Media for the HHG . . . . .                                                             | 4         |
|          | References . . . . .                                                                                                                 | 6         |
| <b>2</b> | <b>HHG in Short-Length Plasmas . . . . .</b>                                                                                         | <b>9</b>  |
| 2.1      | Modern History and Perspectives of Harmonic Generation in Narrow Plasma Plumes . . . . .                                             | 9         |
| 2.2      | Spatial Coherence Measurements of Non-resonant and Resonant High-Order Harmonics Generated in Narrow Laser Ablation Plumes . . . . . | 14        |
| 2.3      | Resonance Processes in the Plasma Plumes . . . . .                                                                                   | 21        |
| 2.3.1    | Resonant and Non-resonant High-Order Harmonic Generation in the Plasmas Produced by Picosecond and Femtosecond Pulses . . . . .      | 21        |
| 2.3.2    | Resonance Enhancement of the 11th Harmonic of 1064 nm Picosecond Radiation Generated in Lead Plasma . . . . .                        | 28        |
| 2.4      | Peculiarities of the High-Order Harmonics from Different Narrow Plasmas Generating at 1 kHz Repetition Rate . . . . .                | 37        |
| 2.5      | Concluding Comments . . . . .                                                                                                        | 45        |
|          | References . . . . .                                                                                                                 | 46        |
| <b>3</b> | <b>HHG in Extended Plasmas . . . . .</b>                                                                                             | <b>51</b> |
| 3.1      | Advanced Properties of Extended Plasmas for Efficient High-Order Harmonic Generation . . . . .                                       | 51        |

|          |                                                                                                                                                        |            |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 3.2      | Enhanced Harmonic Generation Using Different Second-Harmonic Sources for the Two-Color Pump of Extended Laser-Produced Plasmas . . . . .               | 57         |
| 3.3      | Modification of Modulated Plasma Plumes . . . . .                                                                                                      | 67         |
| 3.4      | Characterization of the High-Order Harmonics of 64 fs Pulses Generated in Extended Plasma Plumes . . . . .                                             | 73         |
| 3.5      | Concluding Comments . . . . .                                                                                                                          | 80         |
|          | References . . . . .                                                                                                                                   | 81         |
| <b>4</b> | <b>Quasi-Phase-Matching of Harmonics in Laser-Produced Plasmas . . . . .</b>                                                                           | <b>85</b>  |
| 4.1      | Perforated Target Ablation for the Formation of the Modulated Plasma for Quasi-Phase-Matched Harmonic Generation . . . . .                             | 87         |
| 4.2      | Quasi-Phase-Matching of Harmonics Using the Variable Multi-jet Plasmas . . . . .                                                                       | 92         |
| 4.3      | QPM-Induced Enhancement of HHG During Two-Color Pump of Multi-jet Plasmas . . . . .                                                                    | 98         |
| 4.4      | Peculiarities of QPM Harmonics Using Different Targets and Pump Schemes . . . . .                                                                      | 103        |
| 4.5      | Influence of Plasma Jet Sizes and Pulse Energies on the Characteristics of QPM Harmonics . . . . .                                                     | 108        |
| 4.6      | Concluding Comments . . . . .                                                                                                                          | 116        |
|          | References . . . . .                                                                                                                                   | 117        |
| <b>5</b> | <b>Peculiarities of the HHG in the Extended Plasmas Produced on the Surfaces of Different Materials . . . . .</b>                                      | <b>119</b> |
| 5.1      | Harmonic Generation in the Plasmas Produced on the 5-mm-Long Crystal Surfaces . . . . .                                                                | 121        |
| 5.2      | Application of the Laser Plasmas Produced on the Extended Surfaces of Elemental Semiconductors . . . . .                                               | 127        |
| 5.3      | Application of Carbon Cluster-Contained Extended Plasmas for the High-Order Harmonic Generation of Ultrashort Pulses . . . . .                         | 133        |
| 5.4      | Morphology of Laser-Produced Carbon Nanoparticle Plasmas and High-Order Harmonic Generation of Ultrashort Pulses in Extended Clustered Media . . . . . | 139        |
| 5.5      | Graphene-Contained Extended Plasma: A Medium for the Coherent Extreme Ultraviolet Light Generation . . . . .                                           | 150        |
| 5.6      | Concluding Comments . . . . .                                                                                                                          | 153        |
|          | References . . . . .                                                                                                                                   | 155        |
| <b>6</b> | <b>New Opportunities of Extended Plasma Induced Harmonic Generation . . . . .</b>                                                                      | <b>161</b> |
| 6.1      | Third and Fourth Harmonics Generation in Laser-Induced Periodic Plasmas . . . . .                                                                      | 162        |

|          |                                                                                                                                    |            |
|----------|------------------------------------------------------------------------------------------------------------------------------------|------------|
| 6.2      | Resonance-Enhanced Harmonics Generated in Nanoparticle and Monomer Plasmas . . . . .                                               | 170        |
| 6.3      | Electron Density Measurements in Laser-Produced Plasma Using the Nonlinear Optical Method . . . . .                                | 178        |
| 6.4      | Concluding Comments . . . . .                                                                                                      | 185        |
|          | References . . . . .                                                                                                               | 187        |
| <b>7</b> | <b>Harmonic Characterization Using Different HHG Schemes in the Extended Plasmas . . . . .</b>                                     | <b>189</b> |
| 7.1      | Low- and High-Order Harmonic Generation in the Extended Plasmas Produced by Laser Ablation of Zinc and Manganese Targets . . . . . | 190        |
| 7.2      | Application of Double Femtosecond Pulses for Plasma Harmonic Generation . . . . .                                                  | 200        |
| 7.3      | Concluding Comments . . . . .                                                                                                      | 207        |
|          | References . . . . .                                                                                                               | 207        |
| <b>8</b> | <b>Summary: Achievements and Perspectives . . . . .</b>                                                                            | <b>209</b> |
|          | References . . . . .                                                                                                               | 216        |
|          | <b>Index . . . . .</b>                                                                                                             | <b>219</b> |

Frequency Conversion of Ultrashort Pulses in Extended  
Laser-Produced Plasmas

Ganeev, R.A.

2016, XIII, 221 p. 101 illus., 6 illus. in color., Hardcover

ISBN: 978-981-10-0193-2