

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction of Robot Platforms and Relevant Tools | 1 |
| 1.1 | Robot Platforms | 1 |
| 1.1.1 | Baxter® Robot | 1 |
| 1.1.2 | iCub Robot | 2 |
| 1.2 | Visual Sensors and Haptic Devices | 3 |
| 1.2.1 | Microsoft Kinect Sensor | 3 |
| 1.2.2 | Point Grey Bumblebee2 Stereo Camera | 4 |
| 1.2.3 | Leap Motion Sensor | 5 |
| 1.2.4 | SensAble Omni | 5 |
| 1.2.5 | Novint Falcon Joystick | 6 |
| 1.3 | Software Toolkits | 7 |
| 1.3.1 | MATLAB Robotics Toolbox | 7 |
| 1.3.2 | Official SDK of Leap Motion | 14 |
| 1.4 | V-REP Based Robot Modeling and Simulations | 15 |
| 1.4.1 | V-REP Simulator | 16 |
| 1.4.2 | Examples of V-REP Simulation | 17 |
| 1.5 | ROS Based Robot System Design | 20 |
| 1.5.1 | Main Characteristics of ROS | 21 |
| 1.5.2 | ROS Level Concepts | 22 |
| | References | 25 |
| 2 | Robot Kinematics and Dynamics Modeling | 27 |
| 2.1 | Kinematics Modeling of the Baxter® Robot | 27 |
| 2.1.1 | Introduction of Kinematics | 27 |
| 2.1.2 | Kinematics Modeling Procedure | 29 |
| 2.1.3 | Experimental Tests on Kinematics Modeling | 35 |
| 2.2 | Lagrange–Euler Dynamics Modeling of the Baxter Robot | 38 |
| 2.2.1 | Introduction of Dynamics | 38 |
| 2.2.2 | Dynamics Modeling Procedure | 39 |
| 2.2.3 | Experimental Studies | 43 |
| | References | 47 |

| | | |
|----------|---|-----|
| 3 | Intelligent Control of Robot Manipulator | 49 |
| 3.1 | Dual-Adaptive Control of Bimanual Robot | 49 |
| 3.1.1 | Preliminaries | 50 |
| 3.1.2 | Adaptive Control | 55 |
| 3.1.3 | Simulation Studies | 58 |
| 3.2 | Biomimetic Hybrid Adaptive Control of Bimanual Robot | 60 |
| 3.2.1 | Preliminaries and Problem Formulation | 61 |
| 3.2.2 | Adaptive Bimanual Control with Impedance and Force | 63 |
| 3.2.3 | Adaptive Control with Internal Interaction | 66 |
| 3.2.4 | Adaptive Control with Both Internal and External Interaction | 68 |
| 3.3 | Optimized Motion Control of Robot Arms with Finite Time Tracking | 72 |
| 3.3.1 | Robot Dynamics and Optimal Reference Model | 74 |
| 3.3.2 | Adaptive Model Reference Control Design | 78 |
| 3.4 | Discrete-Time Adaptive Control of Manipulator with Uncertain Payload | 83 |
| 3.4.1 | Problem Formulation | 83 |
| 3.4.2 | Discrete-Time Adaptive Control | 84 |
| 3.4.3 | Simulation Studies | 88 |
| | References | 95 |
| 4 | Object Detection and Tracking | 97 |
| 4.1 | Introduction of Machine Vision Recognition | 97 |
| 4.1.1 | Tools for Machine Vision | 99 |
| 4.1.2 | Blob/Edge Detection | 100 |
| 4.1.3 | Feature Point Detection, Description, and Matching | 101 |
| 4.2 | JavaScript Object Notation (JSON)-Based Vision Recognition Framework | 105 |
| 4.2.1 | JSON in Image Labels | 107 |
| 4.2.2 | JSON in Application Tuning | 110 |
| 4.2.3 | Vision Recognition Framework | 112 |
| 4.3 | Deep Learning-Based Object Recognition | 115 |
| 4.3.1 | Logistic Regression-Based Classification | 115 |
| 4.3.2 | Convolutional Neural Network (CNN)-Based Classification | 117 |
| 4.3.3 | Detection | 121 |
| 4.4 | Tracking a Single Moving Object | 124 |
| 4.4.1 | Data Collection | 124 |
| 4.4.2 | Recognition Algorithm | 125 |
| 4.4.3 | Analysis of Results | 128 |
| 4.5 | Tracking Multiple Moving Objects | 130 |
| 4.5.1 | PSO Algorithms | 130 |
| 4.5.2 | Objective Function of the Irregular Shape Target | 134 |

| | | |
|----------|--|------------|
| 4.5.3 | Locating Multiple Targets by Adaptive PSO Method | 135 |
| 4.5.4 | Tracking Multiple Targets by Swarm Optimization. | 139 |
| 4.5.5 | Experiments Studies | 144 |
| | References | 154 |
| 5 | Visual Servoing Control of Robot Manipulator | 157 |
| 5.1 | Introduction of Visual Servoing | 157 |
| 5.2 | Kinect Sensor Based Visual Servoing for Human–Robot Cooperation. | 160 |
| 5.2.1 | System Architecture | 160 |
| 5.2.2 | Experimental Equipments | 161 |
| 5.2.3 | Implementation with V-REP | 162 |
| 5.2.4 | Experiment Studies | 171 |
| 5.3 | Visual Servoing Control Using Stereo Camera. | 173 |
| 5.3.1 | System Integration | 174 |
| 5.3.2 | Preprocessing | 175 |
| 5.3.3 | Algorithm Implementation. | 177 |
| 5.3.4 | Results | 183 |
| | References | 183 |
| 6 | Robot Teleoperation Technologies. | 187 |
| 6.1 | Teleoperation Using Body Motion Tracking | 187 |
| 6.1.1 | Introduction of Robot Teleoperation | 187 |
| 6.1.2 | Construction of Teleoperation System. | 188 |
| 6.1.3 | Design Principles | 190 |
| 6.1.4 | Experiment Study. | 194 |
| 6.2 | Fuzzy Inference Based Adaptive Control for Teleoperation | 195 |
| 6.2.1 | System Modeling and Problem Formulation | 195 |
| 6.2.2 | Fuzzy Inference Based Control | 201 |
| 6.2.3 | Simulation Studies | 204 |
| 6.3 | Haptic Interaction Between Human and Robot. | 206 |
| 6.3.1 | Tools Selection and System Description | 207 |
| 6.3.2 | Implementation with CHAI3D | 211 |
| 6.3.3 | Implementation with MATLAB | 214 |
| 6.4 | Teleoperation Using Haptic Feedback. | 218 |
| 6.4.1 | System Description | 218 |
| 6.4.2 | Workspace Mapping. | 218 |
| 6.4.3 | Command Strategies. | 223 |
| 6.4.4 | Experiment Studies | 225 |
| | References | 227 |

| | | |
|----------|---|-----|
| 7 | Obstacle Avoidance for Robot Manipulator | 231 |
| 7.1 | Introduction of Kinematic Redundancy | 231 |
| 7.2 | Shared Controlled Teleoperation with Obstacle Avoidance | 233 |
| 7.2.1 | System Components | 234 |
| 7.2.2 | Preprocessing | 235 |
| 7.2.3 | Obstacle Avoidance Strategy | 236 |
| 7.2.4 | Experiment Studies | 242 |
| 7.3 | Robot Self-Identification for Obstacle Avoidance | 245 |
| 7.3.1 | Kinect® Sensor and 3D Point Cloud | 247 |
| 7.3.2 | Self-Identification | 250 |
| 7.3.3 | Collision Predication | 251 |
| 7.3.4 | Experiments Studies | 255 |
| | References | 255 |
| 8 | Human–Robot Interaction Interface | 257 |
| 8.1 | Introduction of Human–Robot Interfaces | 257 |
| 8.2 | Hand Gesture-Based Robot Control Using Leap Motion | 259 |
| 8.2.1 | Hardware and Software | 260 |
| 8.2.2 | Control System | 261 |
| 8.2.3 | Experiment and Result | 267 |
| 8.3 | Hand Gesture-Based Control with Parallel System | 269 |
| 8.3.1 | Platform and Software | 269 |
| 8.3.2 | Hand Gesture Recognition System Based on Vision for Controlling the iCub Simulator | 269 |
| 8.3.3 | Teleoperation Platform and Parallel System | 274 |
| 8.4 | BCI Controlled Mobile Robot Using Emotiv Neuroheadset | 279 |
| 8.4.1 | EEG and Brain–Computer Interface (BCI) System | 280 |
| 8.4.2 | Experimental System | 283 |
| 8.4.3 | Training and Control Strategy | 286 |
| 8.4.4 | Results and Discussions | 289 |
| 8.5 | EEG Signal-Based Control of Robot Manipulator | 290 |
| 8.5.1 | Hardware and Software | 291 |
| 8.5.2 | Experimental Methodology | 291 |
| 8.5.3 | Discussion | 297 |
| | References | 298 |
| 9 | Indoor/Outdoor Robot Localization | 303 |
| 9.1 | Localization with Wireless Sensor Networks | 303 |
| 9.1.1 | Problem Formulation | 303 |
| 9.1.2 | Algorithm Design | 305 |
| 9.1.3 | Theoretical Analysis | 311 |
| 9.1.4 | Simulation Studies | 313 |

| | | |
|-----------|--|------------|
| 9.2 | RFID-based Indoor Localization Using Interval Kalman Filter | 317 |
| 9.2.1 | Interval Kalman Filter for RFID Indoor Positioning . . . | 317 |
| 9.2.2 | Mathematical Model and Positioning Algorithm. | 319 |
| 9.2.3 | Simulation Studies | 321 |
| 9.3 | Particle Filter-Based Simultaneous Localization and Mapping (PF-SLAM). | 324 |
| 9.3.1 | Model of Particle Filter (PF) SLAM Using Landmarks | 325 |
| 9.3.2 | Particle Filter Matching Algorithm | 327 |
| 9.3.3 | Landmark Set Selection Method. | 328 |
| 9.3.4 | Advanced Position Calculation Method. | 329 |
| 9.3.5 | Experiment Study. | 330 |
| 9.4 | Integrated INS/VMS Navigation System | 333 |
| 9.4.1 | Introduction of INS/VMS Navigation System | 333 |
| 9.4.2 | Analysis of VMS Errors | 335 |
| 9.4.3 | Loosely Coupled INS/VMS. | 336 |
| 9.4.4 | Tightly Coupled INS/VMS | 339 |
| 9.4.5 | Experiment Study. | 342 |
| | References | 346 |
| 10 | Multiagent Robot Systems | 349 |
| 10.1 | Introduction to Multiagent System | 349 |
| 10.2 | Optimal Multirobot Formation | 351 |
| 10.2.1 | Concepts and Framework of Multirobot Formation. . . . | 352 |
| 10.2.2 | Minimum-Time Three-Robot Line Formation | 356 |
| 10.2.3 | Simulation Results | 361 |
| 10.3 | Multirobot Cooperative Pursuit | 363 |
| 10.3.1 | Preliminary Concepts | 364 |
| 10.3.2 | Hunting Strategy | 367 |
| 10.3.3 | Simulation Study | 370 |
| 10.4 | Multirobot Cooperative Lifting | 372 |
| 10.4.1 | Problem Formation. | 373 |
| 10.4.2 | PD Feedforward Compensation Control | 374 |
| 10.4.3 | Adaptive Control | 380 |
| | References | 391 |
| 11 | Technologies for Other Robot Applications | 393 |
| 11.1 | Investigation of Robot Kicking | 393 |
| 11.1.1 | Kinematics | 393 |
| 11.1.2 | Ballistics. | 396 |
| 11.1.3 | Structure of the Robot | 399 |
| 11.1.4 | MATLAB Simulation. | 400 |
| 11.1.5 | Implementation and Tests | 400 |

- 11.2 Reference Trajectory Adaptation 405
 - 11.2.1 Interaction Dynamics 406
 - 11.2.2 Adaptation Model 407
 - 11.2.3 Convergence Analysis 408
 - 11.2.4 Simulation Studies 413
- References 418

Advanced Technologies in Modern Robotic Applications

Yang, C.; Ma, H.; Fu, M.

2016, XIV, 419 p. 269 illus., 233 illus. in color.,

Hardcover

ISBN: 978-981-10-0829-0