

Contents

1	Introduction to Power Quality, Standards and Parallel Power Quality Compensators	1
1.1	Introduction	1
1.2	Power Quality Issues	2
1.3	Power Quality Standards	4
1.4	Detailed Description of Current Quality Issues and Standards	6
1.4.1	Harmonics	6
1.4.2	Current Quality Standards	8
1.5	Power Quality Measured Results in Macau	9
1.5.1	Low Power Factor—Reactive Current Problem	11
1.5.2	Current Harmonics	12
1.5.3	Excessive Neutral and Unbalance Currents	12
1.6	Shunt Power Quality Compensators	13
1.7	Summary	15
	References	16
2	Basic Principles for Parallel Power Electronic Filters	19
2.1	Parallel Compensation for Reactive Power, Current Harmonics and Unbalance	19
2.1.1	Influence of Reactive Power	20
2.1.2	Influence of Harmonics	21
2.1.3	Influence of Unbalance	23
2.1.4	Basic Principle of Parallel Compensation	25
2.2	Instantaneous Power Compensation	29
2.2.1	Definitions in a-b-c Frame	30
2.2.2	Definitions in α - β -0 Frame	31
2.2.3	Mixed-Coordinate Instantaneous Compensation	33

2.3	Three-Phase Converters and Their Discussions	39
2.3.1	Realization of 3 Dimensional Coordinates for Three-Phase Systems	40
2.3.2	Basic Three-Phase Converters, 3D Coordinates and Their Comparisons	42
2.3.3	DC Voltage Unbalance, Variation, Switching Functions and 3D Coordinates	52
2.4	Summary	56
	References	56
3	Active Power Filters	59
3.1	Development of Active Power Filters.	59
3.2	A Two-Level Four-Leg VSI as a Three-Phase Four-Wire Active Power Filter	64
3.2.1	Modeling of Two-Level Four-Leg Active Power Filters	64
3.2.2	Voltage Control Signals According to the Required Compensating Currents	66
3.2.3	Space Vector Analysis of a Four-Leg VSI	67
3.2.4	Hysteresis PWM.	71
3.2.5	Space Vector Modulation.	74
3.3	Two-Level and Three-Level Three-Leg Center-Split VSI as Three-Phase Four-Wire Active Power Filters.	83
3.3.1	Modeling of Three-Leg Center-Split Active Power Filters	84
3.3.2	Space Vector Analysis of a Three-Leg Center-Split VSI	86
3.3.3	Three-Dimensional Sign-Cubical Hysteresis PWM.	92
3.3.4	Three-Dimensional Cylindrical Coordinate PWM	97
3.3.5	Three-Dimensional Space Vector Modulation	105
3.3.6	DC Linked Voltage Variation Control	114
3.4	Three-Phase Four-Wire Multi-Level VSIs	123
3.5	Generalized PWM for Multi-Level Three-Leg Center-Split and Four-Leg VSIs	125
3.5.1	Generalized 3D Direct PWM	125
3.5.2	Generalized FPGA-Based 3D PW Modulator	129
3.5.3	Experimental Verification of the 3D PW Modulator.	136
3.6	Design and Implementation of Active Power Filters.	137
3.6.1	Minimum DC-Link Voltage Study for APF Under Reactive Power and Current Harmonics Compensation . . .	137
3.6.2	Design of Coupling Inductor	146

3.6.3	Implementation of a Three-Phase Four-Wire APF Prototype	151
3.6.4	Experimental Results	158
3.7	Summary	163
	References	164
4	Hybrid Active Power Filters.	167
4.1	Development of Hybrid Active Power Filters (HAPFs).	167
4.1.1	HAPF Topology 1—Series APF and Shunt PPF	168
4.1.2	HAPF Topology 2—Shunt APF and Shunt PPF	169
4.1.3	HAPF Topology 3—APF in Series with Shunt PPF.	170
4.2	Comparison Among Three General HAPF Topologies	171
4.3	Existing Problems and Operation Principles of Conventional LC-HAPF.	173
4.3.1	Existing Problems of Conventional LC-HAPF	174
4.3.2	LC-HAPF Reference Compensating Current Determination Based on Single-Phase Instantaneous P-Q Theory	175
4.3.3	LC-HAPF Reactive and Harmonic Reference Compensating Current Determination and PWM Control Block Diagram	176
4.4	Analysis of Three-Phase Four-Wire LC-HAPF Compensating Performances	177
4.4.1	LC-HAPF Single-Phase Harmonic Circuit Model	178
4.4.2	Simulation Investigation of LC-HAPF Steady-State Compensating Performances.	182
4.5	Dynamic Reactive Power Compensation and DC-Link Voltage Control Consideration for LC-HAPF	191
4.5.1	Modeling of the DC-Link Voltage in a LC-HAPF Single-Phase Equivalent Circuit	192
4.5.2	Influence on DC-Link Voltage During LC-HAPF Performs Reactive Power Compensation	194
4.5.3	LC-HAPF Operation by Conventional DC-Link Voltage Control Methods	197
4.5.4	Proposed DC-Link Voltage Control Method	200
4.5.5	Simulation and Experimental Verifications	205
4.6	Adaptive DC-Link Voltage Control Strategy for LC-HAPF and APF in Reactive Power Compensation.	214
4.6.1	Single-Phase Fundamental Equivalent Circuit Model of LC-HAPF	214
4.6.2	LC-HAPF Required Minimum DC-Link Voltage with Respect to Loading Reactive Power	217
4.6.3	Adaptive DC-Link Voltage Controller for a Three-Phase Four-Wire LC-HAPF.	220

4.6.4	Simulation and Experimental Verifications of the Adaptive DC-Link Voltage Controller for the Three-Phase Four-Wire LC-HAPF	224
4.6.5	Simulation and Experimental Verifications of the Adaptive DC-Link Voltage Controller for the Three-Phase Four-Wire APF	233
4.7	Minimum Inverter Capacity Design for Three-Phase Four-Wire LC-HAPF	242
4.7.1	Mathematical Modeling of a Three-Phase Four-Wire Center-Split LC-HAPF in A-B-C Coordinate	242
4.7.2	Minimum Inverter Capacity Analysis of a Three-Phase Four-Wire Center-Split LC-HAPF	243
4.7.3	Simulation and Experimental Verifications for Minimum Inverter Capacity Analysis of the Three-Phase Four-Wire LC-HAPF	246
4.8	Design and Performance of a 220 V/10 kVA Three-Phase Four-Wire LC-HAPF Experimental Prototype	251
4.8.1	System Configuration of Three-Phase Four-Wire LC-HAPF	251
4.8.2	Balanced and Unbalanced Testing Loads	252
4.8.3	Design of Coupling LC of LC-HAPF	253
4.8.4	Design of Active Inverter Part of LC-HAPF	254
4.8.5	Experimental Results for a 220 V/10 kVA Three-Phase Four-Wire LC-HAPF Experimental Prototype	260
4.9	Summary	272
	References	273

Parallel Power Electronics Filters in Three-Phase
Four-Wire Systems

Principle, Control and Design

Wong, M.-C.; Dai, H.-N.; Lam, C.-S.

2016, XX, 275 p. 224 illus. in color., Hardcover

ISBN: 978-981-10-1529-8