

Contents

1	Introduction	1
1.1	Introduction to Miniature Gears	1
1.2	Quality Aspects of Miniature Gears	3
1.2.1	Micro-geometry	5
1.2.2	Macro-geometry	7
1.2.3	Tooth Flank Topography	7
1.2.4	Surface Roughness	7
1.2.5	Microstructure and Micro-hardness	10
1.3	Conventional Methods of Miniature Gear Manufacture	11
1.3.1	Material Removal Processes	11
1.3.2	Forming Processes	12
1.3.3	Additive Processes	13
	References	14
2	Overview of Wire Spark Erosion Machining (WSEM)	17
2.1	Introduction to WSEM	18
2.2	Process Parameters of WSEM	19
2.3	Advantages and Limitations of WSEM	20
2.4	Applications of WSEM	21
2.5	Machining of Gears by Spark-Erosion Processes	21
2.6	Spark Erosion Machining of Miniature Gears State-of-the-Art	23
2.6.1	Spark-Erosion Machining of Gears	23
2.6.2	Wire Spark-Erosion Machining of Gears	27
2.7	Conclusions and Scope of Spark Erosion Machining of Miniature Gears	32
	References	32

3	Planning, Design and Details of Experimental Investigation	35
3.1	Introduction to Design of Experiments	35
3.1.1	Response Surface Methodology (RSM)	37
3.2	Experimental Plan for Wire Spark Erosion Machining of Miniature Gears	41
3.2.1	Trial Experiments	44
3.2.2	Pilot Experiments	44
3.2.3	Main Experiments	45
3.2.4	Confirmation Experiments	45
3.3	Evaluation of Gear Quality and WSEM Productivity	46
3.3.1	Evaluation of Micro-geometry and Macro-geometry of Miniature Gears	47
3.3.2	Evaluation of Surface Roughness	49
3.3.3	Characterization of Subsurface Integrity	50
3.3.4	WSEM Process Productivity and Evaluation	50
3.4	Procedure of Experimentation	51
3.5	Methods and Tools for Data Analysis	52
3.5.1	Analysis of Variance (ANOVA)	52
3.5.2	Model Adequacy Checking	54
	References	55
4	Experimental Results and Analysis	57
4.1	Conclusions from Trial Experiments	57
4.2	Results of Pilot Experiments and Their Analysis	57
4.2.1	Analysis of Micro-geometry	58
4.2.2	Analysis of Surface Roughness	61
4.2.3	Analysis of the Best Quality Miniature Gear	63
4.3	Conclusions from Pilot Experiments	71
4.4	Results of Main Experiments and Their Analysis	72
4.4.1	Effect of WSEM Process Parameters and Their Interactions	72
4.5	Conclusions from Main Experiments	85
	References	85
5	Modelling and Optimization	87
5.1	Modelling of WSEM Process	87
5.1.1	Modelling Using Regression Analysis	87
5.1.2	Modeling Using Artificial Neural Network (ANN)	91
5.1.3	Comparison of Regression Models and ANN Models	96
5.2	Optimization of WSEM Process	96
5.2.1	Optimization Using Desirability Analysis	98
5.2.2	Multi-objective Optimization	102
5.3	Experimental Validation of Optimization Results	107
5.3.1	For Micro-geometry	107
5.3.2	For Surface Roughness	110

5.3.3	For Gear Cutting Rate	110
5.3.4	For Multi-objective Optimization.	110
5.4	Quality Aspects of Miniature Gears Manufactured at Optimized WSEM Parameters	112
5.4.1	Micro-geometry	112
5.4.2	Macro-geometry	115
5.4.3	Bearing Area Curve.	115
5.4.4	Subsurface Integrity.	116
	References	117
6	Comparative Study, Conclusions and Future Avenues.	119
6.1	Comparison Between Wire Spark Erosion Machining and Hobbing.	119
6.1.1	Micro-geometry and Macro-geometry	120
6.1.2	Surface Roughness and Flank Surface Topography	120
6.1.3	Micro-hardness	122
6.1.4	Micrographs	122
6.1.5	Comparison Based on Other Capabilities	125
6.2	Significant Achievements, Conclusions and Avenues for Future Research	125
	References	126
	Appendix A	127
	Appendix B	129
	Index	135

Near-Net Shape Manufacturing of Miniature Spur Gears
by Wire Spark Erosion Machining

Gupta, K.; Jain, N.K.

2016, XIII, 135 p. 62 illus., 31 illus. in color., Hardcover

ISBN: 978-981-10-1562-5