

Contents

Part I Introduction

| | | |
|----------|---|-----------|
| 1 | Short Introduction to Cosmic Ray and γ-Ray Astronomy | 3 |
| 1.1 | Cosmic Rays | 4 |
| 1.1.1 | Spectrum and Chemical Composition | 4 |
| 1.1.2 | Cosmic Ray Production | 6 |
| 1.2 | γ -Ray Astrophysics | 7 |
| 1.2.1 | Detection Techniques | 8 |
| 1.2.2 | Mechanisms for γ -Ray Production | 9 |
| 1.2.3 | Sources of VHE Gamma Rays | 11 |
| | References | 13 |
| 2 | The Imaging Atmospheric Cherenkov Technique and the IACTs | |
| | MAGIC and CTA | 15 |
| 2.1 | The Imaging Atmospheric Cherenkov Technique | 15 |
| 2.1.1 | Types of Showers | 16 |
| 2.1.2 | Cherenkov Light | 18 |
| 2.1.3 | The Imaging Technique | 22 |
| 2.2 | MAGIC | 25 |
| 2.2.1 | Hardware Description | 25 |
| 2.2.2 | Data Taking | 35 |
| 2.2.3 | Data Analysis | 38 |
| 2.3 | CTA | 60 |
| | References | 63 |

Part II Contributions to the Lowering of the Threshold of Imaging Atmospheric Cherenkov Telescopes

| | | |
|----------|---|-----------|
| 3 | Single Telescope Trigger for CTA | 67 |
| 3.1 | Description of the Analog Trigger Concept | 67 |
| 3.2 | Optimal Design Based on Simulations | 68 |
| 3.2.1 | Simulation Characteristics | 69 |

| | | |
|---|--|------------|
| 3.2.2 | Comparison Between Different Trigger Options | 71 |
| 3.2.3 | Gain Between Single-Telescope and Stereo Observation for the LSTs | 75 |
| 3.2.4 | Impact of the PMT Pulse Width on the Trigger Collection Area | 78 |
| 3.3 | Characterization of Trigger Hardware | 80 |
| 3.3.1 | Discrete Component Trigger | 80 |
| 3.3.2 | L0 ASIC Trigger | 82 |
| 3.3.3 | Conclusions | 86 |
| 3.4 | Concluding Remarks | 87 |
| | References | 88 |
| 4 | The Topo-Trigger: A New Stereo Trigger for Lowering the Energy Threshold of IACTs | 91 |
| 4.1 | Limitations of the Trigger System in the MAGIC Telescope | 91 |
| 4.2 | The Topo-Trigger | 92 |
| 4.2.1 | Setup of MC Simulations | 93 |
| 4.2.2 | Spatial Information Available at Trigger Level | 93 |
| 4.2.3 | Macrocell Selection | 94 |
| 4.2.4 | Expected Performance | 98 |
| 4.3 | Piggy-Back Measurements | 99 |
| 4.3.1 | Description of the Setup | 100 |
| 4.3.2 | Sensitivity and γ -ray Rate Comparison | 101 |
| 4.4 | Discussion and Conclusions | 102 |
| | References | 103 |
| Part III Pulsar Wind Nebulae | | |
| 5 | Introduction to Pulsar Wind Nebulae | 107 |
| 5.1 | Star Fate | 107 |
| 5.1.1 | Supernovae | 109 |
| 5.1.2 | Supernova Remnants | 109 |
| 5.2 | Neutron Stars | 109 |
| 5.2.1 | Inner Structure of an NS | 110 |
| 5.2.2 | Classification | 111 |
| 5.2.3 | NS Magnetosphere | 112 |
| 5.3 | Pulsars | 113 |
| 5.3.1 | Models for the Pulsar γ -Ray Emission | 115 |
| 5.3.2 | Observational Signatures of Pulsars at VHE Gamma Rays | 117 |
| 5.4 | Pulsar Wind Nebulae | 117 |
| 5.4.1 | Broadband Emission of PWNe | 121 |
| 5.4.2 | Models | 124 |
| | References | 125 |

| | | |
|----------|---|------------|
| 6 | The Crab Nebula: A Gamma-Ray Factory in Our Backyard | 127 |
| 6.1 | Introduction | 127 |
| 6.2 | The Crab PWN. | 130 |
| 6.2.1 | The Broadband Spectrum of the Crab Nebula. | 130 |
| 6.2.2 | Variability | 134 |
| 6.3 | Observations with MAGIC. | 136 |
| 6.3.1 | Crab at High Z_d | 136 |
| 6.3.2 | Data Sample and Analysis Procedure | 136 |
| 6.3.3 | Energy Spectrum. | 139 |
| 6.3.4 | Flux Variability. | 140 |
| 6.4 | Discussion and Conclusions | 145 |
| | References. | 147 |
| 7 | The Puzzling PWN 3C 58. | 149 |
| 7.1 | General Description | 149 |
| 7.1.1 | SN 1181 AD. | 151 |
| 7.1.2 | Distance and Age | 151 |
| 7.2 | MAGIC Observations and Results | 152 |
| 7.2.1 | Search for Steady Emission. | 152 |
| 7.2.2 | Search for Pulsed Emission. | 154 |
| 7.3 | Discussion | 156 |
| 7.3.1 | Comparison with Models. | 156 |
| 7.3.2 | VHE Luminosity in the Context of All VHE PWNe. | 158 |
| 7.4 | Conclusions | 162 |
| | References. | 162 |

Part IV Cataclysmic Variable Stars

| | | |
|----------|--|------------|
| 8 | Introduction to Cataclysmic Variable Stars. | 167 |
| 8.1 | Introduction | 167 |
| 8.2 | Composition | 167 |
| 8.3 | CV Fauna. | 168 |
| 8.4 | Spectral Characteristics. | 171 |
| | References. | 171 |
| 9 | Multiwavelength Campaign on AE Aquarii | 173 |
| 9.1 | Introduction | 173 |
| 9.2 | Observations. | 174 |
| 9.2.1 | Optical Facilities | 175 |
| 9.2.2 | Swift | 176 |
| 9.2.3 | MAGIC. | 177 |
| 9.3 | Results | 177 |
| 9.3.1 | Optical Results | 177 |
| 9.3.2 | Swift Results. | 178 |
| 9.3.3 | MAGIC Results. | 180 |

| | | |
|-----------|--|------------|
| 9.4 | Discussion | 183 |
| 9.5 | Summary | 185 |
| | References. | 185 |
| 10 | Nova and Dwarf Nova Observations with MAGIC | 187 |
| 10.1 | Introduction | 187 |
| 10.2 | Instruments | 188 |
| 10.2.1 | MAGIC Telescopes | 188 |
| 10.2.2 | <i>Fermi</i> -LAT | 188 |
| 10.3 | Observations and Results | 189 |
| 10.3.1 | YY Her | 189 |
| 10.3.2 | ASASSN-13ax. | 191 |
| 10.3.3 | V339 Del. | 193 |
| 10.4 | Modeling of Gamma-Rays from Nova V339 Del. | 195 |
| 10.5 | Conclusions | 199 |
| | References. | 199 |
| 11 | Summary and Concluding Remarks | 201 |
| | References. | 203 |
| | Appendix A: Mathematical Calculations | 205 |
| | Appendix B: Additional Tables | 209 |

Very-high-energy Gamma-ray Observations of Pulsar
Wind Nebulae and Cataclysmic Variable Stars with
MAGIC and Development of Trigger Systems for IACTs

López Coto, R.

2017, XXXVIII, 217 p. 127 illus., 101 illus. in color.,

Hardcover

ISBN: 978-3-319-44750-6