

Contents

1	Introduction	1
1.1	Tribological and Mechanical Properties and Triboelectric Effects	2
1.2	Tactile Perception	4
1.3	Application of Skin Cream, Tactile Perception, and Role of Tribology	5
1.4	Organization of the Book	7
	References	7
2	Skin and Skin Cream	11
2.1	Skin	11
2.2	Pig and Rat Skin	16
2.3	Skin Cream	16
2.4	Synthetic Skin for Cosmetics Science	19
	References	20
3	Experimental Techniques	25
3.1	Animal Skins and Skin Creams	25
3.1.1	Animal Skin	25
3.1.2	Damaged Skin	27
3.1.3	Various Skin Creams and Cream Treatment Procedure	27
3.2	Synthetic Skin Samples	29
3.2.1	Synthetic Skin-1	29
3.2.2	Synthetic Skin-2	30
3.3	Physical Characterization	31
3.3.1	Contact Angle Measurements	31
3.3.2	Dynamic Viscosity Measurements	31
3.3.3	Nanoscale Surface Roughness, Friction, Adhesive Force, and Wear Resistance Measurements	32
3.3.4	Film Thickness, Adhesive Forces, and Young's Modulus Mapping	33

3.3.5	Macroscale Friction and Wear Resistance (Durability) Measurements	36
3.3.6	Nanomechanical Properties Measurements	36
3.3.7	Surface Potential Measurements	38
3.3.8	Humidity and Temperature Control.	40
	References.	40

Part I Rat Skin—Virgin

4	Adhesion, Friction, and Wear of Rat Skin With and Without a Common Cream Treatment.	47
4.1	A Common Cream Treatment.	47
4.1.1	Surface Roughness and Friction on the Nanoscale	47
4.1.2	Effect of the Duration of Cream Treatment on Film Thickness and Effect of Cream Film Thickness, Velocity, and Normal Load on Adhesion and Friction on the Nanoscale.	49
4.1.3	Effect of Relative Humidity and Temperature on Adhesion and Friction on the Nanoscale	52
4.1.4	Wear Resistance on the Nanoscale	53
4.1.5	Effect of Cream Film Thickness, Velocity and Normal Load on Friction as Well as Wear Resistance on the Macroscale.	55
4.1.6	Summary.	58
4.2	Various Cream Treatments	58
4.2.1	Duration of Cream Treatment, Adhesion, Friction, Dynamic Viscosity and Wear Resistance on the Nanoscale.	59
4.2.2	Effect of Relative Humidity on Film Thickness, Adhesive Forces and Effective Young's Modulus Mappings on the Nanoscale	62
4.2.3	Summary.	66
	References.	66
5	Nanomechanical Properties of Rat Skin With and Without a Common Cream Treatment.	69
5.1	Nanoscratch	69
5.2	Nanoindentation	71
5.3	In Situ Tensile Measurements.	72
5.4	Summary	74
	References.	75

6	Triboelectrification of Rat Skin With and Without a Common Cream Treatment.	77
6.1	Understanding of Triboelectric Charge Generation Between Skin and Polystyrene	77
6.2	Effect of Velocity, Load, and Rubbing Time in Macroscale and Microscale Rubbing	78
6.2.1	Surface Potential Maps	78
6.2.2	Effect of Skin Cream Treatment	81
6.2.3	Comparison of Macroscale and Microscale Rubbing Data	83
6.2.4	Effect of Velocity, Normal Load, and Rubbing Time on Absolute Surface Potential	83
6.3	Effect of Relative Humidity on Surface Potential in Microscale Rubbing	84
6.4	Summary	86
	References.	86

Part II Rat Skin and Pig Skin—Virgin and Damaged

7	Friction, Wear, and Nanomechanical Properties of Virgin and Damaged Rat Skin and Pig Skin With and Without a Common Cream Treatment.	91
7.1	Surface Roughness, Contact Angle, Friction, and Wear Properties With and Without a Common Cream Treatment—Rat Skin	91
7.1.1	Surface Roughness, Contact Angle, and Nanoscale Friction	91
7.1.2	Effect of Velocity, Normal Load, Relative Humidity, and Number of Cycles on Nanoscale Friction	94
7.1.3	Macroscale Friction and the Effect of Velocity, Normal Load, and Number of Cycles	97
7.2	Surface Roughness, Contact Angle, and Friction Properties with a Common Cream Treatment—Pig Skin	99
7.2.1	Surface Roughness, Contact Angle, and Nanoscale Friction	99
7.2.2	Effect of Velocity, Normal Load, Relative Humidity, and Number of Cycles on Nanoscale Friction	100
7.2.3	Macroscale Friction and Effect of Velocity, Normal Load, and Number of Cycles	102
7.3	Nanomechanical Properties of Rat and Pig Skin	104
7.4	Summary	106
	References.	107

Part III Synthetic Skin

8 Nanotribological and Nanomechanical Characterization of Synthetic Skins With and Without Common Cream Treatment for Cosmetic Science.	111
8.1 Surface Roughness and Contact Angle for Rat Skin, Pig Skin, Synthetic Skin-1, and Synthetic Skin-2.	111
8.2 Coefficient of Friction, Adhesive Force and Film Thickness for Rat Skin, Pig Skin, Synthetic Skin-1, and Synthetic Skin-2.	114
8.3 Adhesive Force and Film Thickness Maps for Rat Skin, Pig Skin, Synthetic Skin-1, and Synthetic Skin-2.	114
8.4 Nanomechanical Properties of Rat Skin, Pig Skin, Synthetic Skin-1, and Synthetic Skin-2.	116
8.5 Summary	119
References.	119

Part IV Skin Tactile Perception

9 Skin Vibrations Created During Touch.	123
9.1 Introduction	123
9.2 Experimental Apparatus and Procedure	123
9.2.1 Artificial Finger.	124
9.2.2 Vibration Sensor Selection	124
9.2.3 Description of Tribometer Apparatus and Procedure.	125
9.3 Results and Discussion.	127
9.3.1 PMMA, Pig Skin, and Synthetic Skin with and Without Cream Treatment	128
9.3.2 Effect of Normal Load and Velocity.	130
9.3.3 Effect of Cream Treatment Time.	134
9.4 Summary	135
References.	135

Part V Closure

10 Overall Summary and Outlook	139
Appendix A: Primer to Tribology	141
Subject Index.	161

Biophysics of Skin and Its Treatments
Structural, Nanotribological, and Nanomechanical
Studies

Bhushan, B.

2017, XIV, 165 p. 77 illus., 26 illus. in color., Hardcover

ISBN: 978-3-319-45706-2