

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Why This Book?	3
1.2	Spectrum Regulation	4
1.2.1	Licensed Spectrum	5
1.2.2	Unlicensed Spectrum	5
1.2.3	Open Spectrum	7
1.3	Opportunistic Spectrum Usage	8
1.4	Software Defined Radio and Cognitive Radio	9
1.4.1	IEEE Groups Working on Spectrum Sharing	10
1.4.2	Cognition Cycle	11
1.4.3	Cognitive Engine and Framework	12
1.4.4	Cognitive Radio Network	15
1.5	Quality of Service (QoS)	16
1.5.1	QoS Provisioning for Latency Guarantee	18
1.5.2	QoS Provisioning for Throughput Guarantee	20
1.6	Channel Selection Techniques in Cognitive Radio Network	20
1.6.1	Channel Selection in CR Based Infrastructure Network	21
1.6.2	Channel Selection in CR Based Ad-hoc Network	22
1.7	MAC Protocols for Cognitive Radio Networks	23
1.7.1	Random Access Based MAC Scheme	24
1.7.2	Time-Slotted Based MAC Scheme	26
1.8	Self-coexistence in Cognitive Radio Networks	28
1.8.1	Resource Relocation Based Self-coexistence	29
1.8.2	Resource Sharing Based Self-coexistence	30
1.9	Discussion	30
	References	31

<b>2</b>	<b>Cognitive Radio Network- A Review</b>	39
2.1	Spectrum Management	39
2.1.1	Ant Colony Optimization Based Spectrum Management	39
2.1.2	Non-linear Optimization Based Spectrum Management	41
2.1.3	Game Theory Based Spectrum Management	46
2.1.4	Learning Automata Based Spectrum Selection	51
2.1.5	Spectrum Selection in Varying Channel Bandwidth Environment	53
2.2	Media Access Control	56
2.2.1	QoS Aware Media Access Schemes	56
2.2.2	High Throughput Media Access Schemes	64
2.2.3	Self-coexistence Based MAC Protocol	67
2.3	Energy Management	71
2.3.1	Cooperative Sensing Based Energy Efficient Spectrum Sensing	72
2.3.2	Non-cooperative Sensing Based Energy Efficient Spectrum Sensing	79
2.4	Cognitive Radio Platforms	88
2.4.1	From FPGAs to Software Defined Radio	89
2.4.2	From Software Defined Radio to Cognitive Radio	89
2.4.3	SDR Software	90
2.4.4	WARPnet	92
2.4.5	RTL-SDR	93
2.5	Discussion	94
	References	94
<b>3</b>	<b>QoS Provisioning and Energy Management Framework for CRN</b>	97
3.1	QoS Parameters	98
3.1.1	Latency Versus Throughput	98
3.1.2	Self-coexistence and Its Role in QoS	99
3.1.3	Energy Management and QoS	99
3.2	QoS Framework for Cognitive Radio Network	100
3.3	Detailed Layer 2 QoS Provisioning Framework	101
3.3.1	Mode of Operation	104
3.3.2	Generic Protocol Stack	105
3.4	Self Organization	107
3.4.1	Channel Availability Model	108
3.4.2	Quiet Periods	108
3.5	Discussion	109
	References	110

<b>4 Case Study: Spectrum Management in CRN Framework</b>	111
4.1 Spectrum Usage Behavior	111
4.1.1 Deterministic Usage Behavior	111
4.1.2 Stochastic Usage Behavior	112
4.2 Reconfigurable Channel Selection	113
4.3 Channel Selection in Deterministic Environment	114
4.3.1 System Model	115
4.3.2 Deterministic Learning with Spectrum Selection and Usage	116
4.3.3 Minimal Channel Switch Requirement	118
4.3.4 Maximum Throughput Requirement	120
4.3.5 Intermediate Solution to Provide High Throughput Along with Minimal Channel Switch Requirement	120
4.3.6 Complexity Analysis of Algorithms	121
4.3.7 Spectrum Usage	122
4.3.8 Performance Analysis	123
4.3.9 Ad-hoc Mode Operation	127
4.4 Channel Selection in Stochastic Environment	128
4.4.1 System Model	128
4.4.2 Communication Segment	129
4.4.3 Spectrum Decision and Mapping of Packets	129
4.4.4 Load Balancing	130
4.4.5 Performance Analysis	131
4.5 Discussion	135
References	135
<b>5 Case Study: Media Access in CRN Framework</b>	139
5.1 System Model	139
5.1.1 Traffic Type	140
5.1.2 Channel Classification	141
5.1.3 Quiet Period Distribution	141
5.2 Hybrid Media Access Scheme	142
5.2.1 Arbitration Interframe Spaces	143
5.3 Initialization	144
5.4 Operation	145
5.4.1 Data Transfer on Reservation Based Channels	145
5.4.2 Data Transfer on Contention Based Channels	145
5.4.3 Data Transfer on a Foreign Channel	146
5.5 Power Saving Mode Operation	146
5.6 Broadcast and Multicast Operation	147
5.7 Performance Analysis	148
5.8 Infrastructure Mode Operation	151
5.9 Hidden Terminal Problem in Ad-hoc Mode	152
5.10 Discussion	153
References	153

<b>6</b>	<b>Case Study: Energy Management in CRN Framework</b>	155
6.1	System Model	156
6.2	Energy Aware Spectrum Allocation Scheme	157
6.2.1	Spectrum Decision	157
6.2.2	Bare Bandwidth Calculation	158
6.2.3	Admission Control	159
6.3	Performance Analysis	160
6.4	Discussion	164
	References	165
<b>7</b>	<b>Case Study: Self-coexistence in CRN Framework</b>	167
7.1	Self-coexistence Procedure	167
7.1.1	Detection of Interfering Network	168
7.1.2	Recovery Process	169
7.2	Resource Relocation Based Self-coexistence	169
7.2.1	System Model	170
7.2.2	Graph Coloring	171
7.2.3	Optimization Problem Equivalent of ERM C	172
7.2.4	Relationship Between Optimization Problems	173
7.2.5	Self Coexistence Scheme with QoS Provisioning	175
7.2.6	Performance Analysis	178
7.2.7	Infrastructure Mode Operation	179
7.3	Resource Sharing Based Self-coexistence	180
7.3.1	System Model	181
7.3.2	Design and Working	181
7.3.3	Multiple CR Network Coexistence	185
7.3.4	Performance Analysis	186
7.4	Discussion	190
	References	191
	<b>Appendix A: Proof of Lemma 4.2</b>	193
	<b>Appendix B: Proof of Lemma 4.3</b>	195
	<b>Appendix C: Proof of Lemma 4.4</b>	197
	<b>Appendix D: Proof of Polynomial Bound Convergence of Algorithm 7.1</b>	201

QoS and Energy Management in Cognitive Radio  
Network

Case Study Approach

Mishra, V.; Mathew, J.; Tong, L.C.

2017, XII, 202 p. 60 illus., 39 illus. in color., Hardcover

ISBN: 978-3-319-45858-8