Contents

1 Introduction 1
References 5

2 Fundamentals 7
2.1 Organic Semiconductors: π–Conjugated Molecules 7
2.2 Electronic Structure Theory 10
2.2.1 Nearly Free Electrons 11
2.2.2 Model of Tight Binding/LCAO 12
2.2.3 The Density of States 16
2.2.4 Gap States 17
2.3 Models and Processes of Energy–Level Alignment 21
2.3.1 Doping and Fermi–Level 22
2.3.2 Band Bending 24
2.3.3 Vacuum Level Alignment 32
2.3.4 Fermi–Level Pinning 34
2.3.5 Push Back 37
2.3.6 Molecular Film Structure 39
References 41

3 Theory of Experimental Methods 47
3.1 Photoelectron Spectroscopy (PES) 47
3.1.1 The Three Step Model of Photoemission 50
3.1.2 Interpretation and Analysis of Photoemission Data 58
3.2 Near Edge X-ray Absorption Fine Structure (NEXAFS) 63
3.2.1 Angular Dependence of Molecular NEXAFS Resonances 65
3.3 Scanning Tunneling Microscopy (STM) 69
3.4 Low Energy Electron Diffraction (LEED) 71
References 73

4 Methodology and Experimental Setups 77
4.1 Materials and Sample Preparation 77
4.1.1 ZnO Crystals 77
4.1.2 Organic Materials 79
4.2 Experimental Equipment and Settings 82
4.2.1 PES, NEXAFS and LEED at BESSY II 82
4.2.2 PES, STM/AFM and LEED Setup at the HU Berlin 84
4.2.3 PES and LEED at Chiba University 85
4.2.4 Optical Characterization of HIOS Structures 85
4.3 Data Analysis 86
4.3.1 Processing Photoemission Data 86
4.3.2 Processing NEXAFS Data 87
4.3.3 Processing AFM/STM Data 88
4.3.4 PES Peak Fitting and Determination of Positions 89
References 89

5 Results and Discussion 91
5.1 Characterization of the ZnO Faces 92
5.1.1 Investigation of the Surface Structure 93
5.1.2 Electronic Characterization of the Clean ZnO Faces 100
5.2 Donor and Acceptor Molecules on ZnO 103
5.2.1 Strong Work Function Increases of ZnO Using F4TCNQ 104
5.2.2 F6TCNNQ: A Similar, but Not as Volatile, Acceptor as F4TCNQ 115
5.2.3 HATCN, an Application Relevant Acceptor for Tuning the Work Function of ZnO 119
5.2.4 A Weak Acceptor, Pentacenetetrone, on ZnO 127
5.2.5 Donors on ZnO 133
5.3 ZnO Gap State Density of States Limits Adsorption Induced Internal Band Bending 139
5.4 Universal Energy-Level Alignment of Para-Sexiphenyl on ZnO 146
5.5 Adjusting HIOS Energy-Level Alignment 152
5.5.1 Energy-Level Adjustment of 6P on ZnO by HATCN Monolayers 153
5.5.2 Demonstration of Continuous Energy-Level Adjustment: SP6 on ZnO(0001) 157
5.5.3 Efficient Light Emission from Inorganic and Organic Semiconductor Hybrid Structures by Energy-Level Tuning 160
References 170

6 Conclusion 181

Appendix A: Mathematica Code for Band Bending in Depletion Approximation 185

Appendix B: Main Excitation Lines/Satellites 189

Appendix C: Program Code for Satellite Removal 191

Appendix D: NEXAFS "Dark Current"/Offset Related Artifact 195

Appendix E: Mathematica Code for Band Bending Using Fermi–Dirac Statistics 199

Appendix F: Additional Experimental Spectra 203

Curriculum Vitae 209



http://www.springer.com/978-3-319-46623-1

Energy-Level Control at Hybrid Inorganic/Organic Semiconductor Interfaces

Schlesinger, R.

2017, XVIII, 211 p. 88 illus., 52 illus. in color., Hardcover
ISBN: 978-3-319-46623-1