

Contents

1	Introduction	1
1.1	Quantum Electrodynamics and the Standard Model of Particle Physics	1
1.2	Content and Structure of the Thesis	2
	References	3
2	The g-Factor - Exploring Atomic Structure and Fundamental Constants	5
2.1	The g -Factor	6
2.2	The g -Factor of the Free Electron	7
2.3	The g -Factor of the Bound Electron	8
2.3.1	g_{Dirac} - Dirac Values of the Bound-Electron g -Factor	10
2.3.2	Δg_{QED} - Radiative Corrections	12
2.3.3	Δg_{nucl} - Nuclear Corrections	13
2.3.4	Many-Electron Corrections	15
2.4	Measurement Principle of the Bound-Electron g -Factor	16
2.5	Status of the Bound-Electron g -Factor Measurements	18
2.6	The Electron and Its Atomic Mass	19
2.6.1	Benefits of an Improved Electron Mass	20
2.6.2	Electron Mass Measurements in History	20
2.6.3	State-of-the-art Measurement Principle of the Electron Mass	22
2.6.4	State-of-the-art Calculations of the Bound-Electron g -Factor of Hydrogenlike Carbon	23
2.7	Testing BS-QED Beyond the Furry Picture	24
2.7.1	Isotope Shift Measurements	25
2.7.2	The Isotope Shift of the Bound-Electron g -Factors of Two Different Lithiumlike Calcium Isotopes, $^{40}\text{Ca}^{17+}$ and $^{48}\text{Ca}^{17+}$	25

2.7.3	Theoretical Calculations of the Isotope Shift $\Delta g = g(^{40}\text{Ca}^{17+}) - g(^{48}\text{Ca}^{17+})$	26
2.7.4	The Atomic Masses of $^{40}\text{Ca}^{17+}$ and $^{48}\text{Ca}^{17+}$	26
	References.	28
3	Penning Trap Physics	33
3.1	Trapping Charged Particles.	33
3.1.1	The Ideal Penning Trap.	34
3.1.2	Penning Trap Imperfections	38
3.1.3	A Real Penning Trap - Our Trap Design	41
3.2	Induced Image Charge Detection	43
3.2.1	The Induced Image Currents.	44
3.2.2	The Axial-Resonator - a Parallel Tank-Circuit	45
3.2.3	Interaction Between the Trapped Ion and the Resonator	48
3.2.4	The Image Charge Shift	52
3.3	Excitations and Couplings of the Eigenmotions	53
3.3.1	The Dipole Excitation	53
3.3.2	The Quadrupole Excitation	55
3.3.3	LC-Excitation - Electronic Feedback.	59
3.4	Various Non-thermalized Eigenfrequency Detection Methods	61
3.4.1	Axial Peak Detection	62
3.4.2	Phase-Sensitive Detection Methods.	64
3.5	Larmor Frequency Determination	69
3.5.1	The Continuous Stern-Gerlach Effect	70
3.5.2	Systematic Shifts of the Larmor Frequency.	71
	References.	73
4	Towards the Measurement of the Larmor-to-Cyclotron Frequency Ratio	75
4.1	Experimental Setup.	75
4.1.1	The Magnet and the Cooling Reservoirs.	76
4.1.2	Electronic Components	78
4.1.3	The Microwave System.	80
4.1.4	The Timing System.	81
4.1.5	The Triple Penning Trap Tower	81
4.2	Environmental Influences and Stabilization Systems.	82
4.2.1	Superconducting Compensation Coils	83
4.2.2	Pressure Study of the Four Cooling Reservoirs.	89
4.3	Preparatory Steps and Measurements	90
4.3.1	Creation of a Single Highly Charged Ion	90
4.3.2	Preparation of the Precision Trap	94
4.3.3	Preparation of the Analysis Trap.	100
4.4	The Measurement Process	103

4.5	Line-Shape Model of the Γ -Resonance.	106
4.5.1	Sources of the Modified Cyclotron Phase Jitter.	106
4.5.2	The Combined Line-Shape Model.	111
	References.	115
5	Determination of the Atomic Mass of the Electron.	117
5.1	Statistical Γ -Value	117
5.2	Systematic Shifts and Uncertainties	121
5.2.1	The Image Charge Shift	122
5.2.2	The Line-Shape Model of the Axial Dip Signal	122
5.2.3	Measurements of the Magnetron Frequency	123
5.2.4	The Dipole Contribution of the Second PnA Pulse.	123
5.2.5	The Drift of the Axial Frequency	125
5.2.6	The Image Current Shift of the Cyclotron Resonator	125
5.2.7	Electric Field Imperfections.	126
5.2.8	Line-Shape Model of the Γ -Resonance.	126
5.2.9	Magnetic Field Imperfections	127
5.2.10	Residual Special Relativity	127
5.3	Consistency Checks	128
5.4	Final Results.	130
	References.	133
6	Probing the Isotope Shift: $\Delta g = g(^{40}\text{Ca}^{17+}) - g(^{48}\text{Ca}^{17+})$	135
6.1	Spin-Flip Detection with Calcium Isotopes - the Cycle-Weight	135
6.2	Statistical Γ -Values.	139
6.3	Systematic Shifts and Uncertainties	141
6.4	Consistency Checks	142
6.5	Final Results.	142
6.5.1	The Absolute g -Factors - Testing Many-Electron QED Calculations.	142
6.5.2	The g -Factor Difference $\Delta g = g(^{40}\text{Ca}^{17+}) - g(^{48}\text{Ca}^{17+})$ - Testing BS-QED beyond the Furry Picture.	144
	References.	145
7	Outlook - A New Generation of High-Precision Penning Trap	147
7.1	Design of a New Seven-Electrode Cylindrical Penning Trap	148
7.1.1	Analytical Calculations of a New Trap Design	148
7.1.2	Final Parameters of the Proton Trap	154
7.1.3	Performance of the New Trap - Study of the Axial Frequency Shifts	154
7.1.4	Handling the Combined Orthogonality	156
7.1.5	Final Design of the Seven-Electrode Proton Trap	158

7.2 Outlook 161

7.2.1 Bound-Electron g -Factor Measurements
at Heavy Highly Charged Ions 161

7.2.2 High-Precision Measurement of the Atomic
Proton Mass 163

References. 164

Curriculum Vitae 167

The Electron Mass and Calcium Isotope Shifts
High-Precision Measurements of Bound-Electron
g-Factors of Highly Charged Ions

Köhler-Langes, F.

2017, XIV, 168 p. 69 illus., 24 illus. in color., Hardcover

ISBN: 978-3-319-50876-4