

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Introduction	1
1.2	Development Perspectives	2
1.2.1	Increased Damage Growth Resistance of Metal Laminates	2
1.2.2	Utilization in Context of Damage Tolerance	3
1.2.3	Increasing Strength of Composites	4
1.3	From Material Towards Structural Application	5
1.4	Contribution to the FML Knowledge	5
	References	5
<b>2</b>	<b>Laminate Concepts &amp; Mechanical Properties</b>	<b>7</b>
2.1	Introduction	7
2.2	Aluminium with Epoxy-Based Adhesive Systems	8
2.2.1	ARALL and GLARE, Codes and Standardisation	9
2.2.2	Aramid Fibres (ARALL)	11
2.2.3	Glass Fibres (GLARE, Central)	14
2.2.4	Carbon Fibres (CARE/CARALL)	17
2.2.5	Polymer Fibres (HP-PE, Zylon)	18
2.2.6	M5 Fibres	20
2.3	Other Metal Constituents	21
2.3.1	Titanium-Based FMLs	21
2.3.2	Stainless Steel-Based FMLs	22
2.3.3	Magnesium-Based FMLs	22
2.4	Thermoplastic Adhesive Systems	23
2.5	Innovative Hybridization Concepts	23
	References	25

<b>3</b>	<b>Patents and Intellectual Property</b>	29
3.1	Introduction	29
3.2	Material Concept Development	29
3.2.1	Improving Fatigue and Crack Growth	29
3.2.2	Improving Impact Resistance and Tolerance	32
3.2.3	Thickness Steps	33
3.2.4	Thick Panel Concepts for Lower Wing Covers	35
3.2.5	Alternative Fuselage Skin Concepts	37
3.3	Splicing Concepts	39
3.4	Manufacturing Aspects	41
3.4.1	Post-stretching Panels After Curing	41
3.4.2	Pre-stretching Panels During Curing	42
3.4.3	Lay-up and Curing Concepts	43
3.4.4	Alternative Impregnation Processes	45
3.5	Design of Fuselage Panels	46
3.5.1	General Fuselage Panel Concepts	46
3.5.2	Interlaminar Reinforcements and Inserts	47
3.5.3	Special Design Features	49
3.6	Design of Panel Stiffening Elements	49
3.7	FML Components	51
3.8	Discussion	52
3.8.1	Flat Material Concepts	52
3.8.2	Design Aspects	55
3.9	Concluding Remarks	55
	References	56
<b>4</b>	<b>Stress and Strain</b>	59
4.1	Introduction	59
4.2	Stress–Strain in Orthotropic Materials Under Plane Stress	59
4.3	Classical Laminated Plate Theory	61
4.4	Residual Stresses	61
4.5	Failure of the Composite Constituent	64
4.6	Plasticity of the Metal Constituent	65
4.7	Generalized Theories of Plasticity	66
4.8	Post-stretching	67
4.9	Shear Stress and Strain	70
4.10	Out-of-Plane (Bending and Torsion)	71
4.11	Simple Methods for Design Purposes	72
4.11.1	Metal Volume Fraction	72
4.11.2	Determination of Shear Properties Using Uniaxial Material Data	73
4.12	Limit of Validity of CLT and MVF	75
	References	75

<b>5</b>	<b>Blunt Notch Strength</b>	77
5.1	Introduction	77
5.2	Definitions and Failure Phenomena	79
5.2.1	Definitions	79
5.2.2	Notch Sensitivity and Ductility	80
5.2.3	Biaxial Loading Using Uniaxial Data	82
5.2.4	Composite Failure Modes	83
5.2.5	Plasticity-Induced Delamination	85
5.2.6	Other Failure Phenomena	86
5.2.7	Blunt Notch Strength and Ultimate Strength	87
5.3	Theoretical Approaches	88
5.3.1	Tsai–Hill/Norris Failure Criteria	88
5.3.2	Point and Average Stress Criteria	89
5.3.3	Blunt Notch Factor to Ultimate Strength in Net Section	91
5.4	Applicability to General Loading Conditions	92
5.4.1	Uniaxial Off-Axis Loading	92
5.4.2	Shear Loading	94
5.4.3	Biaxial Loading	95
5.5	Simple Methods for Design Purposes	96
5.5.1	Metal Volume Fraction	96
5.5.2	Neuber’s Postulate	97
	References	99
<b>6</b>	<b>Bearing Strength</b>	101
6.1	Introduction	101
6.2	Definition of Bearing Strength	102
6.3	Failure Phenomena	103
6.3.1	Delamination Buckling	103
6.3.2	Bearing Failure	105
6.4	Diameter-to-Thickness Ratio	107
6.5	Influence of the Diameter-to-Width Ratio	108
6.6	Influence of Edge Distance	109
6.7	In-Axis Versus Off-Axis Loading	110
6.8	Analysis and Prediction Methods	113
6.8.1	Bilinear Constituent Representation with Rules of Mixtures	113
6.8.2	Simplified MVF Method	118
6.8.3	Finite Element Analyses	119
6.9	Additional Studies	120
6.9.1	Bearing/ByPass Diagrams	120
6.9.2	Environmental Exposure	123
	References	123

<b>7</b>	<b>Fatigue Initiation</b> . . . . .	127
7.1	Introduction . . . . .	127
7.2	Definition of Initiation . . . . .	127
7.3	Definition of Stresses . . . . .	131
7.4	Stress Concentration in a Uniaxial Stress Field. . . . .	132
7.5	Peak Stresses at Locations Other Than $\psi = \pm 90^\circ$ . . . . .	134
7.6	Stress Concentration in a Biaxial Stress Field. . . . .	136
7.7	Other Load Cases . . . . .	137
7.8	Fatigue Stresses at the Notch Root . . . . .	137
7.9	Fatigue Initiation Life Estimation . . . . .	139
7.10	Adapting Reference Data for $S_m$ and $K_t$ . . . . .	139
7.11	Accuracy of Predictions . . . . .	141
7.12	Size Effects . . . . .	142
7.13	Constant Versus Variable Amplitude Loading . . . . .	142
7.14	Mechanically Fastened Joints . . . . .	144
7.15	Influence of Post-stretching . . . . .	145
	References . . . . .	146
<b>8</b>	<b>Static and Fatigue Delamination</b> . . . . .	147
8.1	Introduction . . . . .	147
8.2	Strain Energy Release Rate . . . . .	148
8.3	Interface Geometry . . . . .	150
	8.3.1 Resin-Rich Layers . . . . .	150
	8.3.2 Tapes Versus Weaves . . . . .	154
8.4	Modes I, II and Mixed Mode . . . . .	155
	8.4.1 Mode I . . . . .	155
	8.4.2 Mode II . . . . .	155
	8.4.3 Mixed Mode . . . . .	158
8.5	Constant Versus Variable Amplitude Loading . . . . .	160
	8.5.1 Macroscopic Observations . . . . .	160
	8.5.2 Microscopic Observations . . . . .	162
8.6	Asymptotes in Delamination Characteristics . . . . .	165
	8.6.1 Static Delamination Growth . . . . .	165
	8.6.2 Delamination Threshold . . . . .	167
8.7	Delamination Buckling . . . . .	168
8.8	Effect of Post-stretching . . . . .	169
	References . . . . .	171
<b>9</b>	<b>Fatigue Crack Propagation</b> . . . . .	175
9.1	Introduction . . . . .	175
9.2	Crack Geometries . . . . .	176
9.3	Fatigue Crack Growth Characteristics . . . . .	177
9.4	Superposition of Far-Field Stresses and Fibre Bridging . . . . .	180
9.5	Delamination Shapes . . . . .	184

9.6	Metal Layer Crack Growth Resistance . . . . .	186
9.7	Finite Width Correction Factors . . . . .	189
9.8	Other Correction Factors. . . . .	190
9.8.1	Open Hole and Pin-Loaded Hole. . . . .	193
9.8.2	Edge Cracks Versus Central Cracks . . . . .	195
9.9	Fatigue Threshold. . . . .	196
9.10	Surface Cracks . . . . .	198
9.11	Part-Through Cracks. . . . .	201
9.12	In-Axis Versus off-Axis Loading . . . . .	203
9.13	Crack Path Angles and Path Deflections. . . . .	208
9.14	Constant Versus Variable Amplitude Loading . . . . .	211
9.15	Post-stretching . . . . .	213
9.16	Biaxial Fatigue . . . . .	214
	References. . . . .	217
<b>10</b>	<b>Residual Strength . . . . .</b>	<b>221</b>
10.1	Introduction . . . . .	221
10.2	Through-Cut Cracks . . . . .	223
10.2.1	Fracture Mechanisms. . . . .	225
10.2.2	$K_R$ -Curve or R-Curve Concept . . . . .	226
10.2.3	Compliance Calibration for Orthotropic FML Panels. . . . .	229
10.2.4	Crack Tip Opening Angle or CTOA Concept . . . . .	231
10.2.5	Superposition Principles for Crack Opening . . . . .	234
10.2.6	In-Axis Versus Off-Axis Loading . . . . .	236
10.3	Fatigue Through Crack. . . . .	237
10.3.1	Observations . . . . .	237
10.3.2	Prediction Methodology. . . . .	240
10.4	Part-Through Cracks. . . . .	241
10.5	Surface Cracks . . . . .	244
10.6	Impact Damage Tolerance . . . . .	246
	References. . . . .	249
<b>11</b>	<b>Effect of Temperature . . . . .</b>	<b>253</b>
11.1	Introduction . . . . .	253
11.2	Temperature-Induced Residual Stresses . . . . .	253
11.3	Thermal Properties of FMLs. . . . .	254
11.3.1	Thermal Conductivity . . . . .	254
11.3.2	Specific Heat . . . . .	257
11.4	Fatigue Initiation. . . . .	257
11.4.1	Temperature Effect on Mechanical Properties . . . . .	258
11.4.2	Temperature Effect on Fatigue Properties . . . . .	259
11.5	Fatigue Damage Growth. . . . .	262
11.5.1	Temperature and Fatigue Crack Growth Resistance of Metals. . . . .	262

11.5.2	Temperature and Fatigue Delamination Resistance . . . . .	263
11.5.3	Influence of Temperature on Damage Growth in FMLs . . . . .	266
11.6	Thermal Fatigue . . . . .	267
	References. . . . .	268
<b>12</b>	<b>Effect of Environment . . . . .</b>	<b>271</b>
12.1	Introduction . . . . .	271
12.2	Moisture Absorption. . . . .	272
12.2.1	Planar Diffusion of Moisture . . . . .	272
12.2.2	Relevance of Exposure Type. . . . .	275
12.3	Effects of Moisture Ingress. . . . .	277
12.3.1	Static Strength. . . . .	277
12.3.2	Blunt Notch Strength. . . . .	278
12.3.3	Delamination Resistance . . . . .	281
12.3.4	Fatigue Crack Growth. . . . .	283
12.3.5	Residual Strength . . . . .	284
12.4	Effect of Frequency . . . . .	287
	References. . . . .	289
<b>13</b>	<b>Acoustic Fatigue . . . . .</b>	<b>291</b>
13.1	Introduction . . . . .	291
13.2	Damping Characteristics. . . . .	292
13.3	Acoustic Fatigue. . . . .	293
13.4	High-Frequency Bending Fatigue Experiments. . . . .	293
13.4.1	Specimen Configuration and Test Set-up. . . . .	293
13.4.2	Test Procedure. . . . .	294
13.4.3	Performed Tests. . . . .	295
13.5	Results and Observations . . . . .	296
13.6	Concluding Remarks. . . . .	298
	References. . . . .	298
	<b>Index . . . . .</b>	<b>299</b>

Fatigue and Fracture of Fibre Metal Laminates

Alderliesten, R.C.

2017, XII, 300 p. 189 illus., 116 illus. in color.,

Hardcover

ISBN: 978-3-319-56226-1