

Contents

1	Introduction	1
1.1	What Is Cooperativity?	1
1.2	Historical Overview	2
1.2.1	Dicke Superradiance	2
1.2.2	Dipole–Dipole Interactions	3
1.2.3	Master Equation and Single-Photon Models	3
1.2.4	Mean Field Model	4
1.2.5	Current Status	4
1.3	An Analogy with Cavity QED	5
1.4	Why Atoms?	5
1.5	Why Lattices?	6
1.6	Structure of This Thesis	7
1.7	Publications from This Work	7
	References	8
 Part I Interacting Dipole Theory		
2	Single Two-Level Atom	15
2.1	Overview	15
2.2	System Hamiltonian	15
2.2.1	Two-Level Atom	15
2.2.2	Vector Notation	16
2.2.3	Density Matrix	17
2.2.4	Dipole Operator	18
2.2.5	Electric Field Operator	18
2.2.6	Atom–Field Coupling	19
2.2.7	Interaction Picture, Rotating Wave Approximation	20
2.2.8	Rotating Wave Approximation	23

2.3	Dissipation: Quantum Stochastic Schrödinger Equation and the Master Equation	23
2.3.1	Overview	23
2.3.2	Noise Operator	24
2.3.3	Born–Markov Approximation	24
2.3.4	Quantum Stochastic Schrödinger Equation	26
2.3.5	Classical Driving Field	27
2.3.6	Master Equation	28
2.4	Dipole Moment	30
2.4.1	Equations of Motion	30
2.4.2	Atomic Polarisability and the Weak-Driving Steady State	32
2.4.3	Transient and Steady-State Solutions.	33
2.5	Classical Dipole—Simple Harmonic Oscillator.	35
2.5.1	Steady-State Solution	35
2.5.2	Transient Solution.	36
	References.	37
3	Multiple Four-Level Atoms.	39
3.1	Overview	39
3.2	Four-Level Atom	39
3.2.1	Energy Levels of a Four-Level Atom	39
3.2.2	Possible Experimental Realisations	41
3.2.3	xyz Basis	42
3.2.4	Single-Atom Hamiltonian	43
3.3	Many-Atom Master Equation	43
3.3.1	Many-Atom Density Matrix	43
3.3.2	Many-Atom Spin Operators	44
3.3.3	Vector Dipole Operator.	44
3.3.4	Dipole–Dipole Interactions	45
3.3.5	Many-Atom Master Equation	47
3.3.6	Many-Atom Optical Bloch Equations	48
3.4	Dipole Moments	49
3.4.1	Time Dynamics.	49
3.4.2	Weak-Driving Steady-State Solution.	50
3.5	Solution to Steady State Using Complex Symmetric Matrices	51
3.5.1	Coupled Linear Equations.	51
3.5.2	Complex-Symmetric Matrices and Left-Right Eigenvectors	51
3.5.3	Vector Decomposition.	54
3.5.4	Complex Eigenvalues	55
3.5.5	Complete Eigenbasis.	56
3.5.6	Degenerate Eigenmodes	56
	References.	58

4 Observables	61
4.1 Overview	61
4.2 Dipole Radiation.	61
4.2.1 Near-Field and Far-Field.	62
4.3 Poynting Vectors, Power Flow and Cross-Sections.	63
4.3.1 Poynting Vector, $\mathbf{S}$	63
4.3.2 Power, P	64
4.3.3 Cross-Section, σ	67
4.4 Scattering	68
4.4.1 Differential Scattering Cross-Section $d\sigma_{sc}/d\Omega$.	69
4.4.2 Total Scattering Cross-Section σ_{sc} .	70
4.4.3 Single Atom Scattering Power and Cross-Section.	71
4.5 Absorption	72
4.6 Extinction	73
4.6.1 Energy Conservation.	73
4.6.2 Optical Theorem.	73
4.6.3 Eigenmode Expansion.	74
References.	75
 Part II Cooperative Behaviour in One-Dimensional Arrays	
5 Two Atoms	79
5.1 Overview	79
5.2 Two-Level, Weak-Driving Steady-State	79
5.2.1 Recurrent Scattering	80
5.2.2 Eigenmode Solution	81
5.2.3 Two-Atom Eigenvalues.	82
5.2.4 Two-Atom Extinction Cross-Section.	83
5.3 Time Dynamics	85
References.	87
 6 One-Dimensional Atom Array	89
6.1 Overview	89
6.2 Effective Two-Level Atom	89
6.3 Extinction Cross-Section and Mode Behaviour, 3 Atoms	90
6.3.1 Symmetric Modes	90
6.3.2 Anti-symmetric Mode	90
6.3.3 Mode Interferences and Asymmetric Lineshapes.	92
6.3.4 Fano Resonance	94
6.4 N Atom Chain—Extinction Cross-Section	95
6.4.1 Increasing Atom Number	95
6.4.2 Eigenvalues.	95
6.4.3 Eigenvectors	98
6.4.4 Eigenvalue Dependence on Atom Spacing	100

6.4.5	<i>N</i> -Dependence of Eigenvalues	102
6.4.6	Infinite Limit and Reduction in Complexity	104
	References.	105

Part III Cooperative Behaviour in Two-Dimensional Arrays

7	Eigenmodes in a Two-Dimensional Atomic Monolayer	109
7.1	Overview	109
7.2	Extinction of Small Two-Dimensional Lattices.	109
7.2.1	Extinction Eigenmodes	109
7.2.2	Eigenvectors	111
7.3	Large Two-Dimensional Lattices	112
7.3.1	Extinction, Cooperative EIT	112
7.3.2	Lattice Eigenvectors	114
7.3.3	Semiregular Kagome Lattices	116
7.3.4	Lattice Imperfections.	116
	References.	118
8	Extinction in a Two-Dimensional Atomic Monolayer	121
8.1	Overview	121
8.2	Single Atom Extinction	121
8.2.1	Previous Experiments	122
8.2.2	Gaussian Beam—Paraxial Solution.	122
8.2.3	Extinction	123
8.3	Realistic Beam Focussing.	126
8.3.1	Finite Lens Radius	126
8.3.2	Limits on the Paraxial Approximation.	127
8.3.3	Vector Field Propagation.	127
8.4	Extinction from a Random Two-Dimensional Gas	129
8.4.1	Beer-Lambert Model	129
8.4.2	Deviation from the Beer-Lambert Model	130
8.5	Extinction from a Periodic Two-Dimensional Array.	132
8.5.1	Different Lattice Geometries	132
8.5.2	Eigenvalue Behaviour	132
8.5.3	Potential Applications	134
8.6	Imperfect Trapping	136
8.6.1	Finite Trapping Depth.	136
8.6.2	Finite Filling Efficiency.	138
	References.	138

Part IV Conclusions and Appendices

9	Conclusions and Outlook	143
9.1	Different Geometries; Different Advantages	143
9.2	Strong Driving	143

9.3 Rydberg Gate Schemes	144
9.4 Atomic Crystallisation	144
9.5 Beyond Atoms	145
References	145
Appendix A: Notation.	147
Appendix B: Solutions to the Simple Harmonic Oscillator	149
Appendix C: Derivation of the Cooperative Decay Γ_{ij} and Shift Ω_{ij}	151
Appendix D: Many-Atom Four-Level Optical Bloch Equations	159
Appendix E: Light–Matter Coupling Experiments	167

Cooperative Interactions in Lattices of Atomic Dipoles

Bettles, R.

2017, XVII, 169 p. 35 illus., 12 illus. in color., Hardcover

ISBN: 978-3-319-62842-4