

Contents

1	Introduction	1
1.1	Controlled Thermonuclear Fusion	2
1.1.1	Inertial Confinement Fusion	4
1.1.2	The National Ignition Facility	6
1.2	High Intensity Laser Plasma Interactions	8
1.2.1	Laser Plasma Acceleration	9
1.2.2	Laser-Based QED Experiments	12
1.3	Structure of Thesis	13
	References	14
2	Theoretical Background	17
2.1	Kinetic Theory of Plasmas	18
2.1.1	The Klimontovich Equation	18
2.1.2	The Boltzmann Equation	20
2.1.3	The Fokker-Planck Collision Operator	21
2.1.4	Jüttner's Distribution	23
2.1.5	Linearisation of the Boltzmann Equation	24
2.1.6	Classical Transport Theory	26
2.2	Quantum Electrodynamics	27
2.2.1	QED Processes in High-Temperature Plasmas	28
2.2.2	Non-linear QED in Strong Electromagnetic Fields	30
	References	32
3	Dynamical Friction in a Relativistic Plasma	35
3.1	Derivation of the Relativistic Fokker-Planck Coefficients for a Maxwellian Background	37
3.1.1	Limiting Cases	41

3.2	Relativistic Test Particle Relaxation Rates	42
3.2.1	Momentum Loss Rate	42
3.2.2	Momentum Diffusion Rates	43
3.2.3	Energy Exchange Rate	43
3.3	Discussion of Results	45
3.4	Limits of Validity	47
	References	49
4	Transport Processes in a Relativistic Plasma	51
4.1	Lorentzian Plasma: Analytical Treatment	53
4.1.1	Limiting Cases	57
4.1.2	Dimensionless Transport Coefficients	59
4.2	Plasmas with Arbitrary Atomic Number: Numerical Solution	62
4.2.1	Numerical Scheme	63
4.3	Rational Fits to the Transport Coefficients	66
4.4	Discussion of Results	72
4.5	Limits of Validity	75
	References	77
5	Numerical Simulations of High-Temperature Plasmas	81
5.1	The Monte Carlo Method	81
5.1.1	Numerical Scheme	82
5.2	Verification of Theoretical Results and Benchmarking	88
5.2.1	Relaxation to a Maxwellian Distribution	88
5.2.2	Relaxation Rates of a Relativistic Test Particle	90
5.2.3	Transport Coefficients of a Relativistic Plasma	90
5.3	Physics Beyond the Fokker–Planck Approximation	92
	References	100
6	An Experiment to Observe the Breit–Wheeler Process	101
6.1	Laser-Based Antimatter Experiments	102
6.1.1	Pair Production in Solid Targets Irradiated by High Intensity Lasers	102
6.1.2	Pair Production in Laser Wakefield Driven Solid Target Scattering	103
6.1.3	Pair Production in Burning Thermonuclear Plasmas	103
6.1.4	SLAC E-144 Experiment	104
6.1.5	Positron Production at Ultra-High Laser Intensities	106
6.2	Outline of Experimental Scheme	106
6.2.1	Creation of an Intense Gamma-Ray Beam Using Brems-Strahlung	108
6.2.2	Photon-Photon Scattering in an Intense X-Ray Bath	109

6.3	Monte Carlo Simulations	111
6.4	Detection of the Breit–Wheeler Pairs	115
6.5	Extensions of the Experimental Scheme	119
	References.	120
7	Conclusions	125
7.1	Summary of Results	126
7.2	Further Work	127
7.2.1	Further Numerical Studies of High-Temperature Plasmas	127
7.2.2	Development of the Breit–Wheeler Experimental Scheme	128
	References.	132
	Appendix A: The $j_{l[k]*}$ Functions	135
	Appendix B: Properties of the Modified Bessel Functions K_ν	137
	Appendix C: QED Cross Sections	139

Particle Interactions in High-Temperature Plasmas

Pike, O.J.

2017, XIX, 144 p. 31 illus., 18 illus. in color., Hardcover

ISBN: 978-3-319-63446-3