

Contents

1	Introduction	1
1.1	The Λ CDM Paradigm	1
1.2	Galaxy Formation Theory	4
1.3	Infra-red Extragalactic Astronomy	6
1.4	Thesis Outline	12
2	The Galaxy Formation Model	15
2.1	Introduction	15
2.2	Hierarchical Structure Formation	17
2.3	Gas Cooling in Halos	19
2.4	Star Formation	21
	2.4.1 Star Formation in the Disc	21
	2.4.2 Star Formation in Bursts	22
2.5	Feedback Mechanisms	22
	2.5.1 Supernova Feedback	22
	2.5.2 Photoionisation Heating of the IGM	23
	2.5.3 Supermassive Black Hole Growth and AGN Feedback	23
2.6	Galaxy Mergers and Disc Instabilities	24
	2.6.1 Galaxy Mergers	24
	2.6.2 Disc Instabilities	25
2.7	Galaxy Sizes	26
	2.7.1 Spheroid Formation	28
2.8	Chemical Evolution	29
	2.8.1 Evolution of Mass and Metals	29
	2.8.2 The Initial Mass Function	30
2.9	The Spectral Energy Distribution of Galaxies	32
	2.9.1 Emission of Light	32
	2.9.2 Dust Absorption	33
	2.9.3 Dust Emission	35

2.9.4	Absorption by the IGM.	37
2.10	The Lacey et al. 2016 GALFORM Model	37
3	Simulated Observations of Sub-millimetre Galaxies: The Impact of Single-Dish Resolution and Field Variance	43
3.1	Introduction	43
3.2	Creating Mock Surveys	45
3.2.1	Creating Sub-mm Maps	46
3.3	Results	49
3.3.1	Number Counts.	50
3.3.2	Multiplicity of Single-Dish Sources	52
3.3.3	Physically Unassociated Galaxies	54
3.3.4	Redshift Distribution	55
3.4	Comparison to ALESS	57
3.4.1	Number Counts and Source Multiplicity	58
3.4.2	Redshift Distribution	60
3.5	Multi-wavelength Surveys	62
3.6	Conclusions	66
4	The Clustering Evolution of Dusty Star-Forming Galaxies	69
4.1	Introduction	69
4.2	Dusty Star-Forming Galaxies in the Lacey et al. 2016 Model	71
4.3	The Spatial Clustering of Dusty Star-Forming Galaxies	71
4.3.1	The Two-Point Spatial Correlation Function	72
4.3.2	Spatial Clustering Evolution of Infra-red Luminous Galaxies	73
4.3.3	Spatial Clustering of SMGs.	77
4.4	Angular Clustering at 850 μm	83
4.4.1	The Angular Clustering of Galaxies	83
4.4.2	The Angular Clustering of Single-Dish Sources	84
4.4.3	Blending Bias in the Angular Clustering of Single-Dish Sources	86
4.4.4	A Cross-Correlation Analysis of Sub-mm Sources	92
4.4.5	The Angular Clustering of Intensity Fluctuations	103
4.5	Angular Power Spectrum of CIB Anisotropies	105
4.6	Conclusions	112
5	The Far Infra-red SEDs of Main-Sequence and Starburst Galaxies	115
5.1	Introduction	115
5.2	Relation of Inferred to True Physical Properties	117

5.3	Results	118
5.3.1	The Specific Star Formation Rate—Stellar Mass Plane	118
5.3.2	Stacked Infra-red SEDs	125
5.3.3	Comparison with Observations	129
5.3.4	Constraints on Dust Model Parameters	133
5.4	Conclusions	137
6	Predictions for Deep Galaxy Surveys with JWST	141
6.1	Introduction	141
6.2	The Theoretical Model	143
6.2.1	GALFORM	144
6.2.2	Evolving Supernova Feedback and the Redshift of Reionization	146
6.2.3	The Dust Model	148
6.2.4	Coupling GALFORM and GRASIL	151
6.3	Results	152
6.3.1	The Lacey et al. (2016) Model at High Redshift	152
6.3.2	Luminosity Functions Observable with <i>JWST</i>	156
6.3.3	Galaxy Number Counts and Redshift Distributions Observable with <i>JWST</i>	159
6.3.4	Sizes of Galaxies in <i>JWST</i> bands	164
6.4	Summary	165
7	Overall Conclusions and Future Work	167
	Appendix A: Towards a Derivation of the Blending Bias	171
	Appendix B: The Effect of a Non-universal IMF on Stellar Masses Inferred from SED Fitting	179
	Appendix C: Comparing the Simple Dust Model with GRASIL	183
	Appendix D: Background ALMA Number Counts	185
	Bibliography	189

The Nature of Dusty Star-Forming Galaxies

Cowley, W.

2017, XXXV, 196 p. 74 illus., 57 illus. in color.,

Hardcover

ISBN: 978-3-319-66747-8