

# Contents

<b>1</b>	<b>Energy Band Structures of Semiconductors</b>	<b>1</b>
1.1	Free-Electron Model	1
1.2	Bloch Theorem	3
1.3	Nearly Free Electron Approximation	5
1.4	Reduced Zone Scheme	9
1.5	Free-Electron Bands (Empty-Lattice Bands)	10
1.5.1	First Brillouin Zone	10
1.5.2	Reciprocal Lattice Vectors of fcc Crystal	12
1.5.3	Free Electron Bands	13
1.6	Pseudopotential Method	16
1.6.1	Local Pseudopotential Theory	16
1.6.2	Pseudopotential Form Factors	20
1.6.3	Nonlocal Pseudopotential Theory	23
1.6.4	Energy Band Calculation by Local Pseudopotential Method	26
1.6.5	Spin-Orbit Interaction	30
1.6.6	Energy Band Calculations by Nonlocal Pseudopotential Method with Spin-Orbit Interaction	33
1.7	$k \cdot p$ Perturbation	35
1.7.1	$k \cdot p$ Hamiltonian	35
1.7.2	Derivation of the $k \cdot p$ Parameters	41
1.7.3	15-band $k \cdot p$ Method	46
1.7.4	Antisymmetric Potentials for Zinc Blende Crystals	50
1.7.5	Spin-orbit Interaction Hamiltonian	51
1.7.6	30-band $k \cdot p$ Method with the Spin-Orbit Interaction	54
1.8	Density of States	59

1.9	Problems . . . . .	62
	References . . . . .	62
<b>2</b>	<b>Cyclotron Resonance and Energy Band Structures . . . . .</b>	<b>65</b>
2.1	Cyclotron Resonance . . . . .	65
2.2	Analysis of Valence Bands . . . . .	74
2.3	Spin–Orbit Interaction . . . . .	80
2.4	Non-parabolicity of the Conduction Band . . . . .	87
2.5	Electron Motion in a Magnetic Field and Landau Levels . . . . .	90
2.5.1	Landau Levels . . . . .	90
2.5.2	Density of States and Inter Landau Level Transition . . . . .	96
2.5.3	Landau Levels of a Non-parabolic Band . . . . .	98
2.5.4	Effective $g$ Factor . . . . .	101
2.5.5	Landau Levels of the Valence Bands . . . . .	104
2.5.6	Magneto–optical Absorption . . . . .	110
2.6	Luttinger Hamiltonian . . . . .	113
2.7	Luttinger Parameters . . . . .	116
2.8	Problems . . . . .	122
	References . . . . .	123
<b>3</b>	<b>Wannier Function and Effective Mass Approximation . . . . .</b>	<b>125</b>
3.1	Wannier Function . . . . .	125
3.2	Effective-Mass Approximation . . . . .	127
3.3	Shallow Impurity Levels . . . . .	132
3.4	Impurity Levels in Ge and Si . . . . .	135
3.4.1	Valley–Orbit Interaction . . . . .	138
3.4.2	Central Cell Correction . . . . .	139
3.5	Electron Motion Under an External Field . . . . .	141
3.5.1	Group Velocity . . . . .	142
3.5.2	Electron Motion Under an External Force . . . . .	145
3.5.3	Electron Motion and Effective Mass . . . . .	148
3.6	Problems . . . . .	150
	References . . . . .	150
<b>4</b>	<b>Optical Properties 1 . . . . .</b>	<b>153</b>
4.1	Reflection and Absorption . . . . .	153
4.2	Direct Transition and Absorption Coefficient . . . . .	158
4.3	Joint Density of States . . . . .	160
4.4	Indirect Transition . . . . .	165
4.5	Exciton . . . . .	171
4.5.1	Direct Exciton . . . . .	171
4.5.2	Indirect Exciton . . . . .	180
4.6	Dielectric Function . . . . .	183
4.6.1	$E_0$ , $E_0 + \Delta_0$ Edge . . . . .	186

4.6.2	$E_1$ and $E_1 + \Delta_1$ Edge . . . . .	188
4.6.3	$E_2$ Edge . . . . .	189
4.6.4	Exciton . . . . .	190
4.7	Piezobirefringence . . . . .	192
4.7.1	Phenomenological Theory of Piezobirefringence . . . . .	192
4.7.2	Deformation Potential Theory . . . . .	193
4.7.3	Stress-Induced Change in Energy Band Structure . . . . .	196
4.8	Problems . . . . .	202
	References . . . . .	204
<b>5</b>	<b>Optical Properties 2 . . . . .</b>	<b>205</b>
5.1	Modulation Spectroscopy . . . . .	205
5.1.1	Electro-Optic Effect . . . . .	205
5.1.2	Franz–Keldysh Effect . . . . .	207
5.1.3	Modulation Spectroscopy . . . . .	211
5.1.4	Theory of Electreflectance and Third-Derivative Form of Aspnes . . . . .	214
5.2	Raman Scattering . . . . .	219
5.2.1	Selection Rule of Raman Scattering . . . . .	225
5.2.2	Quantum Mechanical Theory of Raman Scattering . . . . .	230
5.2.3	Resonant Raman Scattering . . . . .	235
5.3	Brillouin Scattering . . . . .	238
5.3.1	Scattering Angle . . . . .	240
5.3.2	Brillouin Scattering Experiments . . . . .	244
5.3.3	Resonant Brillouin Scattering . . . . .	246
5.4	Polaritons . . . . .	250
5.4.1	Phonon Polaritons . . . . .	250
5.4.2	Exciton Polaritons . . . . .	254
5.5	Free–Carrier Absorption and Plasmon . . . . .	257
5.6	Problems . . . . .	263
	References . . . . .	263
<b>6</b>	<b>Electron–Phonon Interaction and Electron Transport . . . . .</b>	<b>265</b>
6.1	Lattice Vibrations . . . . .	265
6.1.1	Acoustic Mode and Optical Mode . . . . .	265
6.1.2	Harmonic Approximation . . . . .	270
6.2	Boltzmann Transport Equation . . . . .	279
6.2.1	Collision Term and Relaxation Time . . . . .	281
6.2.2	Mobility and Electrical Conductivity . . . . .	284
6.3	Scattering Probability and Transition Matrix Element . . . . .	289
6.3.1	Transition Matrix Element . . . . .	289
6.3.2	Deformation Potential Scattering (Acoustic Phonon Scattering) . . . . .	292

6.3.3	Ionized Impurity Scattering . . . . .	294
6.3.4	Piezoelectric Potential Scattering . . . . .	299
6.3.5	Non-polar Optical Phonon Scattering . . . . .	302
6.3.6	Polar Optical Phonon Scattering . . . . .	303
6.3.7	Inter-Valley Phonon Scattering . . . . .	308
6.3.8	Deformation Potential in Degenerate Bands . . . . .	309
6.3.9	Theoretical Calculation of Deformation Potentials . . . . .	311
6.3.10	Electron-Electron Interaction and Plasmon Scattering . . . . .	316
6.3.11	Alloy Scattering . . . . .	323
6.4	Scattering Rate and Relaxation Time . . . . .	325
6.4.1	Acoustic Phonon Scattering . . . . .	329
6.4.2	Non-polar Optical Phonon Scattering . . . . .	334
6.4.3	Polar Optical Phonon Scattering . . . . .	335
6.4.4	Piezoelectric Potential Scattering . . . . .	337
6.4.5	Inter-Valley Phonon Scattering . . . . .	339
6.4.6	Ionized Impurity Scattering . . . . .	341
6.4.7	Neutral Impurity Scattering . . . . .	343
6.4.8	Plasmon Scattering . . . . .	343
6.4.9	Alloy Scattering . . . . .	344
6.5	Mobility . . . . .	345
6.5.1	Acoustic Phonon Scattering . . . . .	347
6.5.2	Non-polar Optical Phonon Scattering . . . . .	347
6.5.3	Polar Optical Phonon Scattering . . . . .	351
6.5.4	Piezoelectric Potential Scattering . . . . .	353
6.5.5	Inter-Valley Phonon Scattering . . . . .	353
6.5.6	Ionized Impurity Scattering . . . . .	356
6.5.7	Neutral Impurity Scattering . . . . .	358
6.5.8	Plasmon Scattering . . . . .	358
6.5.9	Alloy Scattering . . . . .	360
6.5.10	Electron Mobility in GaN . . . . .	361
6.6	Problems . . . . .	362
	References . . . . .	363
7	<b>Magnetotransport Phenomena</b> . . . . .	365
7.1	Phenomenological Theory of the Hall Effect . . . . .	365
7.2	Magnetoresistance Effects . . . . .	372
7.2.1	Theory of Magnetoresistance . . . . .	372
7.2.2	General Solutions for a Weak Magnetic Field . . . . .	372
7.2.3	Case of Scalar Effective Mass . . . . .	374
7.2.4	Magnetoresistance . . . . .	376
7.3	Shubnikov-de Haas Effect . . . . .	380
7.3.1	Theory of Shubnikov-de Haas Effect . . . . .	380

7.3.2	Longitudinal Magnetoresistance Configuration . . . . .	384
7.3.3	Transverse Magnetoresistance Configuration . . . . .	387
7.4	Magnetophonon Resonance . . . . .	390
7.4.1	Experiments and Theory of Magnetophonon Resonance . . . . .	390
7.4.2	Various Types of Magnetophonon Resonance . . . . .	398
7.4.3	Magnetophonon Resonance Under High Electric and High Magnetic Fields . . . . .	403
7.4.4	Polaron Effect . . . . .	407
7.5	Problems . . . . .	411
	References . . . . .	412
<b>8</b>	<b>Quantum Structures . . . . .</b>	<b>415</b>
8.1	Historical Background . . . . .	415
8.2	Two-Dimensional Electron Gas Systems . . . . .	416
8.2.1	Two-Dimensional Electron Gas in MOS Inversion Layer . . . . .	416
8.2.2	Quantum Wells and HEMT . . . . .	426
8.3	Transport Phenomena of Two-Dimensional Electron Gas . . . . .	433
8.3.1	Fundamental Equations . . . . .	433
8.3.2	Scattering Rate . . . . .	436
8.3.3	Mobility of a Two-Dimensional Electron Gas . . . . .	464
8.4	Superlattices . . . . .	471
8.4.1	Kronig–Penney Model . . . . .	471
8.4.2	Effect of Brillouin Zone Folding . . . . .	474
8.4.3	Tight Binding Approximation . . . . .	477
8.4.4	$sp^3s^*$ Tight Binding Approximation . . . . .	479
8.4.5	Energy Band Calculations for Superlattices . . . . .	481
8.4.6	Second Nearest-Neighbor $sp^3$ Tight Binding Approximation . . . . .	486
8.5	Mesoscopic Phenomena . . . . .	494
8.5.1	Mesoscopic Region . . . . .	494
8.5.2	Definition of Mesoscopic Region . . . . .	496
8.5.3	Landauer Formula and Büttiker–Landauer Formula . . . . .	498
8.5.4	Research in the Mesoscopic Region . . . . .	504
8.5.5	Aharonov–Bohm Effect (AB Effect) . . . . .	504
8.5.6	Ballistic Electron Transport . . . . .	506
8.6	Quantum Hall Effect . . . . .	508
8.7	Coulomb Blockade and Single Electron Transistor . . . . .	520
8.8	Quantum Dots . . . . .	526
8.8.1	Addition Energy . . . . .	526
8.8.2	Exact Diagonalization Method . . . . .	531

8.8.3	Hamiltonian for Electrons in a Quantum Dot . . . . .	532
8.8.4	Diagonalization of $N$ Electrons Hamiltonian Matrix . . . . .	535
8.8.5	Electronic States in Quantum Dots . . . . .	537
8.8.6	Quantum Dot States in Magnetic Field . . . . .	538
8.8.7	Electronic States in Elliptic and Triangular Quantum Dots . . . . .	539
8.9	Problems . . . . .	541
	References . . . . .	542
<b>9</b>	<b>Light Emission and Laser . . . . .</b>	<b>547</b>
9.1	Einstein Coefficients $A$ and $B$ . . . . .	548
9.2	Spontaneous Emission and Stimulated Emission . . . . .	550
9.3	Band Tail Effect . . . . .	556
9.4	Luminescence . . . . .	561
9.4.1	Luminescence Due to Band to Band Transition . . . . .	561
9.4.2	Luminescence Due to Excitons . . . . .	562
9.4.3	Luminescence via Impurities . . . . .	565
9.4.4	Luminescence in GaP and GaAsP via N Traps . . . . .	570
9.4.5	Luminescence from GaInNAs . . . . .	574
9.4.6	Light Emitting Diodes (LEDs) in Visible Region . . . . .	576
9.5	Heterostructure Optical Waveguide . . . . .	576
9.5.1	Wave Equations for Planar Waveguide . . . . .	577
9.5.2	Transverse Electric Modes . . . . .	582
9.5.3	Transverse Magnetic Modes . . . . .	583
9.5.4	Effective Refractive Index . . . . .	585
9.5.5	Confinement Factor . . . . .	586
9.5.6	Laser Oscillations . . . . .	588
9.6	Stimulated Emission in Quantum Well Structures . . . . .	592
9.6.1	Confinement in Quantum Well . . . . .	593
9.6.2	Optical Transition in Quantum Well Structures . . . . .	597
9.6.3	Reduced Density of States and Gain . . . . .	602
9.6.4	Strain Effect . . . . .	605
9.7	Wurtzite Semiconductor Lasers . . . . .	610
9.7.1	Energy Band Structure of Wurtzite Crystals . . . . .	611
9.7.2	Bowing of the Band Gaps and the Effective Masses in the Ternary Alloys . . . . .	619
9.7.3	Valence Band Structure in the Presence of Strain . . . . .	624
9.7.4	Optical Gain of Nitride Quantum Well Structures . . . . .	631
9.8	Problems . . . . .	632
	References . . . . .	633

Contents	xxi
<b>10 Answers for Problems</b> . . . . .	635
<b>Appendices</b> . . . . .	663
<b>Bibliography</b> . . . . .	697
<b>Index</b> . . . . .	701



<http://www.springer.com/978-3-319-66859-8>

Basic Semiconductor Physics

Hamaguchi, C.

2017, XXI, 709 p. 315 illus., Hardcover

ISBN: 978-3-319-66859-8