

---

# Contents

<b>1</b>	<b>Biological Background of Testicular Autoimmunity</b>	<b>1</b>
1.1	Introduction	1
1.2	Developmental Phase Differences Between Reproductive and Lymphoid Organs	2
1.3	Evolution of the Reproductive and Immune Systems	3
1.4	Offensive Attack on Germ Cells by Acquired (Adoptive) Immunity	6
1.5	Harsh Immunological Fate of Male Haploid Germ Cells (Spermatids/Spermatozoa)	7
1.6	Endocrinological Relation Between the Testicular and Immune Functions	11
	References	13
<b>2</b>	<b>Microcircumstance for Induction and Prevention of Testicular Autoimmunity</b>	<b>17</b>
2.1	Introduction	17
2.2	Autoimmunogenicity of Spermatids and Spermatozoa	17
2.3	Protection of Autoimmunogenic Spermatids and Spermatozoa by the Blood-Testis Barrier (BTB)	20
2.4	Protection of Autoimmunogenic Spermatids and Spermatozoa by Various Local Elements Other Than the BTB	21
2.5	Cell Populations Involved in the Testicular Immunoregulation	22
2.5.1	Sertoli Cells	22
2.5.2	Leydig Cells	25
2.5.3	Testicular Leukocytes	26
2.5.4	Peritubular Myoid Cells and Basal Lamina	33
2.5.5	Blood Capillary Endothelium	34
2.5.6	Lymphatic Capillary Endothelium	34
2.5.7	Testicular Germ Cells (TGC)	36
2.5.8	Seminal Plasma	38
2.6	Resistance to Inflammatory Cell Responses of Various Types in the Testis	38
2.6.1	Resistance to Rejection of Allografts in the Testis	39

2.6.2	Spontaneous Occurrence of Vasculitis-Like Lesions in the Male Reproductive System . . . . .	39
2.6.3	Spermatic Granulomata by Local Trauma . . . . .	40
2.6.4	Spermatic Granulomata by Testosterone Treatment . . . . .	40
2.6.5	Reproductive Inflammation by Estrogen Treatment . . . . .	41
2.6.6	Reproductive Inflammation by Intravenous Administration of <i>Bordetella pertussis</i> (BP). . . . .	42
2.6.7	Spontaneous Infiltration of Eosinophils and Macrophages in Reproductive Tissues of Congenitally Lymph Node-Lacked Mice. . . . .	42
2.6.8	Multiple Organ-Localized Autoimmunity . . . . .	43
2.6.9	Resistance to Rejection of Transplanted Allogeneic and Xenogeneic Testis . . . . .	43
2.6.10	Successful Transplantation of Allografts and Xenografts by Co-transplantation with Sertoli Cells . . . . .	44
2.6.11	Successful Transplantation of Xenogeneic Spermatogenesis into the Recipient Testis. . . . .	44
2.6.12	Immune Tolerance Induced by Intratesticular Antigen Priming. . . . .	44
2.7	Five-Phased Immunoregulatory Barriers in the Testis. . . . .	45
2.8	Immunological Fragility of the Testicular Microcircumstance . . . . .	45
2.8.1	Regional Differences in the Integrity of the Immunological Shield by the BTB . . . . .	46
2.8.2	Pro-inflammatory Cytokines in the Testis Under Normal Condition . . . . .	47
2.8.3	Specific Localization of Immune Cells in the Testis Under Normal Condition . . . . .	47
2.8.4	Infiltration of Macrophages into the Testis in Secondary Biliary Cholestasis . . . . .	49
2.8.5	Mononuclear Cell Responses to Primary Testicular Cancer . . . . .	49
2.8.6	Frequent Involvement of Lymphocytic Leukemia in the Testis . . . . .	50
2.8.7	Natural Autoantibodies to Testicular Antigens . . . . .	50
2.9	Relation Between Acquired (Adoptive) and Innate Immune Responses in the Testis . . . . .	51
	References. . . . .	53

<b>3</b>	<b>Human Testicular Autoimmunity as a Result of Breakdown of Testicular Immune Privilege . . . . .</b>	<b>65</b>
3.1	Introduction . . . . .	65
3.2	Classification of Testicular Autoimmunity in Men . . . . .	66
3.3	Histological Findings from Biopsy Specimens of Infertile Men. . . . .	66
3.4	Anti-sperm and Anti-testis Autoantibodies in Men . . . . .	70
3.5	Systemic Inflammatory Diseases and Orchitis in Men . . . . .	73

3.6	Cellular Immunity in Men . . . . .	75
3.7	Histopathology in Autopsy Cases in Men . . . . .	76
3.8	Possible Pathogenesis of Primary Testicular Autoimmunity in Men . . . . .	80
3.9	Human Autoimmune Orchitis and the Disease Model in Experimental Animals. . . . .	83
	References. . . . .	85
<b>4</b>	<b>Testicular Autoimmunity by Immunization with Testicular Antigens Alone in Experimental Animals. . . . .</b>	<b>93</b>
4.1	Introduction of Autoimmune Orchitis in Experimental Animals. . .	93
4.2	Various EAO Models by Immunization with Testicular Antigens Alone. . . . .	94
4.2.1	EAO Induced by Immunizations with Syngeneic TGC Alone. . . . .	94
4.2.2	EAO Induced by Immunization with Allogeneic TGC Alone. . . . .	115
4.2.3	EAO Induced by Immunization with Xenogeneic TGC Alone. . . . .	115
4.2.4	EAO Induced by Repeated Intracutaneous Injections of Testicular Homogenate Alone . . . . .	116
4.2.5	EAO Induced by Abdominal Placement of Donor Testes . . . . .	116
	References. . . . .	116
<b>5</b>	<b>Testicular Autoimmunity by the Systemic Treatment with Immuno-Potentiating Agents in Experimental Animals. . . . .</b>	<b>123</b>
5.1	Introduction . . . . .	123
5.2	Various EAO Models with the Aid of Immunopotentiators. . . . .	124
5.2.1	EAO Induced by Treatment with Cyclophosphamide and the Following Immunization with TGC . . . . .	124
5.2.2	EAO Induced by Immunization with Testicular Antigens or Homogenate Emulsified in Complete Freund's Adjuvant (CFA). . . . .	124
5.2.3	EAO Induced by Immunization with Mixture Containing Testicular Homogenate and <i>Bordetella</i> <i>pertussis</i> (BP). . . . .	131
5.2.4	EAO Induced by Immunization with Testicular Antigens or Homogenate Emulsified in CFA and the Following Intravenous Administration of BP . . . . .	132
5.2.5	EAO Induced by Immunization with Testicular Antigens and <i>Klebsiella</i> Lipopolysaccharide. . . . .	147
5.2.6	EAO Induced by Intraperitoneal Injection with Both TGC and <i>Listeria monocytogenes</i> . . . . .	147

5.2.7	EAO Induced by Adoptive Transfer of <i>Listeria monocytogenes</i> -Induced Macrophages with TGC Autoantigens . . . . .	148
5.2.8	EAO Induced by Immunization with Mouse F9 Embryonic Carcinoma Cells+CFA . . . . .	148
5.2.9	EAO Induced by Immunization with Chemically Modified Seminal Plasma+CFA. . . . .	149
5.2.10	EAO Induced by Immunization of Fluid of Seminal Vesicles+CFA. . . . .	149
5.2.11	EAO Induced by Local Transfer of Lymphocytes Cultured with Testicular Cells in the Presence of Xenogeneic Sera . . . . .	150
5.2.12	EAO-Like Lesion Induced by Intraperitoneal Injection with Infectious Agents Other Than CFA or BP . . . . .	151
5.2.13	EAO-Like Lesion Induced by Exposure to Endocrine Disruptors. . . . .	152
	References. . . . .	153
<b>6</b>	<b>Testicular Autoimmunity by Local Injury of the Testis in Experimental Animals . . . . .</b>	<b>163</b>
6.1	Introduction . . . . .	163
6.2	Various EAO Models by Local Injuries. . . . .	163
6.2.1	EAO Induced by Traumatic Injury of Unilateral Testis. . . . .	163
6.2.2	EAO Induced by Spermatic Cord Torsion of Unilateral Testis. . . . .	164
6.2.3	EAO Induced by Vasectomy or Vasoligation of Unilateral Testis. . . . .	165
6.2.4	EAO Induced by Heating Injury of Unilateral Testis . . . . .	168
6.2.5	EAO Induced by Freezing Injury of Unilateral Testis. . . . .	169
6.2.6	EAO Induced by Local Injection with Turpentine into Unilateral Testis and Intradermal Injection with CFA . . . . .	169
6.2.7	EAO Induced by Local Injection with CFA into Unilateral Testis . . . . .	170
6.2.8	EAO Induced by Bilateral CFA Injection into Epididymides . . . . .	170
6.2.9	EAO Induced by Intra-testicular Infection with Bacteria . . . . .	170
6.2.10	EAO Induced by Intra-testicular Infection with Virus. . . . .	173
6.2.11	EAO Induced by Intrinsic Disorder in the Testis. . . . .	174
	References. . . . .	176
<b>7</b>	<b>Testicular Autoimmunity by Alteration of the Immune System in Experimental Animals . . . . .</b>	<b>181</b>
7.1	Introduction . . . . .	181

7.2	Various EAO Models by Immune-Alteration . . . . .	182
7.2.1	EAO Induced by Neonatal Thymectomy. . . . .	182
7.2.2	EAO Induced by Treatment with Cyclosporine A. . . . .	185
7.2.3	EAO Induced by Whole-Body Irradiation. . . . .	187
7.2.4	EAO Induced by Transfer of Normal Lymphocytes . . . . .	189
7.2.5	EAO Induced by Engraftment of Syngeneic Newborn Thymus. . . . .	189
7.2.6	EAO Induced by Engraftment of Xenogeneic Thymus. . . . .	190
7.2.7	EAO Induced by Administration of Anti-IL-2 Receptor Antibody . . . . .	191
7.2.8	EAO Induced by Transfer of Rearranged TCR Alpha-Chain Gene . . . . .	191
7.2.9	EAO Induced by Transfer of HLA-B27 Gene. . . . .	192
7.2.10	EAO Induced by Knockout of TAM Receptor Tyrosine Kinases Triple Genes . . . . .	193
7.2.11	EAO Induced by Knockout of the Autoimmune Regulator (Aire) Gene . . . . .	194
7.2.12	EAO Induced by Knockout of IL-12/IL-35 Common Subunit p35 Gene. . . . .	195
	References. . . . .	196
<b>8</b>	<b>The Future Directions of Testicular Autoimmunity</b>	
	<b>Investigation . . . . .</b>	<b>201</b>
8.1	Introduction . . . . .	201
8.2	Various Issues for Testicular Autoimmunity in the Future . . . . .	201
8.2.1	Precise Epidemiology of Testicular Autoimmunity in Men . . . . .	201
8.2.2	Pathogenesis of the Onset of Autoimmune Inflammation in the Testis . . . . .	203
8.2.3	Pathophysiologic Relation Between Chronic Inflammation in the Testis and Prolonged Spermatogenic Disturbance . . . . .	204
8.2.4	Identification of Relevant Autoantigens for Autoimmune Orchitis. . . . .	206
8.2.5	Genetic Control of Autoimmune Orchitis . . . . .	207
8.2.6	Therapeutic Control of Autoimmune Orchitis by Treg . . . . .	208
8.2.7	Effects of Environmental Toxicants on Autoimmune Orchitis. . . . .	209
8.2.8	Immunopathology of the Male Reproductive Organs During Prolonged Sensitization with Xenoantigens . . . . .	210
8.2.9	Transplant Immunology of the Testis at Cellular, Tissue, and Organ Levels. . . . .	213
8.2.10	Biology of Relation Between Innate and Adaptive Immunity for Autoimmune Orchitis . . . . .	217

---

8.2.11	Physiology of Natural Autoimmunity Against	
	Testicular Antigens. . . . .	220
8.3	Concluding Remarks . . . . .	222
	References. . . . .	223

Testicular Autoimmunity  
A Cause of Male Infertility

Itoh, M.

2017, XVII, 232 p. 54 illus., 43 illus. in color., Hardcover

ISBN: 978-4-431-54459-3