

Contents

1	Applying Förster-Type Nonradiative Energy Transfer Formalism to Nanostructures with Various Directionalities: Dipole Electric Potential of Exciton and Dielectric Environment	1
1.1	Spherical Geometry: Nanoparticle Case	1
1.2	Cylindrical Geometry: Nanowire Case	2
1.3	Planar Geometry: Quantum Well Case	5
	Reference	8
2	Förster-Type Nonradiative Energy Transfer Rates for Nanostructures with Various Dimensionalities	9
2.1	Cases of Förster-Type Energy Transfer to an Nanoparticle: NP \rightarrow NP, NW \rightarrow NP, and QW \rightarrow NP	10
2.2	Cases of Förster-Type Energy Transfer to an Nanowire: NP \rightarrow NW, NW \rightarrow NW, and QW \rightarrow NW	14
2.3	Cases of Förster-Type Energy Transfer to a Quantum Well: NP \rightarrow QW, NW \rightarrow QW, and QW \rightarrow QW	18
2.4	Example: Energy Transfer Between Nanoparticles and Nanowires	21
2.5	Summary	23
	References	25
3	Nonradiative Energy Transfer in Assembly of Nanostructures	27
3.1	Energy Transfer Rates for Nanoparticle, Nanowire, or Quantum Well to 1D Nanoparticle Assembly	29
3.2	Energy Transfer Rates for Nanoparticle, Nanowire, or Quantum Well to 2D Nanoparticle Assembly	30
3.3	Energy Transfer Rates for Nanoparticle, Nanowire, or Quantum Well to 3D Nanoparticle Assembly	32
3.4	Energy Transfer Rates for Nanoparticle, Nanowire, or Quantum Well to 1D Nanowire Assembly	33

3.5	Energy Transfer Rates for Nanoparticle, Nanowire, or Quantum Well to 2D Nanowire Assembly	35
3.6	Summary	36
	References.	37
Appendix A	39

Understanding and Modeling Förster-type Resonance
Energy Transfer (FRET)

FRET from Single Donor to Single Acceptor and
Assemblies of Acceptors, Vol. 2

Hernández Martínez, P.L.; Govorov, A.; Demir, H.V.

2017, VI, 42 p. 15 illus. in color., Softcover

ISBN: 978-981-10-1871-8